

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042915\
 Data File : BF078831.D
 Acq On : 30 Apr 2015 1:50
 Operator : TP/IZ
 Sample : G2002-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TEC-11

Quant Time: Apr 30 03:55:07 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF042815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 30 01:56:50 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.38	152	70078	20.00	ng	0.00
21) Naphthalene-d8	8.96	136	298819	20.00	ng	0.00
38) Acenaphthene-d10	11.14	164	136022	20.00	ng	0.00
63) Phenanthrene-d10	12.98	188	272758	20.00	ng	0.00
75) Chrysene-d12	16.27	240	286874	20.00	ng	-0.01
86) Perylene-d12	17.98	264	304599	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.68	112	531270	139.24	ng	0.01
7) Phenol-d6	6.92	99	674285	132.32	ng	0.00
23) Nitrobenzene-d5	8.07	82	377220	90.89	ng	0.00
41) 2,4,6-Tribromophenol	12.11	330	176735	130.66	ng	-0.01
44) 2-Fluorobiphenyl	10.31	172	763417	76.86	ng	0.00
78) Terphenyl-d14	14.98	244	851443	70.68	ng	0.00
Target Compounds						
32) Benzoic acid	8.58	122	5474	4.33	ng	92
49) Dimethylphthalate	10.81	163	30967	3.20	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042915\
Data File : BF078831.D
Acq On : 30 Apr 2015 1:50
Operator : TP/IZ
Sample : G2002-02
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TEC-11

Quant Time: Apr 30 03:55:07 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF042815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 30 01:56:50 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.38 min Scan# 542
Delta R.T. 0.00 min
Lab File: BF078831.D
Acq: 30 Apr 2015 1:50

Instrument :
BNA_F
ClientSampleId :
TEC-11

Tot Ion:152 Resp: 70078
Ion Ratio Lower Upper
152 100
150 159.9 122.0 183.0
115 64.2 46.3 69.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 139.24 ng
RT: 5.68 min Scan# 393
Delta R.T. 0.01 min
Lab File: BF078831.D
Acq: 30 Apr 2015 1:50

Tgt Ion:112 Resp: 531270
Ion Ratio Lower Upper
112 100
64 58.3 53.5 80.3
63 29.6 27.5 41.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 132.32 ng

RT: 6.92 min Scan# 502

Delta R.T. 0.00 min

Lab File: BF078831.D

Acq: 30 Apr 2015 1:50

Instrument :


BNA_F

ClientSampled :

TEC-11

Tot Ion: 99 Resp: 674285




Ion	Ratio	Lower	Upper
99	100		
42	19.7	12.8	19.2#
71	32.0	23.4	35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.96 min Scan# 680


Delta R.T. 0.00 min

Lab File: BF078831.D

Acq: 30 Apr 2015 1:50

Tgt Ion: 136 Resp: 298819

Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.7	13.1
54	7.9	5.8	8.8
68	5.5	4.2	6.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 90.89 ng
 RT: 8.07 min Scan# 602
 Delta R.T. 0.00 min
 Lab File: BF078831.D
 Acq: 30 Apr 2015 1:50




Instrument :
 BNA_F
 ClientSampleId :
 TEC-11


Tot Ion: 82 Resp: 377220
 Ion Ratio Lower Upper
 82 100
 128 37.1 30.0 45.0
 54 57.0 46.4 69.6



#32
 Benzoic acid
 Concen: 4.33 ng
 RT: 8.58 min Scan# 647
 Delta R.T. -0.05 min
 Lab File: BF078831.D
 Acq: 30 Apr 2015 1:50

Tgt Ion: 122 Resp: 5474
 Ion Ratio Lower Upper
 122 100
 105 134.5 107.1 147.1
 77 102.7 73.9 113.9









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 11.14 min Scan# 871
Delta R.T. 0.00 min
Lab File: BF078831.D
Acq: 30 Apr 2015 1:50

Instrument :
BNA_F
ClientSampleId :
TEC-11

Tot Ion:164 Resp: 136022
Ion Ratio Lower Upper
164 100
162 105.3 82.7 124.1
160 48.3 35.8 53.8




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 130.66 ng
RT: 12.11 min Scan# 956
Delta R.T. -0.01 min
Lab File: BF078831.D
Acq: 30 Apr 2015 1:50

Tgt Ion:330 Resp: 176735
Ion Ratio Lower Upper
330 100
332 96.8 0.0 0.0#
141 37.2 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 76.86 ng
RT: 10.31 min Scan# 798
Delta R.T. 0.00 min
Lab File: BF078831.D
Acq: 30 Apr 2015 1:50




Instrument :
BNA_F
ClientSampleId :
TEC-11


Tot Ion:172 Resp: 763417
Ion Ratio Lower Upper
172 100
171 35.3 27.9 41.9
170 24.2 19.4 29.0



#49
Dimethylphthalate
Concen: 3.20 ng
RT: 10.81 min Scan# 842
Delta R.T. 0.00 min
Lab File: BF078831.D
Acq: 30 Apr 2015 1:50

Tgt Ion:163 Resp: 30967
Ion Ratio Lower Upper
163 100
194 3.7 2.6 4.0
164 9.8 8.1 12.1









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.98 min Scan# 1032
Delta R.T. 0.00 min
Lab File: BF078831.D
Acq: 30 Apr 2015 1:50

Instrument :
BNA_F
ClientSampleId :
TEC-11

Tot Ion	Ratio	Lower	Upper
188	100		
94	11.3	8.2	12.2
80	11.7	8.9	13.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.27 min Scan# 1320
Delta R.T. -0.01 min
Lab File: BF078831.D
Acq: 30 Apr 2015 1:50

Tgt Ion	Ratio	Lower	Upper
240	100		
120	13.6	9.7	14.5
236	25.8	20.2	30.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 70.68 ng

RT: 14.98 min Scan# 1207

Delta R.T. 0.00 min

Lab File: BF078831.D

Acq: 30 Apr 2015 1:50

Instrument :

BNA_F

ClientSampleId :

TEC-11


Tot Ion:244 Resp: 851443

Ion Ratio Lower Upper

244 100

212 6.9 5.6 8.4


122 11.5 10.3 15.5





Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.98 min Scan# 1469

Delta R.T. -0.03 min

Lab File: BF078831.D

Acq: 30 Apr 2015 1:50


Tgt Ion:264 Resp: 304599

Ion Ratio Lower Upper

264 100

260 24.5 19.4 29.2


265 21.2 18.3 27.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E



Time-->

