

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042915\
 Data File : BF078835.D
 Acq On : 30 Apr 2015 3:44
 Operator : TP/IZ
 Sample : G2022-10
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-01-COMP

Quant Time: Apr 30 04:33:45 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF042815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 30 01:56:50 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.38	152	80336	20.00	ng	0.00
21) Naphthalene-d8	8.96	136	339266	20.00	ng	0.00
38) Acenaphthene-d10	11.14	164	155846	20.00	ng	0.00
63) Phenanthrene-d10	12.98	188	305438	20.00	ng	0.00
75) Chrysene-d12	16.27	240	313073	20.00	ng	-0.01
86) Perylene-d12	17.99	264	345270	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.68	112	433404	99.09	ng	0.01
7) Phenol-d6	6.92	99	565863	96.87	ng	0.00
23) Nitrobenzene-d5	8.07	82	300671	63.81	ng	0.00
41) 2,4,6-Tribromophenol	12.11	330	141999	93.20	ng	-0.01
44) 2-Fluorobiphenyl	10.31	172	626379	55.04	ng	0.00
78) Terphenyl-d14	14.98	244	682221	51.90	ng	0.00
Target Compounds						
10) Phenol	6.94	94	21502	3.11	ng	84
49) Dimethylphthalate	10.81	163	30688	2.77	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042915\
Data File : BF078835.D
Acq On : 30 Apr 2015 3:44
Operator : TP/IZ
Sample : G2022-10
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-01-COMP

Quant Time: Apr 30 04:33:45 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF042815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 30 01:56:50 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.38 min Scan# 542
Delta R.T. 0.00 min
Lab File: BF078835.D
Acq: 30 Apr 2015 3:44

Instrument :
BNA_F
ClientSampleId :
SB-01-COMP

Tot Ion:152 Resp: 80336
Ion Ratio Lower Upper
152 100
150 161.1 122.0 183.0
115 64.4 46.3 69.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 99.09 ng
RT: 5.68 min Scan# 393
Delta R.T. 0.01 min
Lab File: BF078835.D
Acq: 30 Apr 2015 3:44

Tgt Ion:112 Resp: 433404
Ion Ratio Lower Upper
112 100
64 57.8 53.5 80.3
63 29.5 27.5 41.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 96.87 ng

RT: 6.92 min Scan# 502

Delta R.T. 0.00 min

Lab File: BF078835.D

Acq: 30 Apr 2015 3:44

Instrument :

BNA_F

ClientSampleId :

SB-01-COMP


Tot Ion: 99 Resp: 565863

Ion Ratio Lower Upper

99 100

42 19.5 12.8 19.2#




71 32.1 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 3.11 ng

RT: 6.94 min Scan# 503

Delta R.T. 0.00 min

Lab File: BF078835.D

Acq: 30 Apr 2015 3:44


Tgt Ion: 94 Resp: 21502

Ion Ratio Lower Upper

94 100

65 33.2 8.5 48.5



66 48.9 16.0 56.0




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.96 min Scan# 680

Delta R.T. 0.00 min

Lab File: BF078835.D

Acq: 30 Apr 2015 3:44

Instrument :

BNA_F

ClientSampleId :

SB-01-COMP

Tot Ion:136 Resp: 339266


Ion Ratio Lower Upper

136 100

137 11.0 8.7 13.1

54 8.2 5.8 8.8

68 5.8 4.2 6.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 63.81 ng

RT: 8.07 min Scan# 602

Delta R.T. 0.00 min

Lab File: BF078835.D

Acq: 30 Apr 2015 3:44


Tgt Ion: 82 Resp: 300671

Ion Ratio Lower Upper

82 100

128 37.8 30.0 45.0



54 57.8 46.4 69.6




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 11.14 min Scan# 871
 Delta R.T. 0.00 min
 Lab File: BF078835.D
 Acq: 30 Apr 2015 3:44

Instrument :
 BNA_F
 ClientSampleId :
 SB-01-COMP

Tot Ion:164 Resp: 155846
 Ion Ratio Lower Upper
 164 100
 162 103.3 82.7 124.1
 160 47.8 35.8 53.8




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 93.20 ng
 RT: 12.11 min Scan# 956
 Delta R.T. -0.01 min
 Lab File: BF078835.D
 Acq: 30 Apr 2015 3:44

Tgt Ion:330 Resp: 141999
 Ion Ratio Lower Upper
 330 100
 332 97.3 0.0 0.0#
 141 36.8 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 55.04 ng
RT: 10.31 min Scan# 798
Delta R.T. 0.00 min
Lab File: BF078835.D
Acq: 30 Apr 2015 3:44




Instrument :
BNA_F
ClientSampleId :
SB-01-COMP


Tot Ion:172 Resp: 626379
Ion Ratio Lower Upper
172 100
171 34.9 27.9 41.9
170 24.2 19.4 29.0



#49
Dimethylphthalate
Concen: 2.77 ng
RT: 10.81 min Scan# 842
Delta R.T. 0.00 min
Lab File: BF078835.D
Acq: 30 Apr 2015 3:44

Tgt Ion:163 Resp: 30688
Ion Ratio Lower Upper
163 100
194 3.0 2.6 4.0
164 9.1 8.1 12.1









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.98 min Scan# 1032
Delta R.T. 0.00 min
Lab File: BF078835.D
Acq: 30 Apr 2015 3:44




Instrument :
BNA_F
ClientSampleId :
SB-01-COMP


Tot Ion:188 Resp: 305438
Ion Ratio Lower Upper
188 100
94 11.0 8.2 12.2
80 11.7 8.9 13.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.27 min Scan# 1320
Delta R.T. -0.01 min
Lab File: BF078835.D
Acq: 30 Apr 2015 3:44

Tgt Ion:240 Resp: 313073
Ion Ratio Lower Upper
240 100
120 14.0 9.7 14.5
236 26.3 20.2 30.4









#78
 Terphenyl-d14
 Concen: 51.90 ng
 RT: 14.98 min Scan# 1207
 Delta R.T. 0.00 min
 Lab File: BF078835.D
 Acq: 30 Apr 2015 3:44

Instrument :
 BNA_F
 ClientSampleId :
 SB-01-COMP

Tot Ion:244 Resp: 682221
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.6 8.4
 122 11.1 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.99 min Scan# 1470
 Delta R.T. -0.02 min
 Lab File: BF078835.D
 Acq: 30 Apr 2015 3:44

Tgt Ion:264 Resp: 345270
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.4 29.2
 265 21.5 18.3 27.5

