

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF043016\
 Data File : BF086516.D
 Acq On : 30 Apr 2016 11:40
 Operator : UM/SJ
 Sample : PB90099BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB90099BL

Quant Time: May 01 03:37:43 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF042716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun May 01 01:17:37 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.76	152	134831	20.00	ng	-0.01
21) Naphthalene-d8	8.05	136	608555	20.00	ng	0.00
38) Acenaphthene-d10	9.80	164	287063	20.00	ng	-0.01
63) Phenanthrene-d10	11.29	188	588462	20.00	ng	0.00
75) Chrysene-d12	13.92	240	524399	20.00	ng	0.00
86) Perylene-d12	15.31	264	411117	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	1115208	142.67	ng	0.01
7) Phenol-d6	6.41	99	1336317	122.49	ng	0.00
23) Nitrobenzene-d5	7.33	82	928854	82.27	ng	-0.01
41) 2,4,6-Tribromophenol	10.59	330	348838	115.23	ng	-0.01
44) 2-Fluorobiphenyl	9.13	172	1449746	89.36	ng	-0.01
78) Terphenyl-d14	12.88	244	1652433	69.42	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF043016\
Data File : BF086516.D
Acq On : 30 Apr 2016 11:40
Operator : UM/SJ
Sample : PB90099BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB90099BL

Quant Time: May 01 03:37:43 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF042716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun May 01 01:17:37 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.76 min Scan# 409
Delta R.T. -0.01 min
Lab File: BF086516.D
Acq: 30 Apr 2016 11:40

Instrument :
BNA_F
ClientSampleId :
PB90099BL

Tgt Ion:152 Resp: 134831
Ion Ratio Lower Upper
152 100
150 161.5 125.8 188.6
115 72.7 51.5 77.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 142.67 ng
RT: 5.37 min Scan# 287
Delta R.T. 0.01 min
Lab File: BF086516.D
Acq: 30 Apr 2016 11:40

Tgt Ion:112 Resp: 1115208
Ion Ratio Lower Upper
112 100
64 63.1 52.1 78.1
63 33.4 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 122.49 ng

RT: 6.41 min Scan# 378

Delta R.T. 0.00 min

Lab File: BF086516.D

Acq: 30 Apr 2016 11:40

Instrument :

BNA_F

ClientSampleId :

PB90099BL





Tgt Ion: 99 Resp: 1336317

Ion Ratio Lower Upper

99 100

42 27.8 13.6 20.4#

71 37.2 24.6 36.8#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.05 min Scan# 522

Delta R.T. 0.00 min

Lab File: BF086516.D

Acq: 30 Apr 2016 11:40

Tgt Ion: 136 Resp: 608555




Ion Ratio Lower Upper

136 100

137 11.2 8.8 13.2

54 10.8 5.0 7.4#

68 6.7 4.4 6.6#









#23
 Nitrobenzene-d5
 Concen: 82.27 ng
 RT: 7.33 min Scan# 459
 Delta R.T. -0.01 min
 Lab File: BF086516.D
 Acq: 30 Apr 2016 11:40




Instrument :
 BNA_F
 ClientSampleId :
 PB90099BL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	41.6	40.6	61.0
54	66.3	38.1	57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.80 min Scan# 675
 Delta R.T. -0.01 min
 Lab File: BF086516.D
 Acq: 30 Apr 2016 11:40

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.2	82.8	124.2
160	46.3	36.9	55.3









#41
 2,4,6-Tribromophenol
 Concen: 115.23 ng
 RT: 10.59 min Scan# 744
 Delta R.T. -0.01 min
 Lab File: BF086516.D
 Acq: 30 Apr 2016 11:40

Instrument :
 BNA_F
 ClientSampleId :
 PB90099BL

Tgt Ion:330 Resp: 348838
 Ion Ratio Lower Upper
 330 100
 332 96.5 79.0 118.4
 141 36.9 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 89.36 ng
 RT: 9.13 min Scan# 616
 Delta R.T. -0.01 min
 Lab File: BF086516.D
 Acq: 30 Apr 2016 11:40

Tgt Ion:172 Resp: 1449746
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.0 43.6
 170 24.5 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.29 min Scan# 805
Delta R.T. 0.00 min
Lab File: BF086516.D
Acq: 30 Apr 2016 11:40




Instrument :
BNA_F
ClientSampleId :
PB90099BL


Tgt Ion:188 Resp: 588462
Ion Ratio Lower Upper
188 100
94 8.4 6.8 10.2
80 8.6 7.1 10.7



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.92 min Scan# 1035
Delta R.T. 0.00 min
Lab File: BF086516.D
Acq: 30 Apr 2016 11:40

Tgt Ion:240 Resp: 524399
Ion Ratio Lower Upper
240 100
120 9.6 11.2 16.8#
236 26.5 21.2 31.8









#78
 Terphenyl-d14
 Concen: 69.42 ng
 RT: 12.88 min Scan# 944
 Delta R.T. 0.00 min
 Lab File: BF086516.D
 Acq: 30 Apr 2016 11:40

Instrument :
 BNA_F
 ClientSampleId :
 PB90099BL

Tgt Ion:244 Resp: 1652433
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.2 9.2
 122 9.6 12.0 18.0#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.31 min Scan# 1157
 Delta R.T. 0.00 min
 Lab File: BF086516.D
 Acq: 30 Apr 2016 11:40

Tgt Ion:264 Resp: 411117
 Ion Ratio Lower Upper
 264 100
 260 24.2 19.5 29.3
 265 21.8 17.3 25.9

