

Data Path : Z:\HPCHEM1\BNA F\DATA\BF043018\
 Data File : BF104951.D
 Acq On : 30 Apr 2018 23:27
 Operator : JU/SJ
 Sample : J2608-01
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CO-5-1

Quant Time: May 01 07:14:12 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 30 15:20:08 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	112987	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	459252	20.00	ng	0.00
38) Acenaphthene-d10	9.83	164	196783	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	313109	20.00	ng	0.00
75) Chrysene-d12	13.97	240	220310	20.00	ng	0.00
86) Perylene-d12	15.43	264	180729	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	355337	48.09	ng	0.00
7) Phenol-d6	6.43	99	679864	74.88	ng	0.00
23) Nitrobenzene-d5	7.36	82	475045	67.54	ng	-0.01
41) 2,4,6-Tribromophenol	10.62	330	26061	12.77	ng	-0.01
44) 2-Fluorobiphenyl	9.15	172	884819	71.03	ng	0.00
78) Terphenyl-d14	12.91	244	707863	73.25	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.55	163	90594	5.838	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF043018\
Data File : BF104951.D
Acq On : 30 Apr 2018 23:27
Operator : JU/SJ
Sample : J2608-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CO-5-1

Quant Time: May 01 07:14:12 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 30 15:20:08 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 799
Delta R.T. -0.01 min
Lab File: BF104951.D
Acq: 30 Apr 2018 23:27

Instrument :
BNA_F
ClientSampled :
CO-5-1

Tot Ion:152 Resp: 112987
Ion Ratio Lower Upper
152 100
150 156.0 124.6 186.8
115 64.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 48.088 ng
RT: 5.41 min Scan# 565
Delta R.T. 0.01 min
Lab File: BF104951.D
Acq: 30 Apr 2018 23:27

Tgt Ion:112 Resp: 355337
Ion Ratio Lower Upper
112 100
64 52.5 47.9 71.9
63 26.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 74.882 ng

RT: 6.43 min Scan# 739

Delta R.T. -0.01 min

Lab File: BF104951.D

Acq: 30 Apr 2018 23:27

Instrument :

BNA_F

ClientSampleId :

CO-5-1


Tot Ion: 99 Resp: 679864

Ion Ratio Lower Upper

99 100

42 14.9 14.5 21.7




71 32.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.07 min Scan# 1018

Delta R.T. -0.01 min

Lab File: BF104951.D

Acq: 30 Apr 2018 23:27

Tgt Ion: 136 Resp: 459252


Ion Ratio Lower Upper

136 100

137 10.9 8.9 13.3

54 6.3 6.6 9.8#

68 5.5 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 67.544 ng
 RT: 7.36 min Scan# 896
 Delta R.T. -0.01 min
 Lab File: BF104951.D
 Acq: 30 Apr 2018 23:27

Instrument :
 BNA_F
 ClientSampleId :
 CO-5-1

Tot Ion: 82 Resp: 475045
 Ion Ratio Lower Upper
 82 100
 128 46.2 36.1 54.1
 54 44.3 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.83 min Scan# 1316
 Delta R.T. -0.01 min
 Lab File: BF104951.D
 Acq: 30 Apr 2018 23:27

Tgt Ion: 164 Resp: 196783
 Ion Ratio Lower Upper
 164 100
 162 102.4 86.1 129.1
 160 44.1 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 12.767 ng
 RT: 10.62 min Scan# 1451
 Delta R.T. -0.01 min
 Lab File: BF104951.D
 Acq: 30 Apr 2018 23:27




Instrument :
 BNA_F
 ClientSampleId :
 CO-5-1


Tot Ion:330 Resp: 26061
 Ion Ratio Lower Upper
 330 100
 332 98.9 77.0 115.6
 141 35.0 29.9 44.9



#44
 2-Fluorobiphenyl
 Concen: 71.032 ng
 RT: 9.15 min Scan# 1201
 Delta R.T. -0.01 min
 Lab File: BF104951.D
 Acq: 30 Apr 2018 23:27

Tgt Ion:172 Resp: 884819
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.7 44.5
 170 23.9 19.6 29.4





#49

Dimethylphthalate

Concen: 5.838 ng

RT: 9.55 min Scan# 1268

Delta R.T. -0.01 min

Lab File: BF104951.D

Acq: 30 Apr 2018 23:27

Instrument :

BNA_F

ClientSampleId :

CO-5-1


Tot Ion:163 Resp: 90594

Ion Ratio Lower Upper




163 100

194 3.3 2.7 4.1

164 9.3 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.32 min Scan# 1570

Delta R.T. -0.01 min

Lab File: BF104951.D

Acq: 30 Apr 2018 23:27


Tgt Ion:188 Resp: 313109

Ion Ratio Lower Upper



188 100


94 9.4 8.5 12.7

80 10.2 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.97 min Scan# 2020

Delta R.T. -0.01 min

Lab File: BF104951.D

Acq: 30 Apr 2018 23:27

Instrument :

BNA_F

ClientSampleId :

CO-5-1


Tot Ion:240 Resp: 220310

Ion Ratio Lower Upper

240 100

120 12.0 9.5 14.3


236 25.9 20.7 31.1





Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time-->



#78

Terphenyl-d14

Concen: 73.252 ng

RT: 12.91 min Scan# 1840

Delta R.T. -0.01 min

Lab File: BF104951.D

Acq: 30 Apr 2018 23:27


Tgt Ion:244 Resp: 707863

Ion Ratio Lower Upper

244 100

212 6.4 5.4 8.0


122 10.5 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E


Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.43 min Scan# 2269
 Delta R.T. -0.01 min
 Lab File: BF104951.D
 Acq: 30 Apr 2018 23:27

Instrument :
 BNA_F
 ClientSampleId :
 CO-5-1

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.9	19.2	28.8
265	21.2	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

