

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF050118\
 Data File : BF105015.D
 Acq On : 2 May 2018 6:53
 Operator : JU/SJ
 Sample : J2645-08
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 042718-JETB-E-U-M

Quant Time: May 02 08:19:59 2018
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 01 16:13:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	111793	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	472219	20.00	ng	0.00
38) Acenaphthene-d10	9.83	164	210133	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	335760	20.00	ng	0.00
75) Chrysene-d12	14.00	240	233610	20.00	ng	0.02
86) Perylene-d12	15.53	264	203489	20.00	ng	0.10
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	284183	38.87	ng	0.00
7) Phenol-d6	6.42	99	211246	23.52	ng	-0.01
23) Nitrobenzene-d5	7.36	82	681407	94.22	ng	0.00
41) 2,4,6-Tribromophenol	10.62	330	167690	76.93	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	1190456	89.50	ng	0.00
78) Terphenyl-d14	12.91	244	924492	90.22	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF050118\
Data File : BF105015.D
Acq On : 2 May 2018 6:53
Operator : JU/SJ
Sample : J2645-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
042718-JETB-E-U-M

Quant Time: May 02 08:19:59 2018
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 01 16:13:08 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.79 min Scan# 799
 Delta R.T. 0.00 min
 Lab File: BF105015.D
 Acq: 2 May 2018 6:53

Instrument :
 BNA_F
 ClientSampleId :
 042718-JETB-E-U-M

Tgt Ion:152 Resp: 111793
 Ion Ratio Lower Upper
 152 100
 150 161.0 124.6 186.8
 115 63.5 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 38.869 ng
 RT: 5.40 min Scan# 563
 Delta R.T. -0.01 min
 Lab File: BF105015.D
 Acq: 2 May 2018 6:53

Tgt Ion:112 Resp: 284183
 Ion Ratio Lower Upper
 112 100
 64 54.2 47.9 71.9
 63 26.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 23.516 ng

RT: 6.42 min Scan# 737

Delta R.T. -0.01 min

Lab File: BF105015.D

Acq: 2 May 2018 6:53

Instrument :

BNA_F

ClientSampleId :

042718-JETB-E-U-M


Tgt Ion: 99 Resp: 211246

Ion Ratio Lower Upper

99 100

42 14.9 14.5 21.7




71 31.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.07 min Scan# 1018

Delta R.T. 0.00 min

Lab File: BF105015.D

Acq: 2 May 2018 6:53

Tgt Ion: 136 Resp: 472219


Ion Ratio Lower Upper

136 100

137 10.7 8.9 13.3

54 5.7 6.6 9.8#

68 5.5 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 94.224 ng
 RT: 7.36 min Scan# 896
 Delta R.T. -0.01 min
 Lab File: BF105015.D
 Acq: 2 May 2018 6:53

Instrument :
 BNA_F
 ClientSampleId :
 042718-JETB-E-U-M

Tgt Ion	Ratio	Lower	Upper
82	100		
128	47.0	36.1	54.1
54	44.0	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.83 min Scan# 1316
 Delta R.T. -0.01 min
 Lab File: BF105015.D
 Acq: 2 May 2018 6:53

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.1	86.1	129.1
160	45.8	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 76.930 ng
 RT: 10.62 min Scan# 1451
 Delta R.T. -0.01 min
 Lab File: BF105015.D
 Acq: 2 May 2018 6:53




Instrument :
 BNA_F
 ClientSampleId :
 042718-JETB-E-U-M


Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.0	115.6
141	32.8	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 89.497 ng
 RT: 9.15 min Scan# 1201
 Delta R.T. 0.00 min
 Lab File: BF105015.D
 Acq: 2 May 2018 6:53

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.7	44.5
170	24.1	19.6	29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.32 min Scan# 1570
Delta R.T. 0.00 min
Lab File: BF105015.D
Acq: 2 May 2018 6:53

Instrument :
BNA_F
ClientSampleId :
042718-JETB-E-U-M

Tgt Ion:188 Resp: 335760
Ion Ratio Lower Upper
188 100
94 9.4 8.5 12.7
80 9.5 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.00 min Scan# 2025
Delta R.T. 0.02 min
Lab File: BF105015.D
Acq: 2 May 2018 6:53

Tgt Ion:240 Resp: 233610
Ion Ratio Lower Upper
240 100
120 12.1 9.5 14.3
236 26.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 90.222 ng

RT: 12.91 min Scan# 1840

Delta R.T. 0.00 min

Lab File: BF105015.D

Acq: 2 May 2018 6:53

Instrument :

BNA_F

ClientSampleId :

042718-JETB-E-U-M


Tgt Ion:244 Resp: 924492

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0




122 13.0 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.53 min Scan# 2286

Delta R.T. 0.10 min

Lab File: BF105015.D

Acq: 2 May 2018 6:53


Tgt Ion:264 Resp: 203489

Ion Ratio Lower Upper

264 100

260 23.6 19.2 28.8

265 21.0 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

