

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050125\
 Data File : BF142270.D
 Acq On : 01 May 2025 19:52
 Operator : RC/JU
 Sample : Q1901-02MSD
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-167-SB01MSD

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 05/02/2025
 Supervised By :Jagrut Upadhyay 05/02/2025

Quant Time: May 02 01:08:53 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF043025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 30 16:00:01 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
Internal Standards							05/02/2025
1) 1,4-Dichlorobenzene-d4	6.910	152	204570	20.000	ng	0.00	
21) Naphthalene-d8	8.187	136	762454	20.000	ng	0.00	
39) Acenaphthene-d10	9.945	164	351872	20.000	ng	0.00	
64) Phenanthrene-d10	11.428	188	496148	20.000	ng	0.00	
76) Chrysene-d12	14.069	240	429879	20.000	ng	0.00	
86) Perylene-d12	15.557	264	473333	20.000	ng	-0.01	
System Monitoring Compounds							
5) 2-Fluorophenol	5.522	112	1098118	85.729	ng	0.00	
7) Phenol-d6	6.528	99	1349184	87.225	ng	0.00	
23) Nitrobenzene-d5	7.469	82	776525	66.910	ng	0.00	
42) 2,4,6-Tribromophenol	10.733	330	286287	89.247	ng	0.00	
45) 2-Fluorobiphenyl	9.263	172	1541618	61.773	ng	0.00	
79) Terphenyl-d14	13.016	244	1244500	42.105	ng	0.00	
Target Compounds							Qvalue
2) 1,4-Dioxane	2.758	88	213600	37.338	ng		98
3) Pyridine	3.516	79	586468	39.445	ng		99
4) n-Nitrosodimethylamine	3.463	42	336346	43.715	ng		99
6) Aniline	6.569	93	640860	29.271	ng		99
8) 2-Chlorophenol	6.687	128	576726	43.572	ng		98
9) Benzaldehyde	6.457	77	286273	26.480	ng		99
10) Phenol	6.540	94	699472m	42.004	ng		
11) bis(2-Chloroethyl)ether	6.640	93	555314	43.034	ng		99
12) 1,3-Dichlorobenzene	6.851	146	628881	41.999	ng		99
13) 1,4-Dichlorobenzene	6.928	146	637600	42.264	ng		99
14) 1,2-Dichlorobenzene	7.075	146	614756	42.685	ng		99
15) Benzyl Alcohol	7.045	79	471490	42.978	ng		100
16) 2,2'-oxybis(1-Chloropr...	7.181	45	1026846	44.067	ng		99
17) 2-Methylphenol	7.151	107	446076	41.139	ng		99
18) Hexachloroethane	7.422	117	224222	45.411	ng		99
19) n-Nitroso-di-n-propyla...	7.316	70	396481	41.480	ng		98
20) 3+4-Methylphenols	7.304	107	559745	41.280	ng	#	90
22) Acetophenone	7.316	105	751886	42.626	ng	#	97
24) Nitrobenzene	7.487	77	567935	49.874	ng		100
25) Isophorone	7.728	82	1049987	43.109	ng		99
26) 2-Nitrophenol	7.804	139	270273	54.552	ng		98
27) 2,4-Dimethylphenol	7.834	122	530664	43.212	ng		99
28) bis(2-Chloroethoxy)met...	7.934	93	677074	44.077	ng		99
29) 2,4-Dichlorophenol	8.040	162	450996	43.927	ng		99
30) 1,2,4-Trichlorobenzene	8.128	180	505370	44.110	ng		100
31) Naphthalene	8.210	128	1631154	42.898	ng		100
32) Benzoic acid	7.934	122	285536	48.669	ng		99
33) 4-Chloroaniline	8.251	127	188949	11.933	ng		99
34) Hexachlorobutadiene	8.328	225	308153	46.100	ng		99
35) Caprolactam	8.616	113	124087m	40.210	ng		
36) 4-Chloro-3-methylphenol	8.728	107	428130	40.609	ng		98
37) 2-Methylnaphthalene	8.898	142	977255	41.802	ng		99
38) 1-Methylnaphthalene	8.998	142	999740	41.279	ng		100
40) 1,2,4,5-Tetrachloroben...	9.069	216	471907	47.654	ng		99
41) Hexachlorocyclopentadiene	9.057	237	554087	98.586	ng		100
43) 2,4,6-Trichlorophenol	9.175	196	305921	49.853	ng		99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050125\
 Data File : BF142270.D
 Acq On : 01 May 2025 19:52
 Operator : RC/JU
 Sample : Q1901-02MSD
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-167-SB01MSD

Manual Integrations
 APPROVED


Reviewed By :Rahul Chavli 05/02/2025
 Supervised By :Jagrut Upadhyay 05/02/2025

Quant Time: May 02 01:08:53 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF043025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 30 16:00:01 2025
 Response via : Initial Calibration

05/02/2025
 Supervised By :Jagrut
 Upadhyay


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	9.210	196	297440	46.102	ng	99	05/02/2025
46) 1,1'-Biphenyl	9.363	154	1272788	46.529	ng	99	
47) 2-Chloronaphthalene	9.392	162	925740	45.486	ng	99	
48) 2-Nitroaniline	9.481	65	252309	47.110	ng	98	
49) Acenaphthylene	9.804	152	1503902	43.790	ng	100	
50) Dimethylphthalate	9.663	163	1015217	45.099	ng	100	
51) 2,6-Dinitrotoluene	9.722	165	204319	47.378	ng	98	
52) Acenaphthene	9.981	154	931022	46.429	ng	98	
53) 3-Nitroaniline	9.886	138	121932	24.861	ng	# 96	
54) 2,4-Dinitrophenol	9.992	184	131189	84.371	ng	# 41	
55) Dibenzofuran	10.151	168	1290218	42.922	ng	99	
56) 4-Nitrophenol	10.039	139	316946	89.575	ng	99	
57) 2,4-Dinitrotoluene	10.122	165	249724	47.801	ng	99	
58) Fluorene	10.492	166	945333	41.360	ng	99	
59) 2,3,4,6-Tetrachlorophenol	10.263	232	232642	43.531	ng	99	
60) Diethylphthalate	10.363	149	980867	44.125	ng	100	
61) 4-Chlorophenyl-phenyle...	10.486	204	467320	43.054	ng	97	
62) 4-Nitroaniline	10.504	138	182663	38.819	ng	95	
63) Azobenzene	10.645	77	1027831	46.824	ng	96	
65) 4,6-Dinitro-2-methylph...	10.528	198	85960	51.580	ng	96	
66) n-Nitrosodiphenylamine	10.604	169	816949	48.191	ng	99	
67) 4-Bromophenyl-phenylether	10.975	248	278827	50.462	ng	99	
68) Hexachlorobenzene	11.039	284	292279	47.230	ng	99	
69) Atrazine	11.128	200	232637	52.062	ng	99	
70) Pentachlorophenol	11.228	266	317591	97.144	ng	98	
71) Phenanthrene	11.457	178	1239899	46.265	ng	100	
72) Anthracene	11.504	178	1211937	44.230	ng	99	
73) Carbazole	11.657	167	1076493	43.067	ng	99	
74) Di-n-butylphthalate	11.992	149	1373313	54.629	ng	100	
75) Fluoranthene	12.645	202	1282408	48.407	ng	99	
77) Benzidine	12.763	184	472493	25.867	ng	99	
78) Pyrene	12.869	202	1332351	33.599	ng	99	
80) Butylbenzylphthalate	13.492	149	544307	50.031	ng	99	
81) Benzo(a)anthracene	14.063	228	1310994	45.428	ng	99	
82) 3,3'-Dichlorobenzidine	14.022	252	285891	33.727	ng	99	
83) Chrysene	14.098	228	1182323	45.008	ng	99	
84) Bis(2-ethylhexyl)phtha...	14.051	149	774590	51.320	ng	100	
85) Di-n-octyl phthalate	14.669	149	1467740	52.643	ng	# 99	
87) Indeno(1,2,3-cd)pyrene	17.068	276	1135807	32.760	ng	99	
88) Benzo(b)fluoranthene	15.121	252	1429910	48.634	ng	100	
89) Benzo(k)fluoranthene	15.157	252	1218152	45.297	ng	99	
90) Benzo(a)pyrene	15.498	252	1262185	46.890	ng	100	
91) Dibenzo(a,h)anthracene	17.086	278	932712	33.147	ng	99	
92) Benzo(g,h,i)perylene	17.521	276	856464	30.277	ng	100	

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.910 min Scan# 80
 Delta R.T. 0.000 min
 Lab File: BF142270.D
 Acq: 01 May 2025 19:52

Instrument :
 BNA_F
 ClientSampleId :
 B-167-SB01MSD






Tgt Ion:152 Resp: 204570
 Ion Ratio Lower Upper
 152 100
 150 162.1 130.2 195.2
 115 57.9 47.0 70.4

Manual Integrations
 APPROVED


Reviewed By :Rahul Chavli 05/02/2025
 Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
 Supervised By :Jagrut
 Upadhyay



05/02/2025




#2
 1,4-Dioxane
 Concen: 37.338 ng
 RT: 2.758 min Scan# 96
 Delta R.T. 0.059 min
 Lab File: BF142270.D
 Acq: 01 May 2025 19:52




Tgt Ion: 88 Resp: 213600
 Ion Ratio Lower Upper
 88 100
 58 92.2 72.2 108.2
 43 35.6 27.0 40.6





#3
Pyridine
Concen: 39.445 ng
RT: 3.516 min Scan# 216
Delta R.T. 0.053 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion: 79 Resp: 586468
Ion Ratio Lower Upper
79 100
52 88.2 71.5 107.3
51 42.3 34.5 51.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#4
n-Nitrosodimethylamine
Concen: 43.715 ng
RT: 3.463 min Scan# 216
Delta R.T. 0.053 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Tgt Ion: 42 Resp: 336346
Ion Ratio Lower Upper
42 100
74 111.1 89.5 134.3
44 7.6 6.6 9.8





#5
2-Fluorophenol
Concen: 85.729 ng
RT: 5.522 min Scan# 509
Delta R.T. 0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD





Tgt Ion: 112 Resp: 1098118
Ion Ratio Lower Upper
112 100
64 60.8 48.4 72.6
63 31.7 24.8 37.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#6
Aniline
Concen: 29.271 ng
RT: 6.569 min Scan# 744
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion: 93 Resp: 640860
Ion Ratio Lower Upper
93 100
66 39.9 32.1 48.1
65 20.0 16.6 24.8





#7
Phenol-d6
Concen: 87.225 ng
RT: 6.528 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion: 99 Resp: 1349184
Ion Ratio Lower Upper
99 100
42 20.7 16.3 24.5
71 31.3 25.0 37.4

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#8
2-Chlorophenol
Concen: 43.572 ng
RT: 6.687 min Scan# 764
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:128 Resp: 576726
Ion Ratio Lower Upper
128 100
130 32.9 13.1 53.1
64 50.7 28.6 68.6





#9
Benzaldehyde
Concen: 26.480 ng
RT: 6.457 min Scan# 725
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion: 77 Resp: 28627
Ion Ratio Lower Upper
77 100
105 100.2 79.1 119.1
106 96.9 76.0 116.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#10
Phenol
Concen: 42.004 ng m
RT: 6.540 min Scan# 739
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion: 94 Resp: 699472
Ion Ratio Lower Upper
94 100
65 28.6 8.9 48.9
66 39.1 18.7 58.7





#11
bis(2-Chloroethyl)ether
Concen: 43.034 ng
RT: 6.640 min Scan# 757
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion: 93 Resp: 555314
Ion Ratio Lower Upper
93 100
63 83.7 62.2 102.2
95 32.3 12.7 52.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#12
1,3-Dichlorobenzene
Concen: 41.999 ng
RT: 6.851 min Scan# 792
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:146 Resp: 628881
Ion Ratio Lower Upper
146 100
148 64.2 50.5 75.7
75 29.1 23.2 34.8





#13
1,4-Dichlorobenzene
Concen: 42.264 ng
RT: 6.928 min Scan# 805
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:146 Resp: 637600
Ion Ratio Lower Upper
146 100
148 64.0 50.6 76.0
111 41.3 33.4 50.0

Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
Supervised By :Jagrut
Upadhyay



05/02/2025




#14
1,2-Dichlorobenzene
Concen: 42.685 ng
RT: 7.075 min Scan# 830
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52




Tgt Ion:146 Resp: 614756
Ion Ratio Lower Upper
146 100
148 62.6 50.5 75.7
111 44.4 34.9 52.3





#15
Benzyl Alcohol
Concen: 42.978 ng
RT: 7.045 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion: 79 Resp: 471490
Ion Ratio Lower Upper
79 100
108 80.9 64.5 96.7
77 62.0 49.2 73.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 44.067 ng
RT: 7.181 min Scan# 848
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion: 45 Resp: 1026846
Ion Ratio Lower Upper
45 100
77 10.8 0.0 31.3
79 8.4 0.0 28.5





#17
2-Methylphenol
Concen: 41.139 ng
RT: 7.151 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:107 Resp: 446070
Ion Ratio Lower Upper
107 100
108 114.9 91.0 136.4
77 44.0 34.4 51.6
79 43.2 34.4 51.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#18
Hexachloroethane
Concen: 45.411 ng
RT: 7.422 min Scan# 889
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:117 Resp: 224222
Ion Ratio Lower Upper
117 100
119 95.8 77.1 115.7
201 97.3 79.4 119.2





#19
n-Nitroso-di-n-propylamine
Concen: 41.480 ng
RT: 7.316 min Scan# 871
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion: 70 Resp: 39648
Ion Ratio Lower Upper
70 100
42 68.4 53.4 80.2
101 9.6 7.7 11.5
130 22.1 17.2 25.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#20
3+4-Methylphenols
Concen: 41.280 ng
RT: 7.304 min Scan# 869
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:107 Resp: 559745
Ion Ratio Lower Upper
107 100
108 91.8 71.2 111.2
77 82.8 41.1 81.1#
79 28.8 8.1 48.1





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.187 min Scan# 1019
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:136 Resp: 762454
Ion Ratio Lower Upper
136 100
137 11.0 8.7 13.1
54 10.0 7.7 11.5
68 6.3 5.0 7.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#22
Acetophenone
Concen: 42.626 ng
RT: 7.316 min Scan# 871
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Tgt Ion:105 Resp: 751886
Ion Ratio Lower Upper
105 100
71 8.9 5.7 8.5#
51 35.2 30.1 45.1
120 23.7 19.0 28.4





#23

Nitrobenzene-d5

Concen: 66.910 ng

RT: 7.469 min Scan# 89

Delta R.T. -0.006 min

Lab File: BF142270.D

Acq: 01 May 2025 19:52

Instrument :

BNA_F

ClientSampleId :

B-167-SB01MSD

Tgt Ion: 82 Resp: 776525

Ion	Ratio	Lower	Upper
82	100		
128	46.5	37.0	55.6
54	60.4	48.0	72.0

Manual Integrations

APPROVED





Reviewed By :Rahul Chavli 05/02/2025

Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025

Supervised By :Jagrut Upadhyay

05/02/2025



#24

Nitrobenzene

Concen: 49.874 ng

RT: 7.487 min Scan# 900




Delta R.T. -0.006 min


Lab File: BF142270.D

Acq: 01 May 2025 19:52

Tgt Ion: 77 Resp: 567935

Ion	Ratio	Lower	Upper
77	100		
123	48.6	38.6	58.0
65	14.5	11.5	17.3








#25
Isophorone
Concen: 43.109 ng
RT: 7.728 min Scan# 941
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD

Tgt Ion: 82 Resp: 104998
Ion Ratio Lower Upper
82 100
95 7.1 5.6 8.4
138 19.8 15.3 22.9


Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025






05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#26
2-Nitrophenol
Concen: 54.552 ng
RT: 7.804 min Scan# 954
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:139 Resp: 270273
Ion Ratio Lower Upper
139 100
109 27.0 21.8 32.8
65 49.1 41.1 61.7





#27
2,4-Dimethylphenol
Concen: 43.212 ng
RT: 7.834 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:122 Resp: 530664
Ion Ratio Lower Upper
122 100
107 106.3 86.0 129.0
121 57.4 46.3 69.5

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#28
bis(2-Chloroethoxy)methane
Concen: 44.077 ng
RT: 7.934 min Scan# 976
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Tgt Ion: 93 Resp: 677074
Ion Ratio Lower Upper
93 100
95 32.3 26.2 39.2
123 12.6 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 43.927 ng

RT: 8.040 min Scan# 994

Delta R.T. -0.000 min

Lab File: BF142270.D

Acq: 01 May 2025 19:52

Instrument :

BNA_F

ClientSampleId :

B-167-SB01MSD

Tgt Ion:162 Resp: 450990
 Ion Ratio Lower Upper
 162 100
 164 64.6 43.0 83.0
 98 36.7 16.7 56.7

Manual Integrations

APPROVED





Reviewed By :Rahul Chavli 05/02/2025

Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025

Supervised By :Jagrut
Upadhyay

05/02/2025



#30

1,2,4-Trichlorobenzene

Concen: 44.110 ng




RT: 8.128 min Scan# 1009


Delta R.T. -0.006 min

Lab File: BF142270.D

Acq: 01 May 2025 19:52


Tgt Ion:180 Resp: 505370
 Ion Ratio Lower Upper
 180 100
 182 94.9 75.7 113.5
 145 31.5 25.4 38.0





#31
Naphthalene
Concen: 42.898 ng
RT: 8.210 min Scan# 1024
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52



Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD



Tgt Ion:128 Resp: 1631154
Ion Ratio Lower Upper
128 100
129 11.2 9.0 13.4
127 13.2 10.6 15.8


Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay



05/02/2025




#32
Benzoic acid
Concen: 48.669 ng
RT: 7.934 min Scan# 976
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52




Tgt Ion:122 Resp: 285536
Ion Ratio Lower Upper
122 100
105 117.7 98.2 138.2
77 87.6 66.8 106.8





#33
4-Chloroaniline
Concen: 11.933 ng
RT: 8.251 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:127 Resp: 188949
Ion Ratio Lower Upper
127 100
129 32.0 26.1 39.1
65 31.9 25.5 38.3
92 19.1 15.4 23.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#34
Hexachlorobutadiene
Concen: 46.100 ng
RT: 8.328 min Scan# 1043
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:225 Resp: 308153
Ion Ratio Lower Upper
225 100
223 63.3 49.7 74.5
227 63.6 51.0 76.4





#35
Caprolactam
Concen: 40.210 ng m
RT: 8.616 min Scan# 1093
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52



Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD



Tgt Ion:113 Resp: 12408
Ion Ratio Lower Upper
113 100
55 205.5 177.7 217.7
56 152.5 127.1 167.1


Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025






05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#36
4-Chloro-3-methylphenol
Concen: 40.609 ng
RT: 8.728 min Scan# 1111
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:107 Resp: 428130
Ion Ratio Lower Upper
107 100
144 27.3 21.0 31.4
142 84.3 66.1 99.1





#37
2-Methylnaphthalene
Concen: 41.802 ng
RT: 8.898 min Scan# 1141
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52



Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD



Tgt Ion:142 Resp: 97725
Ion Ratio Lower Upper
142 100
141 87.4 70.5 105.7


Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025






05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#38
1-Methylnaphthalene
Concen: 41.279 ng
RT: 8.998 min Scan# 1157
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:142 Resp: 999740
Ion Ratio Lower Upper
142 100
141 91.4 72.8 109.2





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.945 min Scan# 1169
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:164 Resp: 351872
Ion Ratio Lower Upper
164 100
162 99.8 78.6 117.8
160 44.6 35.7 53.5

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 47.654 ng
RT: 9.069 min Scan# 1169
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:216 Resp: 471907
Ion Ratio Lower Upper
216 100
214 79.4 63.8 95.6
179 20.9 16.7 25.1
108 20.6 15.6 23.4





#41
Hexachlorocyclopentadiene
Concen: 98.586 ng
RT: 9.057 min Scan# 1167
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:237 Resp: 55408
Ion Ratio Lower Upper
237 100
235 63.3 43.5 83.5
272 13.2 0.0 32.9

Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
Supervised By :Jagrut
Upadhyay



05/02/2025




#42
2,4,6-Tribromophenol
Concen: 89.247 ng
RT: 10.733 min Scan# 1452
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52




Tgt Ion:330 Resp: 286287
Ion Ratio Lower Upper
330 100
332 95.6 76.5 114.7
141 30.9 24.3 36.5





#43
2,4,6-Trichlorophenol
Concen: 49.853 ng
RT: 9.175 min Scan# 1187
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:196 Resp: 30592
Ion Ratio Lower Upper
196 100
198 96.2 77.4 116.2
200 31.3 24.6 37.0

Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
Supervised By :Jagrut
Upadhyay



05/02/2025




#44
2,4,5-Trichlorophenol
Concen: 46.102 ng
RT: 9.210 min Scan# 1193
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52



Tgt Ion:196 Resp: 297440
Ion Ratio Lower Upper
196 100
198 95.2 75.2 112.8
97 48.5 39.8 59.8
132 29.1 23.8 35.8





#45

2-Fluorobiphenyl

Concen: 61.773 ng

RT: 9.263 min Scan# 1219

Delta R.T. -0.006 min

Lab File: BF142270.D


Acq: 01 May 2025 19:52

Instrument :

BNA_F

ClientSampleId :

B-167-SB01MSD



Tgt Ion:172 Resp: 1541618

Ion Ratio Lower Upper

172 100

171 35.0 29.0 43.4

170 23.5 19.4 29.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 05/02/2025

Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025

Supervised By :Jagrut
Upadhyay

05/02/2025



#46

1,1'-Biphenyl

Concen: 46.529 ng

RT: 9.363 min Scan# 1219

Delta R.T. -0.006 min

Lab File: BF142270.D

Acq: 01 May 2025 19:52




Tgt Ion:154 Resp: 1272788


Ion Ratio Lower Upper

154 100

153 39.9 20.5 60.5


76 12.8 0.0 32.8





#47
2-Chloronaphthalene
Concen: 45.486 ng
RT: 9.392 min Scan# 1224
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:162 Resp: 925740
Ion Ratio Lower Upper
162 100
127 40.6 32.6 49.0
164 33.3 26.1 39.1

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#48
2-Nitroaniline
Concen: 47.110 ng
RT: 9.481 min Scan# 1239
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion: 65 Resp: 252309
Ion Ratio Lower Upper
65 100
92 66.3 54.3 81.5
138 107.8 88.6 133.0





#49
Acenaphthylene
Concen: 43.790 ng
RT: 9.804 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:152 Resp: 150390
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.2
153 13.3 10.7 16.1

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#50
Dimethylphthalate
Concen: 45.099 ng
RT: 9.663 min Scan# 1270
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:163 Resp: 1015217
Ion Ratio Lower Upper
163 100
194 3.9 3.2 4.8
164 10.2 8.2 12.2





#51
2,6-Dinitrotoluene
Concen: 47.378 ng
RT: 9.722 min Scan# 1281
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:165 Resp: 204319
Ion Ratio Lower Upper
165 100
63 60.3 48.5 72.7
89 52.8 43.9 65.9

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#52
Acenaphthene
Concen: 46.429 ng
RT: 9.981 min Scan# 1324
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:154 Resp: 931022
Ion Ratio Lower Upper
154 100
153 107.7 88.6 133.0
152 51.8 42.1 63.1





#53
3-Nitroaniline
Concen: 24.861 ng
RT: 9.886 min Scan# 1308
Delta R.T. -0.005 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:138 Resp: 121932
Ion Ratio Lower Upper
138 100
108 11.1 11.7 17.5
92 110.5 91.2 136.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#54
2,4-Dinitrophenol
Concen: 84.371 ng
RT: 9.992 min Scan# 1326
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:184 Resp: 131189
Ion Ratio Lower Upper
184 100
63 77.1 69.2 103.8
154 187.8 271.4 407.2#





#55
Dibenzenofuran
Concen: 42.922 ng
RT: 10.151 min Scan# 1353
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:168 Resp: 1290218
Ion Ratio Lower Upper
168 100
139 36.1 29.4 44.0
169 13.6 11.0 16.4

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#56
4-Nitrophenol
Concen: 89.575 ng
RT: 10.039 min Scan# 1334
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:139 Resp: 316946
Ion Ratio Lower Upper
139 100
109 64.3 44.9 84.9
65 93.0 74.7 114.7





#57
2,4-Dinitrotoluene
Concen: 47.801 ng
RT: 10.122 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:165 Resp: 249724
Ion Ratio Lower Upper
165 100
63 48.2 38.8 58.2
89 70.1 57.1 85.7
182 2.6 2.2 3.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#58
Fluorene
Concen: 41.360 ng
RT: 10.492 min Scan# 1411
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:166 Resp: 945333
Ion Ratio Lower Upper
166 100
165 93.6 73.9 110.9
167 13.8 10.8 16.2





#59
2,3,4,6-Tetrachlorophenol
Concen: 43.531 ng
RT: 10.263 min Scan# 1372
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:232 Resp: 23264
Ion Ratio Lower Upper
232 100
131 44.7 35.9 53.9
130 2.2 1.8 2.6
166 29.3 24.0 36.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#60
Diethylphthalate
Concen: 44.125 ng
RT: 10.363 min Scan# 1389
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:149 Resp: 980867
Ion Ratio Lower Upper
149 100
177 21.9 17.6 26.4
150 12.6 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 43.054 ng
RT: 10.486 min Scan# 1410
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:204 Resp: 467320
Ion Ratio Lower Upper
204 100
206 32.6 25.6 38.4
141 58.4 48.9 73.3

Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
Supervised By :Jagrut
Upadhyay



05/02/2025




#62
4-Nitroaniline
Concen: 38.819 ng
RT: 10.504 min Scan# 1413
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52




Tgt Ion:138 Resp: 182663
Ion Ratio Lower Upper
138 100
92 46.3 29.2 69.2
108 64.3 49.1 89.1





#63
Azobenzene
Concen: 46.824 ng
RT: 10.645 min Scan# 1438
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion: 77 Resp: 102783
Ion Ratio Lower Upper
77 100
182 28.6 7.3 47.3
105 27.6 2.5 42.5
51 35.6 14.4 54.4

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.428 min Scan# 1570
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:188 Resp: 496148
Ion Ratio Lower Upper
188 100
94 10.4 8.2 12.2
80 11.1 8.6 12.8





#65
4,6-Dinitro-2-methylphenol
Concen: 51.580 ng
RT: 10.528 min Scan# 1417
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:198 Resp: 85960
Ion Ratio Lower Upper
198 100
51 57.7 40.6 80.6
105 46.8 29.2 69.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#66
n-Nitrosodiphenylamine
Concen: 48.191 ng
RT: 10.604 min Scan# 1430
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:169 Resp: 816949
Ion Ratio Lower Upper
169 100
168 65.8 53.0 79.6
167 35.6 28.8 43.2





#67
4-Bromophenyl-phenylether
Concen: 50.462 ng
RT: 10.975 min Scan# 1493
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD





Tgt Ion:248 Resp: 278827
Ion Ratio Lower Upper
248 100
250 96.2 77.2 115.8
141 71.4 58.4 87.6

Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
Supervised By :Jagrut
Upadhyay



05/02/2025




#68
Hexachlorobenzene
Concen: 47.230 ng
RT: 11.039 min Scan# 1504
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52



Tgt Ion:284 Resp: 292279
Ion Ratio Lower Upper
284 100
142 31.8 24.6 37.0
249 29.4 23.2 34.8





#69

Atrazine

Concen: 52.062 ng

RT: 11.128 min Scan# 1519

Delta R.T. -0.000 min

Lab File: BF142270.D

Acq: 01 May 2025 19:52

Instrument :

BNA_F

ClientSampleId :

B-167-SB01MSD

Tgt Ion:200 Resp: 23263

Ion Ratio Lower Upper

200 100

173 28.0 8.6 48.6

215 49.3 28.5 68.5

Manual Integrations

APPROVED





Reviewed By :Rahul Chavli 05/02/2025

Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025

Supervised By :Jagrut
Upadhyay

05/02/2025



#70

Pentachlorophenol

Concen: 97.144 ng

RT: 11.228 min Scan# 1536

Delta R.T. -0.005 min

Lab File: BF142270.D

Acq: 01 May 2025 19:52




Tgt Ion:266 Resp: 317591


Ion Ratio Lower Upper

266 100

268 63.0 50.0 75.0


264 63.5 49.3 73.9





#71
Phenanthrene
Concen: 46.265 ng
RT: 11.457 min Scan# 1575
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52



Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD



Tgt Ion:178 Resp: 1239899
Ion Ratio Lower Upper
178 100
176 19.4 15.5 23.3
179 15.6 12.6 19.0


Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay



05/02/2025




#72
Anthracene
Concen: 44.230 ng
RT: 11.504 min Scan# 1583
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52




Tgt Ion:178 Resp: 1211937
Ion Ratio Lower Upper
178 100
176 18.5 15.3 22.9
179 15.6 12.7 19.1





#73
 Carbazole
 Concen: 43.067 ng
 RT: 11.657 min Scan# 1609
 Delta R.T. -0.006 min
 Lab File: BF142270.D
 Acq: 01 May 2025 19:52

Instrument :
 BNA_F
 ClientSampleId :
 B-167-SB01MSD






Tgt Ion:167 Resp: 107649
 Ion Ratio Lower Upper
 167 100
 166 21.1 17.3 25.9
 139 12.6 10.3 15.5

Manual Integrations
 APPROVED


Reviewed By :Rahul Chavli 05/02/2025
 Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
 Supervised By :Jagrut
 Upadhyay



05/02/2025




#74
 Di-n-butylphthalate
 Concen: 54.629 ng
 RT: 11.992 min Scan# 1666
 Delta R.T. -0.006 min
 Lab File: BF142270.D
 Acq: 01 May 2025 19:52




Tgt Ion:149 Resp: 1373313
 Ion Ratio Lower Upper
 149 100
 150 9.5 7.5 11.3
 104 4.5 3.6 5.4





#75
Fluoranthene
Concen: 48.407 ng
RT: 12.645 min Scan# 1777
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:202 Resp: 1282408
Ion Ratio Lower Upper
202 100
101 11.6 0.0 32.4
203 17.5 0.0 37.5

Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
Supervised By :Jagrut
Upadhyay



05/02/2025




#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.069 min Scan# 2019
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52




Tgt Ion:240 Resp: 429879
Ion Ratio Lower Upper
240 100
120 12.6 10.1 15.1
236 25.6 20.5 30.7





#77
Benzidine
Concen: 25.867 ng
RT: 12.763 min Scan# 1797
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:184 Resp: 472491
Ion Ratio Lower Upper
184 100
185 15.1 11.8 17.6
183 10.7 8.9 13.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#78
Pyrene
Concen: 33.599 ng
RT: 12.869 min Scan# 1815
Delta R.T. -0.012 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:202 Resp: 1332351
Ion Ratio Lower Upper
202 100
200 20.0 16.1 24.1
203 18.2 14.1 21.1





#79
Terphenyl-d14
Concen: 42.105 ng
RT: 13.016 min Scan# 1840
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:244 Resp: 1244500
Ion Ratio Lower Upper
244 100
212 6.4 5.3 7.9
122 11.3 9.1 13.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#80
Butylbenzylphthalate
Concen: 50.031 ng
RT: 13.492 min Scan# 1921
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:149 Resp: 544307
Ion Ratio Lower Upper
149 100
91 67.8 54.4 81.6
206 21.0 15.9 23.9





#81
Benzo(a)anthracene
Concen: 45.428 ng
RT: 14.063 min Scan# 2018
Delta R.T. 0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:228 Resp: 1310994
Ion Ratio Lower Upper
228 100
226 28.0 21.9 32.9
229 19.9 16.0 24.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#82
3,3'-Dichlorobenzidine
Concen: 33.727 ng
RT: 14.022 min Scan# 2011
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Tgt Ion:252 Resp: 285891
Ion Ratio Lower Upper
252 100
254 64.4 51.0 76.6
126 12.2 9.4 14.2





#83

Chrysene

Concen: 45.008 ng

RT: 14.098 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BF142270.D

Acq: 01 May 2025 19:52

Instrument :

BNA_F

ClientSampleId :

B-167-SB01MSD

Tgt Ion:228 Resp: 118232

Ion Ratio Lower Upper

228 100

226 30.4 24.0 36.0

229 20.0 15.7 23.5

Manual Integrations

APPROVED





Reviewed By :Rahul Chavli 05/02/2025

Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025

Supervised By :Jagrut
Upadhyay

05/02/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 51.320 ng

RT: 14.051 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BF142270.D

Acq: 01 May 2025 19:52




Tgt Ion:149 Resp: 774590


Ion Ratio Lower Upper

149 100

167 27.2 21.7 32.5


279 4.1 3.0 4.4





#85
Di-n-octyl phthalate
Concen: 52.643 ng
RT: 14.669 min Scan# 2121
Delta R.T. -0.011 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:149 Resp: 1467740
Ion Ratio Lower Upper
149 100
167 1.7 1.1 1.7
43 11.2 9.3 13.9

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.557 min Scan# 2272
Delta R.T. -0.012 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:264 Resp: 473333
Ion Ratio Lower Upper
264 100
260 22.7 18.4 27.6
265 21.9 17.3 25.9





#87
 Indeno(1,2,3-cd)pyrene
 Concen: 32.760 ng
 RT: 17.068 min Scan# 211
 Delta R.T. -0.012 min
 Lab File: BF142270.D
 Acq: 01 May 2025 19:52

Instrument :
 BNA_F
 ClientSampleId :
 B-167-SB01MSD






Tgt Ion:276 Resp: 113580
 Ion Ratio Lower Upper
 276 100
 138 28.4 22.6 33.8
 277 25.5 20.1 30.1

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 05/02/2025
 Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
 Supervised By :Jagrut
 Upadhyay


05/02/2025



#88
 Benzo(b)fluoranthene
 Concen: 48.634 ng
 RT: 15.121 min Scan# 2198
 Delta R.T. -0.006 min
 Lab File: BF142270.D
 Acq: 01 May 2025 19:52


Tgt Ion:252 Resp: 1429910
 Ion Ratio Lower Upper
 252 100
 253 22.4 17.7 26.5
 125 11.1 9.0 13.4





#89
Benzo(k)fluoranthene
Concen: 45.297 ng
RT: 15.157 min Scan# 21
Delta R.T. -0.000 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:252 Resp: 121815
Ion Ratio Lower Upper
252 100
253 22.1 17.8 26.8
125 10.2 9.0 13.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025




05/02/2025
Supervised By :Jagrut
Upadhyay


05/02/2025



#90
Benzo(a)pyrene
Concen: 46.890 ng
RT: 15.498 min Scan# 2262
Delta R.T. -0.006 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52


Tgt Ion:252 Resp: 1262185
Ion Ratio Lower Upper
252 100
253 22.0 17.6 26.4
125 11.8 9.5 14.3





#91
Dibenzo(a,h)anthracene
Concen: 33.147 ng
RT: 17.086 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Instrument :
BNA_F
ClientSampleId :
B-167-SB01MSD






Tgt Ion:278 Resp: 932712
Ion Ratio Lower Upper
278 100
139 18.2 15.2 22.8
279 23.6 19.0 28.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 05/02/2025
Supervised By :Jagrut Upadhyay 05/02/2025

05/02/2025
Supervised By :Jagrut
Upadhyay

05/02/2025



#92
Benzo(g,h,i)perylene
Concen: 30.277 ng
RT: 17.521 min Scan# 2606
Delta R.T. -0.018 min
Lab File: BF142270.D
Acq: 01 May 2025 19:52

Tgt Ion:276 Resp: 856464
Ion Ratio Lower Upper
276 100
277 23.6 18.7 28.1
138 24.2 19.4 29.0

