

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050218\
 Data File : BF105068.D
 Acq On : 3 May 2018 8:46
 Operator : JU/SJ
 Sample : J2666-01
 Misc :
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CURB-A-CONCRETE

Quant Time: May 03 11:14:11 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 02 17:25:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	93487	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	380082	20.00	ng	0.00
38) Acenaphthene-d10	9.83	164	170816	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	280061	20.00	ng	0.00
75) Chrysene-d12	14.04	240	223126	20.00	ng	0.00
86) Perylene-d12	15.63	264	185629	20.00	ng	0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	35956	5.88	ng	0.02
7) Phenol-d6	6.43	99	263273	35.05	ng	-0.01
23) Nitrobenzene-d5	7.36	82	388674	66.77	ng	-0.01
41) 2,4,6-Tribromophenol	10.63	330	359	0.20	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	755364	69.86	ng	-0.01
78) Terphenyl-d14	12.92	244	647042	66.11	ng	0.00
Target Compounds						
10) Phenol	6.45	94	22525	2.826	ng	Qvalue # 77
49) Dimethylphthalate	9.55	163	57795	4.291	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050218\
Data File : BF105068.D
Acq On : 3 May 2018 8:46
Operator : JU/SJ
Sample : J2666-01
Misc :
ALS Vial : 48 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CURB-A-CONCRETE

Quant Time: May 03 11:14:11 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 02 17:25:18 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 799
Delta R.T. -0.00 min
Lab File: BF105068.D
Acq: 3 May 2018 8:46

Instrument :
BNA_F
ClientSampleId :
CURB-A-CONCRETE

Tot Ion:152 Resp: 93487
Ion Ratio Lower Upper
152 100
150 155.5 124.6 186.8
115 61.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 5.881 ng
RT: 5.42 min Scan# 567
Delta R.T. 0.02 min
Lab File: BF105068.D
Acq: 3 May 2018 8:46

Tgt Ion:112 Resp: 35956
Ion Ratio Lower Upper
112 100
64 52.7 47.9 71.9
63 28.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 35.046 ng

RT: 6.43 min Scan# 738

Delta R.T. -0.01 min

Lab File: BF105068.D

Acq: 3 May 2018 8:46

Instrument :

BNA_F

ClientSampleId :

CURB-A-CONCRETE


Tot Ion: 99 Resp: 263273

Ion Ratio Lower Upper




99 100

42 15.8 14.5 21.7

71 32.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.826 ng

RT: 6.45 min Scan# 741

Delta R.T. -0.01 min

Lab File: BF105068.D

Acq: 3 May 2018 8:46


Tgt Ion: 94 Resp: 22525

Ion Ratio Lower Upper



94 100


65 31.2 7.9 47.9

66 57.6 16.2 56.2#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.07 min Scan# 1018

Delta R.T. -0.00 min

Lab File: BF105068.D

Acq: 3 May 2018 8:46

Instrument :

BNA_F

ClientSampleId :

CURB-A-CONCRETE

Tot Ion:136 Resp: 380082


Ion Ratio Lower Upper

136 100

137 10.7 8.9 13.3

54 5.8 6.6 9.8#

68 4.9 5.0 7.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 66.774 ng

RT: 7.36 min Scan# 896

Delta R.T. -0.01 min

Lab File: BF105068.D

Acq: 3 May 2018 8:46


Tgt Ion: 82 Resp: 388674

Ion Ratio Lower Upper

82 100

128 48.3 36.1 54.1



54 42.3 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.83 min Scan# 1316

Delta R.T. -0.01 min

Lab File: BF105068.D

Acq: 3 May 2018 8:46

Instrument :

BNA_F

ClientSampleId :

CURB-A-CONCRETE


Tot Ion:164 Resp: 170816

Ion Ratio Lower Upper

164 100

162 106.8 86.1 129.1




160 46.5 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 0.203 ng

RT: 10.63 min Scan# 1453

Delta R.T. -0.00 min

Lab File: BF105068.D

Acq: 3 May 2018 8:46


Tgt Ion:330 Resp: 359

Ion Ratio Lower Upper

330 100

332 78.6 77.0 115.6



141 0.0 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 69.858 ng
RT: 9.15 min Scan# 1200
Delta R.T. -0.01 min
Lab File: BF105068.D
Acq: 3 May 2018 8:46




Instrument :
BNA_F
ClientSampleId :
CURB-A-CONCRETE


Tot Ion:172 Resp: 755364
Ion Ratio Lower Upper
172 100
171 36.2 29.7 44.5
170 23.9 19.6 29.4



#49
Dimethylphthalate
Concen: 4.291 ng
RT: 9.55 min Scan# 1268
Delta R.T. -0.01 min
Lab File: BF105068.D
Acq: 3 May 2018 8:46

Tgt Ion:163 Resp: 57795
Ion Ratio Lower Upper
163 100
194 3.5 2.7 4.1
164 9.7 8.2 12.2









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.32 min Scan# 1570
Delta R.T. -0.00 min
Lab File: BF105068.D
Acq: 3 May 2018 8:46




Instrument :
BNA_F
ClientSampleId :
CURB-A-CONCRETE


Tot Ion:188 Resp: 280061
Ion Ratio Lower Upper
188 100
94 9.4 8.5 12.7
80 9.7 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.04 min Scan# 2032
Delta R.T. 0.01 min
Lab File: BF105068.D
Acq: 3 May 2018 8:46

Tgt Ion:240 Resp: 223126
Ion Ratio Lower Upper
240 100
120 12.9 9.5 14.3
236 25.3 20.7 31.1









#78
 Terphenyl-d14
 Concen: 66.113 ng
 RT: 12.92 min Scan# 1841
 Delta R.T. -0.00 min
 Lab File: BF105068.D
 Acq: 3 May 2018 8:46

Instrument :
 BNA_F
 ClientSampleId :
 CURB-A-CONCRETE

Tot Ion:244 Resp: 647042
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.0
 122 13.0 11.0 16.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.63 min Scan# 2302
 Delta R.T. 0.04 min
 Lab File: BF105068.D
 Acq: 3 May 2018 8:46

Tgt Ion:264 Resp: 185629
 Ion Ratio Lower Upper
 264 100
 260 22.6 19.2 28.8
 265 21.4 17.5 26.3

