

Data Path : Z:\HPCHEM1\BNA F\Data\BF050316\
 Data File : BF086639.D
 Acq On : 3 May 2016 12:30
 Operator : UM/SJ
 Sample : H2730-01
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 STOCKPILE-1

Quant Time: May 03 13:01:04 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF042716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 27 14:20:52 2016
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.750	152	189763	20.00	ng	-0.06
21) Naphthalene-d8	8.042	136	771592	20.00	ng	-0.06
38) Acenaphthene-d10	9.791	164	386036	20.00	ng	-0.06
63) Phenanthrene-d10	11.265	188	676856	20.00	ng	-0.06
75) Chrysene-d12	13.905	240	483498	20.00	ng	-0.06
86) Perylene-d12	15.300	264	382927	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.344	112	1344979	122.25	ng	-0.04
7) Phenol-d6	6.396	99	1910685	124.44	ng	-0.05
23) Nitrobenzene-d5	7.322	82	1383882	96.67	ng	-0.06
41) 2,4,6-Tribromophenol	10.579	330	484139	118.92	ng	-0.06
44) 2-Fluorobiphenyl	9.116	172	1685748	74.28	ng	-0.06
78) Terphenyl-d14	12.865	244	1621874	73.90	ng	-0.05
Target Compounds						Qvalue
15) Benzyl Alcohol	6.910	79	21401	2.20	ng	# 37
19) n-Nitroso-di-n-propyla...	7.322	70	192598	18.98	ng	# 78
49) Dimethylphthalate	9.516	163	278227	9.57	ng	98
56) 2,4-Dinitrotoluene	9.791	165	49160	6.42	ng	# 16
66) 4-Bromophenyl-phenylether	10.579	248	30742	4.41	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\Data\BF050316\
Data File : BF086639.D
Acq On : 3 May 2016 12:30
Operator : UM/SJ
Sample : H2730-01
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
STOCKPILE-1

Quant Time: May 03 13:01:04 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF042716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 27 14:20:52 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.750 min Scan# 40

Delta R.T. -0.057 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30

Instrument :

BNA_F

ClientSampleId :

STOCKPILE-1





Tot Ion:152 Resp: 189763

Ion Ratio Lower Upper

152 100

150 154.8 125.8 188.6

115 63.4 51.5 77.3



#5

2-Fluorophenol

Concen: 122.25 ng

RT: 5.344 min Scan# 285

Delta R.T. -0.045 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30




Tgt Ion:112 Resp: 1344979


Ion Ratio Lower Upper

112 100

64 74.5 52.1 78.1

63 40.5 25.7 38.5#





#7

Phenol-d6

Concen: 124.44 ng

RT: 6.396 min Scan# 37

Delta R.T. -0.045 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30

Instrument :

BNA_F

ClientSampleId :

STOCKPILE-1





Tot Ion: 99 Resp: 1910685

Ion Ratio Lower Upper

99 100

42 28.2 13.6 20.4#

71 39.1 24.6 36.8#



#15

Benzyl Alcohol

Concen: 2.20 ng

RT: 6.910 min Scan# 422

Delta R.T. -0.045 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30




Tgt Ion: 79 Resp: 21401


Ion Ratio Lower Upper

79 100

108 38.5 68.4 102.6#

77 124.9 50.6 76.0#









#19
n-Nitroso-di-n-propylamine
Concen: 18.98 ng
RT: 7.322 min Scan# 45
Delta R.T. 0.092 min
Lab File: BF086639.D
Acq: 3 May 2016 12:30




Instrument :
BNA_F
ClientSampleId :
STOCKPILE-1


Tot Ion: 70 Resp: 192598
Ion Ratio Lower Upper
70 100
42 62.5 43.1 64.7
101 0.0 8.1 12.1#
130 1.9 18.6 28.0#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.042 min Scan# 521
Delta R.T. -0.057 min
Lab File: BF086639.D
Acq: 3 May 2016 12:30

Tgt Ion: 136 Resp: 771592
Ion Ratio Lower Upper
136 100
137 10.6 8.8 13.2
54 8.0 5.0 7.4#
68 4.9 4.4 6.6









#23
Nitrobenzene-d5
Concen: 96.67 ng
RT: 7.322 min Scan# 45
Delta R.T. -0.057 min
Lab File: BF086639.D
Acq: 3 May 2016 12:30




Instrument :
BNA_F
ClientSampleId :
STOCKPILE-1


Tot Ion: 82 Resp: 1383882
Ion Ratio Lower Upper
82 100
128 42.0 40.6 61.0
54 66.2 38.1 57.1#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.791 min Scan# 674
Delta R.T. -0.057 min
Lab File: BF086639.D
Acq: 3 May 2016 12:30

Tgt Ion:164 Resp: 386036
Ion Ratio Lower Upper
164 100
162 103.6 82.8 124.2
160 47.3 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 118.92 ng
 RT: 10.579 min Scan# 741
 Delta R.T. -0.057 min
 Lab File: BF086639.D
 Acq: 3 May 2016 12:30




Instrument :
 BNA_F
 ClientSampleId :
 STOCKPILE-1


Tot Ion:330 Resp: 484139
 Ion Ratio Lower Upper
 330 100
 332 96.2 79.0 118.4
 141 37.5 31.2 46.8



#44
 2-Fluorobiphenyl
 Concen: 74.28 ng
 RT: 9.116 min Scan# 615
 Delta R.T. -0.057 min
 Lab File: BF086639.D
 Acq: 3 May 2016 12:30

Tgt Ion:172 Resp: 1685748
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.0 43.6
 170 24.8 19.8 29.8





#49

Dimethylphthalate

Concen: 9.57 ng

RT: 9.516 min Scan# 651

Delta R.T. -0.057 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30

Instrument :

BNA_F

ClientSampleId :

STOCKPILE-1





Tot Ion:163 Resp: 278227

Ion Ratio Lower Upper

163 100

194 3.6 2.6 4.0

164 9.6 8.2 12.4



#56

2,4-Dinitrotoluene

Concen: 6.42 ng

RT: 9.791 min Scan# 674

Delta R.T. -0.251 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30

Tgt Ion:165 Resp: 49160




Ion Ratio Lower Upper


165 100

63 2.1 44.3 66.5#

89 2.1 70.0 105.0#

182 0.0 1.8 2.6#





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.265 min Scan# 80

Delta R.T. -0.057 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30

Instrument :

BNA_F

ClientSampleId :

STOCKPILE-1





Tot Ion:188 Resp: 676856

Ion Ratio Lower Upper

188 100

94 13.3 6.8 10.2#

80 14.6 7.1 10.7#



#66

4-Bromophenyl-phenylether

Concen: 4.41 ng

RT: 10.579 min Scan# 743

Delta R.T. -0.297 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30




Tgt Ion:248 Resp: 30742


Ion Ratio Lower Upper

248 100

250 195.6 78.6 117.8#

141 524.4 76.0 114.0#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.905 min Scan# 10

Delta R.T. -0.057 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30

Instrument :

BNA_F

ClientSampleId :

STOCKPILE-1





Tot Ion:240 Resp: 483498

Ion Ratio Lower Upper

240 100

120 8.7 11.2 16.8#

236 26.1 21.2 31.8



#78

Terphenyl-d14

Concen: 73.90 ng

RT: 12.865 min Scan# 943

Delta R.T. -0.045 min

Lab File: BF086639.D

Acq: 3 May 2016 12:30




Tgt Ion:244 Resp: 1621874




Ion Ratio Lower Upper

244 100

212 6.9 6.2 9.2

122 7.1 12.0 18.0#





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.300 min Scan# 11
 Delta R.T. -0.057 min
 Lab File: BF086639.D
 Acq: 3 May 2016 12:30

Instrument :
 BNA_F
 ClientSampleId :
 STOCKPILE-1

Tot Ion:	264	Resp:	382927
Ion Ratio	Lower	Upper	
264	100		
260	24.9	19.5	29.3
265	21.2	17.3	25.9

