

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050321\
 Data File : BF123793.D
 Acq On : 3 May 2021 22:50
 Operator : JU/CG
 Sample : M2217-18
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 HTRCV2-GRAB-CF02-02

Quant Time: May 04 00:57:58 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF042721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 27 16:30:39 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.804	152	243514	20.00	ng	0.00
21) Naphthalene-d8	8.092	136	877906	20.00	ng	0.00
39) Acenaphthene-d10	9.845	164	396050	20.00	ng	0.00
64) Phenanthrene-d10	11.333	188	630840	20.00	ng	0.00
76) Chrysene-d12	13.974	240	473214	20.00	ng	-0.01
86) Perylene-d12	15.433	264	372054	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	1556360	101.25	ng	0.01
7) Phenol-d6	6.445	99	2026009	95.68	ng	0.00
23) Nitrobenzene-d5	7.369	82	1420427	73.04	ng	0.00
42) 2,4,6-Tribromophenol	10.633	330	442813	89.81	ng	-0.01
45) 2-Fluorobiphenyl	9.169	172	2004436	73.70	ng	0.00
79) Terphenyl-d14	12.922	244	1563547	63.62	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.563	163	90621	3.25	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050321\
Data File : BF123793.D
Acq On : 3 May 2021 22:50
Operator : JU/CG
Sample : M2217-18
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
HTCRV2-GRAB-CF02-02

Quant Time: May 04 00:57:58 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF042721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 27 16:30:39 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.804 min Scan# 802
Delta R.T. -0.006 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50




Instrument :
BNA_F
ClientSampleId :
HTCRV2-GRAB-CF02-02


Tgt Ion:152 Resp: 243514
Ion Ratio Lower Upper
152 100
150 161.4 127.0 190.6
115 68.1 54.3 81.5



#5
2-Fluorophenol
Concen: 101.25 ng
RT: 5.434 min Scan# 569
Delta R.T. 0.012 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Tgt Ion:112 Resp: 1556360
Ion Ratio Lower Upper
112 100
64 79.7 61.4 92.0
63 43.5 33.0 49.4









#7
Phenol-d6
Concen: 95.68 ng
RT: 6.445 min Scan# 741
Delta R.T. -0.000 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Instrument :
BNA_F
ClientSampleId :
HTCRV2-GRAB-CF02-02

Tgt Ion: 99 Resp: 2026009




Ion	Ratio	Lower	Upper
99	100		
42	25.7	19.8	29.8
71	41.4	31.1	46.7




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.092 min Scan# 1021
Delta R.T. -0.006 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Tgt Ion: 136 Resp: 877906

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.7	13.1
54	11.6	9.8	14.6
68	5.8	4.1	6.1









#23
Nitrobenzene-d5
Concen: 73.04 ng
RT: 7.369 min Scan# 898
Delta R.T. -0.006 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Instrument :
BNA_F
ClientSampleId :
HTCRV2-GRAB-CF02-02

Tgt Ion: 82 Resp: 1420427




Ion	Ratio	Lower	Upper
82	100		
128	37.4	29.4	44.2
54	67.3	54.1	81.1




#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.845 min Scan# 1319
Delta R.T. -0.006 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Tgt Ion:164 Resp: 396050

Ion	Ratio	Lower	Upper
164	100		
162	101.4	80.7	121.1
160	45.6	37.3	55.9









#42
2,4,6-Tribromophenol
Concen: 89.81 ng
RT: 10.633 min Scan# 1453
Delta R.T. -0.012 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50




Instrument :
BNA_F
ClientSampleId :
HTCRV2-GRAB-CF02-02


Tgt Ion:330 Resp: 442813
Ion Ratio Lower Upper
330 100
332 94.1 77.1 115.7
141 32.4 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 73.70 ng
RT: 9.169 min Scan# 1204
Delta R.T. -0.006 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Tgt Ion:172 Resp: 2004436
Ion Ratio Lower Upper
172 100
171 34.3 28.1 42.1
170 23.4 19.2 28.8









#50
Dimethylphthalate
Concen: 3.25 ng
RT: 9.563 min Scan# 1271
Delta R.T. -0.018 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50




Instrument :
BNA_F
ClientSampleId :
HTCRV2-GRAB-CF02-02


Tgt Ion:163 Resp: 90621
Ion Ratio Lower Upper
163 100
194 4.1 3.1 4.7
164 11.3 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.333 min Scan# 1572
Delta R.T. -0.006 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Tgt Ion:188 Resp: 630840
Ion Ratio Lower Upper
188 100
94 8.5 6.9 10.3
80 9.8 8.2 12.2









#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.974 min Scan# 2021
Delta R.T. -0.012 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50




Instrument :
BNA_F
ClientSampleId :
HTCRV2-GRAB-CF02-02


Tgt Ion:240 Resp: 473214
Ion Ratio Lower Upper
240 100
120 9.2 7.2 10.8
236 22.9 19.0 28.4



#79
Terphenyl-d14
Concen: 63.62 ng
RT: 12.922 min Scan# 1842
Delta R.T. -0.006 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Tgt Ion:244 Resp: 1563547
Ion Ratio Lower Upper
244 100
212 6.6 5.7 8.5
122 10.0 9.7 14.5





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.433 min Scan# 2269
Delta R.T. -0.006 min
Lab File: BF123793.D
Acq: 3 May 2021 22:50

Instrument :
BNA_F
ClientSampleId :
HTCRV2-GRAB-CF02-02

Tgt Ion:264 Resp: 372054

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.7	28.1
265	19.7	17.8	26.8

