

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050323\
 Data File : BF133215.D
 Acq On : 03 May 2023 19:19
 Operator : CG\JU
 Sample : 02583-01
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CF-21

Quant Time: May 04 01:40:46 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:31:52 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.728	152	184618	20.000	ng	0.00
21) Naphthalene-d8	8.010	136	750826	20.000	ng	0.00
39) Acenaphthene-d10	9.763	164	388302	20.000	ng	0.00
64) Phenanthrene-d10	11.245	188	610467	20.000	ng	0.00
76) Chrysene-d12	13.880	240	340859	20.000	ng	-0.01
86) Perylene-d12	15.298	264	391291	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.340	112	1137979	93.113	ng	0.00
7) Phenol-d6	6.369	99	1466110	96.650	ng	0.00
23) Nitrobenzene-d5	7.292	82	928990	66.785	ng	0.00
42) 2,4,6-Tribromophenol	10.551	330	138239	35.399	ng	0.00
45) 2-Fluorobiphenyl	9.092	172	1601765	69.012	ng	0.00
79) Terphenyl-d14	12.833	244	1246457	63.068	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050323\
Data File : BF133215.D
Acq On : 03 May 2023 19:19
Operator : CG\JU
Sample : 02583-01
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CF-21

Quant Time: May 04 01:40:46 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:31:52 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.728 min Scan# 791
 Delta R.T. -0.006 min
 Lab File: BF133215.D
 Acq: 03 May 2023 19:19




Instrument :
 BNA_F
 ClientSampleId :
 CF-21

Tgt Ion:152 Resp: 184618
 Ion Ratio Lower Upper
 152 100
 150 158.4 124.8 187.2
 115 61.2 49.9 74.9



#5
 2-Fluorophenol
 Concen: 93.113 ng
 RT: 5.340 min Scan# 553
 Delta R.T. -0.000 min
 Lab File: BF133215.D
 Acq: 03 May 2023 19:19

Tgt Ion:112 Resp: 1137979
 Ion Ratio Lower Upper
 112 100
 64 57.6 46.8 70.2
 63 29.7 23.8 35.8









#7
Phenol-d6
Concen: 96.650 ng
RT: 6.369 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF133215.D
Acq: 03 May 2023 19:19




Instrument :
BNA_F
ClientSampleId :
CF-21


Tgt Ion: 99 Resp: 1466110
Ion Ratio Lower Upper
99 100
42 19.2 16.3 24.5
71 31.9 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.010 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BF133215.D
Acq: 03 May 2023 19:19

Tgt Ion: 136 Resp: 750826
Ion Ratio Lower Upper
136 100
137 11.5 8.6 13.0
54 9.5 7.0 10.4
68 7.5 5.4 8.2





#23

Nitrobenzene-d5

Concen: 66.785 ng

RT: 7.292 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF133215.D

Acq: 03 May 2023 19:19

Instrument :

BNA_F

ClientSampleId :

CF-21





Tgt Ion: 82 Resp: 928990

Ion Ratio Lower Upper

82 100

128 47.1 37.7 56.5

54 53.2 43.0 64.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.763 min Scan# 1305

Delta R.T. -0.006 min

Lab File: BF133215.D

Acq: 03 May 2023 19:19




Tgt Ion: 164 Resp: 388302

Ion Ratio Lower Upper

164 100

162 96.7 78.7 118.1

160 44.2 35.8 53.6





#42

2,4,6-Tribromophenol

Concen: 35.399 ng

RT: 10.551 min Scan# 1441

Delta R.T. -0.006 min

Lab File: BF133215.D

Acq: 03 May 2023 19:19

Instrument :

BNA_F

ClientSampleId :

CF-21





Tgt Ion:330 Resp: 138239

Ion Ratio Lower Upper

330 100

332 97.3 77.1 115.7

141 36.0 25.8 38.8



#45

2-Fluorobiphenyl

Concen: 69.012 ng

RT: 9.092 min Scan# 1191

Delta R.T. -0.000 min

Lab File: BF133215.D

Acq: 03 May 2023 19:19




Tgt Ion:172 Resp: 1601765


Ion Ratio Lower Upper

172 100

171 36.3 28.8 43.2

170 24.2 19.4 29.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.245 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF133215.D

Acq: 03 May 2023 19:19

Instrument :

BNA_F

ClientSampleId :

CF-21





Tgt Ion:188 Resp: 610467

Ion Ratio Lower Upper

188 100

94 10.8 9.7 14.5

80 11.0 10.4 15.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.880 min Scan# 2005

Delta R.T. -0.012 min

Lab File: BF133215.D

Acq: 03 May 2023 19:19




Tgt Ion:240 Resp: 340859


Ion Ratio Lower Upper

240 100

120 12.9 10.5 15.7

236 26.2 21.5 32.3









#79
 Terphenyl-d14
 Concen: 63.068 ng
 RT: 12.833 min Scan# 1827
 Delta R.T. -0.006 min
 Lab File: BF133215.D
 Acq: 03 May 2023 19:19

Instrument :
 BNA_F
 ClientSampleId :
 CF-21

Tgt Ion:244 Resp: 1246457
 Ion Ratio Lower Upper
 244 100
 212 6.3 5.1 7.7
 122 12.2 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.298 min Scan# 2246
 Delta R.T. -0.006 min
 Lab File: BF133215.D
 Acq: 03 May 2023 19:19

Tgt Ion:264 Resp: 391291
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.8 28.2
 265 21.3 17.0 25.4

