

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050323\
 Data File : BF133216.D
 Acq On : 03 May 2023 19:50
 Operator : CG\JU
 Sample : 02583-06
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CF-26

Quant Time: May 04 01:41:06 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:31:52 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.728	152	182575	20.000	ng	0.00
21) Naphthalene-d8	8.010	136	725842	20.000	ng	0.00
39) Acenaphthene-d10	9.763	164	376226	20.000	ng	0.00
64) Phenanthrene-d10	11.245	188	602750	20.000	ng	0.00
76) Chrysene-d12	13.881	240	320117	20.000	ng	-0.01
86) Perylene-d12	15.298	264	365911	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.346	112	1380536	114.224	ng	0.00
7) Phenol-d6	6.369	99	1723177	114.867	ng	0.00
23) Nitrobenzene-d5	7.293	82	1056165	78.541	ng	0.00
42) 2,4,6-Tribromophenol	10.551	330	178851	47.269	ng	0.00
45) 2-Fluorobiphenyl	9.093	172	1739725	77.362	ng	0.00
79) Terphenyl-d14	12.834	244	1431954	77.148	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050323\
Data File : BF133216.D
Acq On : 03 May 2023 19:50
Operator : CG\JU
Sample : 02583-06
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CF-26

Quant Time: May 04 01:41:06 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:31:52 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.728 min Scan# 791
 Delta R.T. -0.006 min
 Lab File: BF133216.D
 Acq: 03 May 2023 19:50




Instrument :
 BNA_F
 ClientSampleId :
 CF-26

Tgt Ion:152 Resp: 182575
 Ion Ratio Lower Upper
 152 100
 150 152.9 124.8 187.2
 115 58.9 49.9 74.9



#5
 2-Fluorophenol
 Concen: 114.224 ng
 RT: 5.346 min Scan# 554
 Delta R.T. 0.006 min
 Lab File: BF133216.D
 Acq: 03 May 2023 19:50

Tgt Ion:112 Resp: 1380536
 Ion Ratio Lower Upper
 112 100
 64 54.2 46.8 70.2
 63 27.7 23.8 35.8









#7
Phenol-d6
Concen: 114.867 ng
RT: 6.369 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF133216.D
Acq: 03 May 2023 19:50

Instrument :
BNA_F
ClientSampleId :
CF-26

Tgt Ion: 99 Resp: 1723177




Ion	Ratio	Lower	Upper
99	100		
42	19.4	16.3	24.5
71	31.9	25.6	38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.010 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BF133216.D
Acq: 03 May 2023 19:50

Tgt Ion: 136 Resp: 725842

Ion	Ratio	Lower	Upper
136	100		
137	11.5	8.6	13.0
54	9.0	7.0	10.4
68	6.9	5.4	8.2





#23

Nitrobenzene-d5

Concen: 78.541 ng

RT: 7.293 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF133216.D

Acq: 03 May 2023 19:50

Instrument :





BNA_F

ClientSampleId :

CF-26

Tgt Ion: 82 Resp: 1056165

Ion	Ratio	Lower	Upper
82	100		
128	46.9	37.7	56.5
54	52.6	43.0	64.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.763 min Scan# 1305




Delta R.T. -0.006 min

Lab File: BF133216.D

Acq: 03 May 2023 19:50

Tgt Ion: 164 Resp: 376226

Ion	Ratio	Lower	Upper
164	100		
162	99.3	78.7	118.1
160	44.4	35.8	53.6









#42
2,4,6-Tribromophenol
Concen: 47.269 ng
RT: 10.551 min Scan# 1441
Delta R.T. -0.006 min
Lab File: BF133216.D
Acq: 03 May 2023 19:50




Instrument :
BNA_F
ClientSampleId :
CF-26


Tgt Ion:330 Resp: 178851
Ion Ratio Lower Upper
330 100
332 98.0 77.1 115.7
141 34.8 25.8 38.8



#45
2-Fluorobiphenyl
Concen: 77.362 ng
RT: 9.093 min Scan# 1191
Delta R.T. 0.000 min
Lab File: BF133216.D
Acq: 03 May 2023 19:50

Tgt Ion:172 Resp: 1739725
Ion Ratio Lower Upper
172 100
171 36.0 28.8 43.2
170 24.4 19.4 29.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.245 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF133216.D
Acq: 03 May 2023 19:50




Instrument :
BNA_F
ClientSampleId :
CF-26


Tgt Ion:188 Resp: 602750
Ion Ratio Lower Upper
188 100
94 11.1 9.7 14.5
80 12.0 10.4 15.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.881 min Scan# 2005
Delta R.T. -0.012 min
Lab File: BF133216.D
Acq: 03 May 2023 19:50

Tgt Ion:240 Resp: 320117
Ion Ratio Lower Upper
240 100
120 12.3 10.5 15.7
236 27.6 21.5 32.3









#79
 Terphenyl-d14
 Concen: 77.148 ng
 RT: 12.834 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF133216.D
 Acq: 03 May 2023 19:50

Instrument :
 BNA_F
 ClientSampleId :
 CF-26

Tgt Ion:244 Resp: 1431954
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.1 7.7
 122 12.6 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.298 min Scan# 2246
 Delta R.T. -0.006 min
 Lab File: BF133216.D
 Acq: 03 May 2023 19:50

Tgt Ion:264 Resp: 365911
 Ion Ratio Lower Upper
 264 100
 260 24.3 18.8 28.2
 265 21.0 17.0 25.4

