

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF050415\
 Data File : BF078927.D
 Acq On : 4 May 2015 19:19
 Operator : TP/IZ
 Sample : G2002-07
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TEC-11

Quant Time: May 05 01:23:49 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF043015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 05 00:58:01 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.36	152	77141	20.00	ng	0.00
21) Naphthalene-d8	8.94	136	311502	20.00	ng	0.00
38) Acenaphthene-d10	11.11	164	155747	20.00	ng	-0.01
63) Phenanthrene-d10	12.96	188	297121	20.00	ng	0.00
75) Chrysene-d12	0.00	240	0	0.00	ng	-16.32
86) Perylene-d12	18.00	264	286904	20.00	ng	-0.24
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	604384	134.87	ng	0.01
7) Phenol-d6	6.90	99	682401	115.20	ng	0.00
23) Nitrobenzene-d5	8.04	82	495904	91.49	ng	0.00
41) 2,4,6-Tribromophenol	12.09	330	256109	152.00	ng	0.00
44) 2-Fluorobiphenyl	10.28	172	1036767	92.74	ng	0.00
78) Terphenyl-d14	14.96	244	1332196	0.00	ng	0.00
Target Compounds						
15) Benzyl Alcohol	7.54	79	8953	2.04	ng	Qvalue # 48


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF050415\
Data File : BF078927.D
Acq On : 4 May 2015 19:19
Operator : TP/IZ
Sample : G2002-07
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TEC-11

Quant Time: May 05 01:23:49 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF043015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 05 00:58:01 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.36 min Scan# 540
Delta R.T. -0.00 min
Lab File: BF078927.D
Acq: 4 May 2015 19:19

Instrument :
BNA_F
ClientSampleId :
TEC-11

Tgt Ion:152 Resp: 77141
Ion Ratio Lower Upper
152 100
150 158.8 122.0 183.0
115 57.3 46.3 69.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 134.87 ng
RT: 5.66 min Scan# 391
Delta R.T. 0.01 min
Lab File: BF078927.D
Acq: 4 May 2015 19:19

Tgt Ion:112 Resp: 604384
Ion Ratio Lower Upper
112 100
64 58.7 53.5 80.3
63 29.5 27.5 41.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 115.20 ng

RT: 6.90 min Scan# 500

Delta R.T. -0.00 min

Lab File: BF078927.D

Acq: 4 May 2015 19:19

Instrument :

BNA_F

ClientSampleId :

TEC-11


Tgt Ion: 99 Resp: 682401

Ion Ratio Lower Upper

99 100

42 19.6 12.8 19.2#




71 32.3 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#15

Benzyl Alcohol

Concen: 2.04 ng

RT: 7.54 min Scan# 556

Delta R.T. 0.01 min

Lab File: BF078927.D

Acq: 4 May 2015 19:19


Tgt Ion: 79 Resp: 8953

Ion Ratio Lower Upper

79 100

108 29.1 62.5 93.7#



77 102.0 52.2 78.4#



Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): E

Ion 77.00 (76.70 to 77.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.94 min Scan# 678
Delta R.T. -0.00 min
Lab File: BF078927.D
Acq: 4 May 2015 19:19

Instrument :
BNA_F
ClientSampleId :
TEC-11

Tgt Ion:	136	Resp:	311502
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.7	13.1
54	6.5	5.8	8.8
68	4.8	4.2	6.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 91.49 ng
RT: 8.04 min Scan# 600
Delta R.T. -0.00 min
Lab File: BF078927.D
Acq: 4 May 2015 19:19

Tgt Ion:	82	Resp:	495904
Ion	Ratio	Lower	Upper
82	100		
128	40.7	30.0	45.0
54	53.9	46.4	69.6



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 11.11 min Scan# 868
 Delta R.T. -0.01 min
 Lab File: BF078927.D
 Acq: 4 May 2015 19:19

Instrument :
 BNA_F
 ClientSampleId :
 TEC-11

Tgt Ion:164 Resp: 155747
 Ion Ratio Lower Upper
 164 100
 162 101.3 82.7 124.1
 160 44.3 35.8 53.8




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41
 2,4,6-Tribromophenol
 Concen: 152.00 ng
 RT: 12.09 min Scan# 954
 Delta R.T. -0.00 min
 Lab File: BF078927.D
 Acq: 4 May 2015 19:19

Tgt Ion:330 Resp: 256109
 Ion Ratio Lower Upper
 330 100
 332 95.7 0.0 0.0#
 141 34.4 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 92.74 ng
 RT: 10.28 min Scan# 796
 Delta R.T. -0.00 min
 Lab File: BF078927.D
 Acq: 4 May 2015 19:19

Instrument :
 BNA_F
 ClientSampleId :
 TEC-11

Tgt Ion:172 Resp: 1036767
 Ion Ratio Lower Upper
 172 100
 171 34.9 27.9 41.9
 170 24.1 19.4 29.0




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 12.96 min Scan# 1030
 Delta R.T. -0.00 min
 Lab File: BF078927.D
 Acq: 4 May 2015 19:19

Tgt Ion:188 Resp: 297121
 Ion Ratio Lower Upper
 188 100
 94 7.3 8.2 12.2#
 80 7.2 8.9 13.3#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0







#75
 Chrysene-d12
 Concen: 0.00 ng
 Expected RT: 16.32 min
 Lab File: BF078927.D
 Acq: 4 May 2015 19:19




Instrument :
 BNA_F
 ClientSampleId :
 TEC-11




Tgt Ion: 240
 Sig Exp Ratio
 240 100
 120 12.1
 236 25.3



#78
 Terphenyl-d14
 Concen: 0.00 ng
 RT: 14.96 min Scan# 1205
 Delta R.T. -0.00 min
 Lab File: BF078927.D
 Acq: 4 May 2015 19:19

Tgt Ion: 244 Resp: 1332196
 Ion Ratio Lower Upper
 244 100
 212 6.0 5.6 8.4
 122 7.1 10.3 15.5#





#86
Perylene-d12
Concen: 20.00 ng
RT: 18.00 min Scan# 1471
Delta R.T. -0.24 min
Lab File: BF078927.D
Acq: 4 May 2015 19:19

Instrument :
BNA_F
ClientSampleId :
TEC-11

Tgt Ion: 264 Resp: 286904
Ion Ratio Lower Upper
264 100
260 22.9 19.4 29.2
265 21.1 18.3 27.5

