

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF050415\
 Data File : BF078928.D
 Acq On : 4 May 2015 19:48
 Operator : TP/IZ
 Sample : G2002-08
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TEC-04

Quant Time: May 05 01:24:00 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF043015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 05 00:58:01 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.36	152	62729	20.00	ng	0.00
21) Naphthalene-d8	8.94	136	256314	20.00	ng	0.00
38) Acenaphthene-d10	11.11	164	122813	20.00	ng	-0.01
63) Phenanthrene-d10	12.95	188	240357	20.00	ng	-0.01
75) Chrysene-d12	16.25	240	252707	20.00	ng	-0.07
86) Perylene-d12	18.01	264	241950	20.00	ng	-0.23
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	502392	137.86	ng	0.01
7) Phenol-d6	6.90	99	550818	114.35	ng	0.00
23) Nitrobenzene-d5	8.04	82	419867	94.14	ng	0.00
41) 2,4,6-Tribromophenol	12.09	330	200919	151.23	ng	0.00
44) 2-Fluorobiphenyl	10.27	172	833463	94.55	ng	-0.01
78) Terphenyl-d14	0.00	244	0	0.00	ng	
Target Compounds						
15) Benzyl Alcohol	7.54	79	7601	2.13	ng	Qvalue # 53


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF050415\
Data File : BF078928.D
Acq On : 4 May 2015 19:48
Operator : TP/IZ
Sample : G2002-08
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TEC-04

Quant Time: May 05 01:24:00 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF043015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 05 00:58:01 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.36 min Scan# 540
Delta R.T. 0.00 min
Lab File: BF078928.D
Acq: 4 May 2015 19:48

Instrument :
BNA_F
ClientSampleId :
TEC-04

Tgt Ion:152 Resp: 62729
Ion Ratio Lower Upper
152 100
150 157.0 122.0 183.0
115 56.2 46.3 69.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 137.86 ng
RT: 5.66 min Scan# 391
Delta R.T. 0.01 min
Lab File: BF078928.D
Acq: 4 May 2015 19:48

Tgt Ion:112 Resp: 502392
Ion Ratio Lower Upper
112 100
64 56.3 53.5 80.3
63 28.3 27.5 41.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 114.35 ng

RT: 6.90 min Scan# 500

Delta R.T. 0.00 min

Lab File: BF078928.D

Acq: 4 May 2015 19:48

Instrument :

BNA_F

ClientSampleId :

TEC-04


Tgt Ion: 99 Resp: 550818

Ion Ratio Lower Upper

99 100

42 19.1 12.8 19.2




71 31.7 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#15

Benzyl Alcohol

Concen: 2.13 ng

RT: 7.54 min Scan# 556

Delta R.T. 0.01 min

Lab File: BF078928.D

Acq: 4 May 2015 19:48


Tgt Ion: 79 Resp: 7601

Ion Ratio Lower Upper

79 100

108 32.5 62.5 93.7#



77 97.0 52.2 78.4#




Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): BF0

Ion 77.00 (76.70 to 77.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.94 min Scan# 678
Delta R.T. 0.00 min
Lab File: BF078928.D
Acq: 4 May 2015 19:48

Instrument :
BNA_F
ClientSampleId :
TEC-04

Tgt Ion: 136 Resp: 256314
Ion Ratio Lower Upper
136 100
137 10.1 8.7 13.1
54 5.8 5.8 8.8#
68 4.3 4.2 6.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 94.14 ng
RT: 8.04 min Scan# 600
Delta R.T. 0.00 min
Lab File: BF078928.D
Acq: 4 May 2015 19:48

Tgt Ion: 82 Resp: 419867
Ion Ratio Lower Upper
82 100
128 43.2 30.0 45.0
54 52.7 46.4 69.6



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 11.11 min Scan# 868
 Delta R.T. -0.01 min
 Lab File: BF078928.D
 Acq: 4 May 2015 19:48

Instrument :
 BNA_F
 ClientSampleId :
 TEC-04

Tgt Ion:164 Resp: 122813
 Ion Ratio Lower Upper
 164 100
 162 102.2 82.7 124.1
 160 46.5 35.8 53.8




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 151.23 ng
 RT: 12.09 min Scan# 954
 Delta R.T. 0.00 min
 Lab File: BF078928.D
 Acq: 4 May 2015 19:48

Tgt Ion:330 Resp: 200919
 Ion Ratio Lower Upper
 330 100
 332 96.2 0.0 0.0#
 141 33.7 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 94.55 ng
 RT: 10.27 min Scan# 795
 Delta R.T. -0.01 min
 Lab File: BF078928.D
 Acq: 4 May 2015 19:48




Instrument :
 BNA_F
 ClientSampleId :
 TEC-04


Tgt Ion:172 Resp: 833463
 Ion Ratio Lower Upper
 172 100
 171 35.2 27.9 41.9
 170 23.7 19.4 29.0



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 12.95 min Scan# 1029
 Delta R.T. -0.01 min
 Lab File: BF078928.D
 Acq: 4 May 2015 19:48

Tgt Ion:188 Resp: 240357
 Ion Ratio Lower Upper
 188 100
 94 13.7 8.2 12.2#
 80 15.0 8.9 13.3#









#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.25 min Scan# 1318
Delta R.T. -0.07 min
Lab File: BF078928.D
Acq: 4 May 2015 19:48


Instrument :
BNA_F
ClientSampleId :
TEC-04


Tgt Ion: 240 Resp: 252707
Ion Ratio Lower Upper
240 100
120 10.9 9.7 14.5
236 25.6 20.2 30.4



#78
Terphenyl-d14
Concen: 0.00 ng
Expected RT: 14.96 min
Lab File: BF078928.D
Acq: 4 May 2015 19:48

Tgt Ion: 244
Sig Exp Ratio
244 100
212 7.0
122 12.9





#86
Perylene-d12
Concen: 20.00 ng
RT: 18.01 min Scan# 1472
Delta R.T. -0.23 min
Lab File: BF078928.D
Acq: 4 May 2015 19:48

Instrument :
BNA_F
ClientSampleId :
TEC-04

Tgt Ion: 264 Resp: 241950

Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.4	29.2
265	21.9	18.3	27.5

