

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050417\
 Data File : BF094883.D
 Acq On : 4 May 2017 20:06
 Operator : SJ/MA
 Sample : I2916-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 05 01:25:15 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	84909	20.00	ng	-0.01
21) Naphthalene-d8	9.74	136	343457	20.00	ng	-0.01
38) Acenaphthene-d10	12.57	164	164606	20.00	ng	-0.02
63) Phenanthrene-d10	14.97	188	300985	20.00	ng	-0.01
75) Chrysene-d12	18.63	240	253170	20.00	ng	-0.02
86) Perylene-d12	20.30	264	193479	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	786909	154.51	ng	0.00
7) Phenol-d6	7.27	99	969953	158.73	ng	-0.01
23) Nitrobenzene-d5	8.62	82	566936	104.09	ng	-0.02
41) 2,4,6-Tribromophenol	13.87	330	200406	148.66	ng	-0.02
44) 2-Fluorobiphenyl	11.52	172	957438	83.72	ng	-0.01
78) Terphenyl-d14	17.29	244	807052	70.21	ng	-0.02
Target Compounds						
15) Benzyl Alcohol	7.96	79	8547	2.17	ng	# 40
19) n-Nitroso-di-n-propylamine	8.62	70	73234	17.72	ng	# 76
49) Dimethylphthalate	12.21	163	169306	12.53	ng	# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050417\
Data File : BF094883.D
Acq On : 4 May 2017 20:06
Operator : SJ/MA
Sample : I2916-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 05 01:25:15 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:24:51 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.72 min Scan# 983
Delta R.T. -0.01 min
Lab File: BF094883.D
Acq: 4 May 2017 20:06

Instrument :
BNA_F
ClientSampled :

Tot Ion:152 Resp: 84909
Ion Ratio Lower Upper
152 100
150 155.8 126.2 189.2
115 61.3 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 154.51 ng
RT: 5.67 min Scan# 635
Delta R.T. -0.01 min
Lab File: BF094883.D
Acq: 4 May 2017 20:06

Tgt Ion:112 Resp: 786909
Ion Ratio Lower Upper
112 100
64 54.0 46.0 69.0
63 27.1 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 158.73 ng

RT: 7.27 min Scan# 906

Delta R.T. -0.01 min

Lab File: BF094883.D

Acq: 4 May 2017 20:06

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 969953

Ion Ratio Lower Upper

99 100

42 16.6 13.5 20.3




71 32.5 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#15

Benzyl Alcohol

Concen: 2.17 ng

RT: 7.96 min Scan# 1024

Delta R.T. -0.05 min

Lab File: BF094883.D

Acq: 4 May 2017 20:06


Tgt Ion: 79 Resp: 8547

Ion Ratio Lower Upper

79 100

108 29.4 63.4 95.0#



77 110.7 49.2 73.8#



Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): BF0

Ion 77.00 (76.70 to 77.70): BF0





#19

n-Nitroso-di-n-propylamine

Concen: 17.72 ng

RT: 8.62 min Scan# 1136

Delta R.T. 0.18 min

Lab File: BF094883.D

Acq: 4 May 2017 20:06

Instrument :

BNA_F

ClientSampleId :

Tot Ion: 70 Resp: 73234





Ion Ratio Lower Upper

70 100

42 45.1 47.2 70.8#

101 0.0 7.2 10.8#

130 2.2 15.9 23.9#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.74 min Scan# 1327

Delta R.T. -0.01 min

Lab File: BF094883.D

Acq: 4 May 2017 20:06

Tgt Ion: 136 Resp: 343457




Ion Ratio Lower Upper


136 100

137 10.9 8.5 12.7

54 6.3 4.9 7.3

68 5.5 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 104.09 ng
 RT: 8.62 min Scan# 1136
 Delta R.T. -0.02 min
 Lab File: BF094883.D
 Acq: 4 May 2017 20:06




Instrument :
 BNA_F
 ClientSampleID :

Tot Ion: 82 Resp: 566936
 Ion Ratio Lower Upper
 82 100
 128 46.6 34.0 51.0
 54 47.8 42.2 63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.57 min Scan# 1807
 Delta R.T. -0.02 min
 Lab File: BF094883.D
 Acq: 4 May 2017 20:06

Tgt Ion:164 Resp: 164606
 Ion Ratio Lower Upper
 164 100
 162 100.4 82.6 123.8
 160 41.7 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 148.66 ng
 RT: 13.87 min Scan# 2028
 Delta R.T. -0.02 min
 Lab File: BF094883.D
 Acq: 4 May 2017 20:06

Instrument :
 BNA_F
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.9	76.6	115.0
141	40.0	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 83.72 ng
 RT: 11.52 min Scan# 1629
 Delta R.T. -0.01 min
 Lab File: BF094883.D
 Acq: 4 May 2017 20:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	29.6	44.4
170	23.1	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 12.53 ng

RT: 12.21 min Scan# 1746

Delta R.T. -0.02 min

Lab File: BF094883.D

Acq: 4 May 2017 20:06

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 169306

Ion Ratio Lower Upper

163 100

194 4.0 2.6 4.0#




164 9.8 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.97 min Scan# 2216

Delta R.T. -0.01 min

Lab File: BF094883.D

Acq: 4 May 2017 20:06


Tgt Ion:188 Resp: 300985

Ion Ratio Lower Upper

188 100

94 9.9 9.4 14.2



80 10.1 10.2 15.2#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.63 min Scan# 2838

Delta R.T. -0.02 min

Lab File: BF094883.D

Acq: 4 May 2017 20:06

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 253170

Ion Ratio Lower Upper

240 100

120 15.0 5.8 8.8#



236 24.5 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 70.21 ng

RT: 17.29 min Scan# 2611

Delta R.T. -0.02 min

Lab File: BF094883.D

Acq: 4 May 2017 20:06


Tgt Ion:244 Resp: 807052

Ion Ratio Lower Upper

244 100

212 7.0 6.0 9.0



122 14.4 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 20.30 min Scan# 3122
Delta R.T. -0.01 min
Lab File: BF094883.D
Acq: 4 May 2017 20:06

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.7	19.5	29.3
265	20.1	17.2	25.8



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

