

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050417\
 Data File : BF094907.D
 Acq On : 5 May 2017 9:36
 Operator : SJ/MA
 Sample : I2932-05
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 05 11:52:15 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	85924	20.00	ng	0.00
21) Naphthalene-d8	9.74	136	354633	20.00	ng	-0.01
38) Acenaphthene-d10	12.57	164	165382	20.00	ng	-0.01
63) Phenanthrene-d10	14.97	188	287042	20.00	ng	-0.01
75) Chrysene-d12	18.64	240	205234	20.00	ng	-0.02
86) Perylene-d12	20.30	264	167245	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	593089	115.08	ng	0.00
7) Phenol-d6	7.26	99	673524	108.92	ng	-0.02
23) Nitrobenzene-d5	8.62	82	453190	80.58	ng	-0.02
41) 2,4,6-Tribromophenol	13.87	330	176658	130.43	ng	-0.02
44) 2-Fluorobiphenyl	11.51	172	947548	82.47	ng	-0.02
78) Terphenyl-d14	17.30	244	777460	83.44	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.62	70	56756	13.57	ng	# 78
50) 2,6-Dinitrotoluene	12.57	165	16254	5.87	ng	# 31

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050417\
Data File : BF094907.D
Acq On : 5 May 2017 9:36
Operator : SJ/MA
Sample : I2932-05
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 05 11:52:15 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:24:51 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.72 min Scan# 984
Delta R.T. -0.01 min
Lab File: BF094907.D
Acq: 5 May 2017 9:36

Instrument :
BNA_F
ClientSampled :

Tot Ion:152 Resp: 85924
Ion Ratio Lower Upper
152 100
150 148.4 126.2 189.2
115 56.0 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 115.08 ng
RT: 5.67 min Scan# 635
Delta R.T. -0.01 min
Lab File: BF094907.D
Acq: 5 May 2017 9:36

Tgt Ion:112 Resp: 593089
Ion Ratio Lower Upper
112 100
64 56.9 46.0 69.0
63 26.7 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 108.92 ng

RT: 7.26 min Scan# 905

Delta R.T. -0.02 min

Lab File: BF094907.D

Acq: 5 May 2017 9:36

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 673524

Ion Ratio Lower Upper

99 100

42 16.4 13.5 20.3




71 33.2 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 13.57 ng

RT: 8.62 min Scan# 1136

Delta R.T. 0.18 min

Lab File: BF094907.D

Acq: 5 May 2017 9:36

Tgt Ion: 70 Resp: 56756


Ion Ratio Lower Upper

70 100

42 46.3 47.2 70.8#

101 0.0 7.2 10.8#

130 2.9 15.9 23.9#





Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.74 min Scan# 1327

Delta R.T. -0.01 min

Lab File: BF094907.D

Acq: 5 May 2017 9:36

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 354633



Ion Ratio Lower Upper

136 100

137 10.5 8.5 12.7

54 6.6 4.9 7.3

68 5.3 4.1 6.1





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0

Time-->



#23

Nitrobenzene-d5

Concen: 80.58 ng

RT: 8.62 min Scan# 1136

Delta R.T. -0.02 min

Lab File: BF094907.D

Acq: 5 May 2017 9:36



Tgt Ion: 82 Resp: 453190

Ion Ratio Lower Upper

82 100

128 47.0 34.0 51.0

54 47.0 42.2 63.2





Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0

Time-->





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 12.57 min Scan# 1808

Delta R.T. -0.01 min

Lab File: BF094907.D

Acq: 5 May 2017 9:36

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 165382

Ion Ratio Lower Upper

164 100

162 103.1 82.6 123.8



160 44.6 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 130.43 ng

RT: 13.87 min Scan# 2028

Delta R.T. -0.02 min

Lab File: BF094907.D

Acq: 5 May 2017 9:36


Tgt Ion:330 Resp: 176658

Ion Ratio Lower Upper

330 100

332 97.0 76.6 115.0



141 39.8 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 82.47 ng
 RT: 11.51 min Scan# 1628
 Delta R.T. -0.02 min
 Lab File: BF094907.D
 Acq: 5 May 2017 9:36




Instrument :
 BNA_F
 ClientSampled :

Tot Ion:172 Resp: 947548
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.6 44.4
 170 23.4 19.8 29.8



#50
 2,6-Dinitrotoluene
 Concen: 5.87 ng
 RT: 12.57 min Scan# 1808
 Delta R.T. 0.26 min
 Lab File: BF094907.D
 Acq: 5 May 2017 9:36

Tgt Ion:165 Resp: 16254
 Ion Ratio Lower Upper
 165 100
 63 0.0 34.3 51.5#
 89 0.0 37.1 55.7#









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 14.97 min Scan# 2216
 Delta R.T. -0.01 min
 Lab File: BF094907.D
 Acq: 5 May 2017 9:36

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:188 Resp: 287042
 Ion Ratio Lower Upper
 188 100
 94 10.1 9.4 14.2
 80 11.5 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.64 min Scan# 2839
 Delta R.T. -0.02 min
 Lab File: BF094907.D
 Acq: 5 May 2017 9:36

Tgt Ion:240 Resp: 205234
 Ion Ratio Lower Upper
 240 100
 120 14.6 5.8 8.8#
 236 25.3 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 83.44 ng
 RT: 17.30 min Scan# 2612
 Delta R.T. -0.01 min
 Lab File: BF094907.D
 Acq: 5 May 2017 9:36

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 777460
 Ion Ratio Lower Upper
 244 100
 212 6.8 6.0 9.0
 122 13.0 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 20.30 min Scan# 3122
 Delta R.T. -0.01 min
 Lab File: BF094907.D
 Acq: 5 May 2017 9:36

Tgt Ion:264 Resp: 167245
 Ion Ratio Lower Upper
 264 100
 260 22.9 19.5 29.3
 265 21.9 17.2 25.8

