

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050423\
 Data File : BF133230.D
 Acq On : 04 May 2023 14:46
 Operator : CG\JU
 Sample : 02605-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RC-1

Quant Time: May 04 15:44:30 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 04 12:22:53 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.728	152	183917	20.000	ng	0.00
21) Naphthalene-d8	8.010	136	744190	20.000	ng	0.00
39) Acenaphthene-d10	9.763	164	386644	20.000	ng	0.00
64) Phenanthrene-d10	11.239	188	657386	20.000	ng	0.00
76) Chrysene-d12	13.874	240	310722	20.000	ng	-0.01
86) Perylene-d12	15.292	264	384581	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.334	112	990383	81.346	ng	0.00
7) Phenol-d6	6.363	99	1297652	85.870	ng	-0.01
23) Nitrobenzene-d5	7.287	82	695242	50.427	ng	-0.01
42) 2,4,6-Tribromophenol	10.545	330	227972	58.628	ng	-0.01
45) 2-Fluorobiphenyl	9.086	172	1225803	53.040	ng	0.00
79) Terphenyl-d14	12.827	244	1168109	64.836	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050423\
Data File : BF133230.D
Acq On : 04 May 2023 14:46
Operator : CG\JU
Sample : 02605-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RC-1

Quant Time: May 04 15:44:30 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 04 12:22:53 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.728 min Scan# 791
 Delta R.T. -0.000 min
 Lab File: BF133230.D
 Acq: 04 May 2023 14:46




Instrument :
 BNA_F
 ClientSampleId :
 RC-1

Tgt Ion:152 Resp: 183917
 Ion Ratio Lower Upper
 152 100
 150 153.8 124.8 187.2
 115 56.9 49.9 74.9



#5
 2-Fluorophenol
 Concen: 81.346 ng
 RT: 5.334 min Scan# 552
 Delta R.T. 0.000 min
 Lab File: BF133230.D
 Acq: 04 May 2023 14:46

Tgt Ion:112 Resp: 990383
 Ion Ratio Lower Upper
 112 100
 64 57.5 46.8 70.2
 63 29.2 23.8 35.8









#7
Phenol-d6
Concen: 85.870 ng
RT: 6.363 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF133230.D
Acq: 04 May 2023 14:46

Instrument :
BNA_F
ClientSampleId :
RC-1

Tgt Ion: 99 Resp: 1297652




Ion	Ratio	Lower	Upper
99	100		
42	19.8	16.3	24.5
71	31.8	25.6	38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.010 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BF133230.D
Acq: 04 May 2023 14:46

Tgt Ion: 136 Resp: 744190

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	8.3	7.0	10.4
68	6.7	5.4	8.2





#23

Nitrobenzene-d5

Concen: 50.427 ng

RT: 7.287 min Scan# 81

Delta R.T. -0.012 min

Lab File: BF133230.D

Acq: 04 May 2023 14:46

Instrument :

BNA_F

ClientSampleId :

RC-1





Tgt Ion: 82 Resp: 695242

Ion Ratio Lower Upper

82 100

128 46.2 37.7 56.5

54 54.1 43.0 64.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.763 min Scan# 1305

Delta R.T. -0.006 min

Lab File: BF133230.D

Acq: 04 May 2023 14:46




Tgt Ion:164 Resp: 386644

Ion Ratio Lower Upper

164 100

162 100.3 78.7 118.1

160 45.1 35.8 53.6





#42

2,4,6-Tribromophenol

Concen: 58.628 ng

RT: 10.545 min Scan# 1441

Delta R.T. -0.012 min

Lab File: BF133230.D

Acq: 04 May 2023 14:46

Instrument :

BNA_F

ClientSampleId :

RC-1





Tgt Ion:330 Resp: 227972

Ion Ratio Lower Upper

330 100

332 96.7 77.1 115.7

141 34.8 25.8 38.8



#45

2-Fluorobiphenyl

Concen: 53.040 ng

RT: 9.086 min Scan# 1190

Delta R.T. -0.006 min

Lab File: BF133230.D

Acq: 04 May 2023 14:46




Tgt Ion:172 Resp: 1225803


Ion Ratio Lower Upper

172 100

171 36.3 28.8 43.2

170 23.9 19.4 29.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.239 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF133230.D
Acq: 04 May 2023 14:46




Instrument :
BNA_F
ClientSampleId :
RC-1


Tgt Ion:188 Resp: 657386
Ion Ratio Lower Upper
188 100
94 11.8 9.7 14.5
80 12.5 10.4 15.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.874 min Scan# 2004
Delta R.T. -0.012 min
Lab File: BF133230.D
Acq: 04 May 2023 14:46

Tgt Ion:240 Resp: 310722
Ion Ratio Lower Upper
240 100
120 13.6 10.5 15.7
236 27.0 21.5 32.3









#79
 Terphenyl-d14
 Concen: 64.836 ng
 RT: 12.827 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF133230.D
 Acq: 04 May 2023 14:46

Instrument :
 BNA_F
 ClientSampleId :
 RC-1

Tgt Ion:244 Resp: 1168109
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.1 7.7
 122 13.1 8.6 13.0#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.292 min Scan# 2245
 Delta R.T. -0.006 min
 Lab File: BF133230.D
 Acq: 04 May 2023 14:46

Tgt Ion:264 Resp: 384581
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.8 28.2
 265 21.5 17.0 25.4

