

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050521\
 Data File : BF123824.D
 Acq On : 5 May 2021 13:12
 Operator : JU/CG
 Sample : PB136166BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB136166BL

Quant Time: May 05 13:44:17 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF042721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 05 13:09:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.792	152	263474	20.00	ng	0.00
21) Naphthalene-d8	8.081	136	1017313	20.00	ng	0.00
39) Acenaphthene-d10	9.833	164	502944	20.00	ng	0.00
64) Phenanthrene-d10	11.321	188	968111	20.00	ng	0.00
76) Chrysene-d12	13.968	240	743212	20.00	ng	0.00
86) Perylene-d12	15.427	264	641198	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	2012915	121.04	ng	0.02
7) Phenol-d6	6.439	99	2626430	114.64	ng	0.00
23) Nitrobenzene-d5	7.363	82	1831134	81.25	ng	0.00
42) 2,4,6-Tribromophenol	10.627	330	727432	116.18	ng	0.00
45) 2-Fluorobiphenyl	9.163	172	2777244	80.42	ng	0.00
79) Terphenyl-d14	12.921	244	2964509	76.81	ng	0.00


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050521\
Data File : BF123824.D
Acq On : 5 May 2021 13:12
Operator : JU/CG
Sample : PB136166BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB136166BL

Quant Time: May 05 13:44:17 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF042721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 05 13:09:28 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.792 min Scan# 800
Delta R.T. -0.006 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12




Instrument :
BNA_F
ClientSampleId :
PB136166BL


Tgt Ion:152 Resp: 263474
Ion Ratio Lower Upper
152 100
150 158.5 127.0 190.6
115 64.0 54.3 81.5



#5
2-Fluorophenol
Concen: 121.04 ng
RT: 5.428 min Scan# 568
Delta R.T. 0.017 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12

Tgt Ion:112 Resp: 2012915
Ion Ratio Lower Upper
112 100
64 75.7 61.4 92.0
63 40.6 33.0 49.4









#7
Phenol-d6
Concen: 114.64 ng
RT: 6.439 min Scan# 740
Delta R.T. -0.000 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12




Instrument :
BNA_F
ClientSampleId :
PB136166BL


Tgt Ion: 99 Resp: 2626430
Ion Ratio Lower Upper
99 100
42 23.7 19.8 29.8
71 40.0 31.1 46.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.081 min Scan# 1019
Delta R.T. -0.000 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12

Tgt Ion: 136 Resp: 1017313
Ion Ratio Lower Upper
136 100
137 10.7 8.7 13.1
54 11.7 9.8 14.6
68 5.3 4.1 6.1









#23
Nitrobenzene-d5
Concen: 81.25 ng
RT: 7.363 min Scan# 897
Delta R.T. -0.000 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12




Instrument :
BNA_F
ClientSampleId :
PB136166BL


Tgt Ion: 82 Resp: 1831134
Ion Ratio Lower Upper
82 100
128 41.3 29.4 44.2
54 62.3 54.1 81.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.833 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12


Tgt Ion:164 Resp: 502944
Ion Ratio Lower Upper
164 100
162 100.1 80.7 121.1
160 45.8 37.3 55.9








#42
2,4,6-Tribromophenol
Concen: 116.18 ng
RT: 10.627 min Scan# 1452
Delta R.T. -0.006 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12


Instrument :
BNA_F
ClientSampleId :
PB136166BL





Tgt Ion:330 Resp: 727432
Ion Ratio Lower Upper
330 100
332 95.4 77.1 115.7
141 31.9 27.9 41.9




#45
2-Fluorobiphenyl
Concen: 80.42 ng
RT: 9.163 min Scan# 1203
Delta R.T. -0.000 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12



Tgt Ion:172 Resp: 2777244
Ion Ratio Lower Upper
172 100
171 35.8 28.1 42.1
170 24.2 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.321 min Scan# 1570
Delta R.T. -0.006 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12




Instrument :
BNA_F
ClientSampleId :
PB136166BL


Tgt Ion:188 Resp: 968111
Ion Ratio Lower Upper
188 100
94 9.9 6.9 10.3
80 11.1 8.2 12.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.968 min Scan# 2020
Delta R.T. -0.006 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12

Tgt Ion:240 Resp: 743212
Ion Ratio Lower Upper
240 100
120 9.9 7.2 10.8
236 23.7 19.0 28.4









#79
Terphenyl-d14
Concen: 76.81 ng
RT: 12.921 min Scan# 1842
Delta R.T. 0.006 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12

Instrument :
BNA_F
ClientSampleId :
PB136166BL

Tgt Ion:244 Resp: 2964509
Ion Ratio Lower Upper
244 100
212 6.8 5.7 8.5
122 9.8 9.7 14.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.427 min Scan# 2268
Delta R.T. -0.000 min
Lab File: BF123824.D
Acq: 5 May 2021 13:12

Tgt Ion:264 Resp: 641198
Ion Ratio Lower Upper
264 100
260 23.1 18.7 28.1
265 20.8 17.8 26.8

