

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050617\
 Data File : BF094968.D
 Acq On : 8 May 2017 4:38
 Operator : SJ/MA
 Sample : I2947-11
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 08 07:57:59 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	99245	20.00	ng	-0.01
21) Naphthalene-d8	9.74	136	392104	20.00	ng	-0.02
38) Acenaphthene-d10	12.57	164	179263	20.00	ng	-0.01
63) Phenanthrene-d10	14.97	188	320517	20.00	ng	-0.01
75) Chrysene-d12	18.64	240	218437	20.00	ng	-0.02
86) Perylene-d12	20.30	264	202111	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	589537	99.04	ng	-0.01
7) Phenol-d6	7.26	99	707086	99.00	ng	-0.02
23) Nitrobenzene-d5	8.62	82	406564	65.38	ng	-0.02
41) 2,4,6-Tribromophenol	13.87	330	149127	101.58	ng	-0.02
44) 2-Fluorobiphenyl	11.51	172	739762	59.40	ng	-0.02
78) Terphenyl-d14	17.29	244	555738	56.04	ng	-0.02
Target Compounds						
10) Phenol	7.28	94	20480	2.72	ng	Qvalue 89
19) n-Nitroso-di-n-propylamine	8.62	70	51690	10.70	ng	# 72
49) Dimethylphthalate	12.21	163	114715	7.79	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050617\
Data File : BF094968.D
Acq On : 8 May 2017 4:38
Operator : SJ/MA
Sample : I2947-11
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 08 07:57:59 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:24:51 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.72 min Scan# 983
 Delta R.T. -0.01 min
 Lab File: BF094968.D
 Acq: 8 May 2017 4:38

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:152 Resp: 99245
 Ion Ratio Lower Upper
 152 100
 150 159.2 126.2 189.2
 115 60.3 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 99.04 ng
 RT: 5.67 min Scan# 634
 Delta R.T. -0.01 min
 Lab File: BF094968.D
 Acq: 8 May 2017 4:38

Tgt Ion:112 Resp: 589537
 Ion Ratio Lower Upper
 112 100
 64 55.0 46.0 69.0
 63 26.4 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 99.00 ng

RT: 7.26 min Scan# 905

Delta R.T. -0.02 min

Lab File: BF094968.D

Acq: 8 May 2017 4:38

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 707086

Ion Ratio Lower Upper

99 100

42 15.7 13.5 20.3




71 30.8 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.72 ng

RT: 7.28 min Scan# 908

Delta R.T. -0.02 min

Lab File: BF094968.D

Acq: 8 May 2017 4:38


Tgt Ion: 94 Resp: 20480

Ion Ratio Lower Upper

94 100

65 29.5 9.9 49.9



66 54.6 23.1 63.1



Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0









#19
n-Nitroso-di-n-propylamine
Concen: 10.70 ng
RT: 8.62 min Scan# 1136
Delta R.T. 0.18 min
Lab File: BF094968.D
Acq: 8 May 2017 4:38




Instrument :
BNA_F
ClientSampleId :

Tot Ion: 70 Resp: 51690
Ion Ratio Lower Upper
70 100
42 40.4 47.2 70.8#
101 0.0 7.2 10.8#
130 2.7 15.9 23.9#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 9.74 min Scan# 1326
Delta R.T. -0.02 min
Lab File: BF094968.D
Acq: 8 May 2017 4:38

Tgt Ion: 136 Resp: 392104
Ion Ratio Lower Upper
136 100
137 11.2 8.5 12.7
54 7.5 4.9 7.3#
68 5.7 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 65.38 ng
 RT: 8.62 min Scan# 1136
 Delta R.T. -0.02 min
 Lab File: BF094968.D
 Acq: 8 May 2017 4:38

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion: 82 Resp: 406564
 Ion Ratio Lower Upper
 82 100
 128 47.4 34.0 51.0
 54 46.8 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.57 min Scan# 1808
 Delta R.T. -0.01 min
 Lab File: BF094968.D
 Acq: 8 May 2017 4:38

Tgt Ion:164 Resp: 179263
 Ion Ratio Lower Upper
 164 100
 162 104.1 82.6 123.8
 160 43.3 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 101.58 ng
 RT: 13.87 min Scan# 2028
 Delta R.T. -0.02 min
 Lab File: BF094968.D
 Acq: 8 May 2017 4:38

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 149127
 Ion Ratio Lower Upper
 330 100
 332 94.0 76.6 115.0
 141 39.9 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 59.40 ng
 RT: 11.51 min Scan# 1628
 Delta R.T. -0.02 min
 Lab File: BF094968.D
 Acq: 8 May 2017 4:38

Tgt Ion:172 Resp: 739762
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.6 44.4
 170 23.3 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 7.79 ng

RT: 12.21 min Scan# 1746

Delta R.T. -0.02 min

Lab File: BF094968.D

Acq: 8 May 2017 4:38

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 114715

Ion Ratio Lower Upper

163 100

194 3.8 2.6 4.0




164 9.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.97 min Scan# 2216

Delta R.T. -0.01 min

Lab File: BF094968.D

Acq: 8 May 2017 4:38


Tgt Ion:188 Resp: 320517

Ion Ratio Lower Upper

188 100

94 10.2 9.4 14.2



80 10.6 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.64 min Scan# 2839

Delta R.T. -0.02 min

Lab File: BF094968.D

Acq: 8 May 2017 4:38

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 218437

Ion Ratio Lower Upper

240 100

120 14.3 5.8 8.8#



236 26.6 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 56.04 ng

RT: 17.29 min Scan# 2611

Delta R.T. -0.02 min

Lab File: BF094968.D

Acq: 8 May 2017 4:38


Tgt Ion:244 Resp: 555738

Ion Ratio Lower Upper

244 100

212 6.6 6.0 9.0



122 13.6 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 20.30 min Scan# 3122
Delta R.T. -0.01 min
Lab File: BF094968.D
Acq: 8 May 2017 4:38

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.2	19.5	29.3
265	22.1	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

