

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050621\
 Data File : BF123863.D
 Acq On : 6 May 2021 19:41
 Operator : JU/CG
 Sample : M2303-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-16

Quant Time: May 07 01:03:14 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF042721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 05 13:09:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.792	152	165818	20.00	ng	0.00
21) Naphthalene-d8	8.075	136	609191	20.00	ng	# 0.00
39) Acenaphthene-d10	9.833	164	325780	20.00	ng	0.00
64) Phenanthrene-d10	11.327	188	584385	20.00	ng	0.00
76) Chrysene-d12	13.968	240	453863	20.00	ng	0.00
86) Perylene-d12	15.427	264	441246	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	661694	63.22	ng	0.00
7) Phenol-d6	6.428	99	628226	43.57	ng	-0.01
23) Nitrobenzene-d5	7.357	82	1257801	93.21	ng	0.00
42) 2,4,6-Tribromophenol	10.633	330	534269	131.74	ng	0.00
45) 2-Fluorobiphenyl	9.157	172	1924547	86.03	ng	0.00
79) Terphenyl-d14	12.921	244	1896938	80.48	ng	0.00
Target Compounds						
						Qvalue
38) 1-Methylnaphthalene	8.898	142	1751720	91.17	ng	99
50) Dimethylphthalate	9.557	163	63971	2.79	ng	# 85
52) Acenaphthene	9.869	154	164677	8.32	ng	99
55) Dibenzofuran	10.039	168	90367	3.02	ng	# 70
58) Fluorene	10.386	166	229361	9.97	ng	97
71) Phenanthrene	11.351	178	220812	7.20	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050621\
Data File : BF123863.D
Acq On : 6 May 2021 19:41
Operator : JU/CG
Sample : M2303-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-16

Quant Time: May 07 01:03:14 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF042721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 05 13:09:28 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.792 min Scan# 800
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41




Instrument :
BNA_F
ClientSampleId :
MW-16


Tgt Ion:152 Resp: 165818
Ion Ratio Lower Upper
152 100
150 158.3 127.0 190.6
115 62.3 54.3 81.5



#5
2-Fluorophenol
Concen: 63.22 ng
RT: 5.410 min Scan# 565
Delta R.T. -0.000 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion:112 Resp: 661694
Ion Ratio Lower Upper
112 100
64 75.2 61.4 92.0
63 38.7 33.0 49.4









#7
Phenol-d6
Concen: 43.57 ng
RT: 6.428 min Scan# 738
Delta R.T. -0.012 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Instrument :
BNA_F
ClientSampled :
MW-16

Tgt Ion: 99 Resp: 628226




Ion	Ratio	Lower	Upper
99	100		
42	23.7	19.8	29.8
71	38.5	31.1	46.7




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.075 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion: 136 Resp: 609191

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.7	13.1
54	14.1	9.8	14.6
68	6.4	4.1	6.1









#23
Nitrobenzene-d5
Concen: 93.21 ng
RT: 7.357 min Scan# 896
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Instrument :
BNA_F
ClientSampleId :
MW-16

Tgt Ion: 82 Resp: 1257801




Ion	Ratio	Lower	Upper
82	100		
128	38.3	29.4	44.2
54	64.3	54.1	81.1




#38
1-Methylnaphthalene
Concen: 91.17 ng
RT: 8.898 min Scan# 1158
Delta R.T. -0.000 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion:142 Resp: 1751720

Ion	Ratio	Lower	Upper
142	100		
141	92.4	72.8	109.2









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.833 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41




Instrument :
BNA_F
ClientSampleId :
MW-16


Tgt Ion:164 Resp: 325780
Ion Ratio Lower Upper
164 100
162 100.4 80.7 121.1
160 48.9 37.3 55.9



#42
2,4,6-Tribromophenol
Concen: 131.74 ng
RT: 10.633 min Scan# 1453
Delta R.T. -0.000 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion:330 Resp: 534269
Ion Ratio Lower Upper
330 100
332 95.0 77.1 115.7
141 34.8 27.9 41.9









#45
2-Fluorobiphenyl
Concen: 86.03 ng
RT: 9.157 min Scan# 1202
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41




Instrument :
BNA_F
ClientSampleId :
MW-16


Tgt Ion:172 Resp: 1924547
Ion Ratio Lower Upper
172 100
171 36.0 28.1 42.1
170 24.1 19.2 28.8



#50
Dimethylphthalate
Concen: 2.79 ng
RT: 9.557 min Scan# 1270
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion:163 Resp: 63971
Ion Ratio Lower Upper
163 100
194 3.4 3.1 4.7
164 17.6 8.2 12.2#









#52
Acenaphthene
Concen: 8.32 ng
RT: 9.869 min Scan# 1323
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41




Instrument :
BNA_F
ClientSampleId :
MW-16


Tgt Ion:154 Resp: 164677
Ion Ratio Lower Upper
154 100
153 110.5 88.1 132.1
152 55.1 43.4 65.0



#55
Dibenzofuran
Concen: 3.02 ng
RT: 10.039 min Scan# 1352
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion:168 Resp: 90367
Ion Ratio Lower Upper
168 100
139 52.8 33.2 49.8#
169 40.7 10.8 16.2#









#58
Fluorene
Concen: 9.97 ng
RT: 10.386 min Scan# 1411
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41




Instrument :
BNA_F
ClientSampleId :
MW-16


Tgt Ion:166 Resp: 229361
Ion Ratio Lower Upper
166 100
165 94.1 73.5 110.3
167 15.8 10.7 16.1



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.327 min Scan# 1571
Delta R.T. -0.000 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion:188 Resp: 584385
Ion Ratio Lower Upper
188 100
94 9.7 6.9 10.3
80 10.3 8.2 12.2









#71
Phenanthrene
Concen: 7.20 ng
RT: 11.351 min Scan# 1575
Delta R.T. -0.000 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41




Instrument :
BNA_F
ClientSampleId :
MW-16


Tgt Ion:178 Resp: 220812
Ion Ratio Lower Upper
178 100
176 21.8 15.6 23.4
179 16.6 12.5 18.7



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.968 min Scan# 2020
Delta R.T. -0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion:240 Resp: 453863
Ion Ratio Lower Upper
240 100
120 10.5 7.2 10.8
236 22.9 19.0 28.4









#79
Terphenyl-d14
Concen: 80.48 ng
RT: 12.921 min Scan# 1842
Delta R.T. 0.006 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Instrument :
BNA_F
ClientSampled :
MW-16

Tgt Ion:244 Resp: 1896938
Ion Ratio Lower Upper
244 100
212 7.3 5.7 8.5
122 9.6 9.7 14.5#



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.427 min Scan# 2268
Delta R.T. -0.000 min
Lab File: BF123863.D
Acq: 6 May 2021 19:41

Tgt Ion:264 Resp: 441246
Ion Ratio Lower Upper
264 100
260 23.0 18.7 28.1
265 21.2 17.8 26.8

