

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050724\
 Data File : BF137844.D
 Acq On : 07 May 2024 13:31
 Operator : CG\JU
 Sample : PB160756BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB160756BL

Quant Time: May 07 14:08:21 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF043024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 01 03:25:08 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.051	152	153905	20.000	ng	0.00
21) Naphthalene-d8	8.334	136	634020	20.000	ng	-0.01
39) Acenaphthene-d10	10.098	164	369287	20.000	ng	-0.01
64) Phenanthrene-d10	11.592	188	675375	20.000	ng	0.00
76) Chrysene-d12	14.245	240	472272	20.000	ng	# 0.00
86) Perylene-d12	15.815	264	359162	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.687	112	1219744	132.693	ng	0.01
7) Phenol-d6	6.669	99	1490749	127.857	ng	0.00
23) Nitrobenzene-d5	7.610	82	948468	86.912	ng	-0.01
42) 2,4,6-Tribromophenol	10.892	330	535293	141.968	ng	0.00
45) 2-Fluorobiphenyl	9.410	172	2028065	89.098	ng	-0.01
79) Terphenyl-d14	13.186	244	2555342	90.677	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050724\
Data File : BF137844.D
Acq On : 07 May 2024 13:31
Operator : CG\JU
Sample : PB160756BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB160756BL

Quant Time: May 07 14:08:21 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF043024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 01 03:25:08 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.051 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31




Instrument :
BNA_F
ClientSampleId :
PB160756BL


Tgt Ion:152 Resp: 153905
Ion Ratio Lower Upper
152 100
150 155.5 124.1 186.1
115 58.0 49.1 73.7



#5
2-Fluorophenol
Concen: 132.693 ng
RT: 5.687 min Scan# 612
Delta R.T. 0.012 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31

Tgt Ion:112 Resp: 1219744
Ion Ratio Lower Upper
112 100
64 56.4 47.3 70.9
63 29.9 23.7 35.5









#7
Phenol-d6
Concen: 127.857 ng
RT: 6.669 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31

Instrument :
BNA_F
ClientSampleId :
PB160756BL

Tgt Ion: 99 Resp: 1490749




Ion	Ratio	Lower	Upper
99	100		
42	16.1	13.2	19.8
71	34.7	25.0	37.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.334 min Scan# 1062
Delta R.T. -0.012 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31

Tgt Ion: 136 Resp: 634020

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	6.8	5.8	8.8
68	5.3	5.2	7.8









#23
Nitrobenzene-d5
Concen: 86.912 ng
RT: 7.610 min Scan# 91
Delta R.T. -0.012 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31




Instrument :
BNA_F
ClientSampleId :
PB160756BL


Tgt Ion: 82 Resp: 948468
Ion Ratio Lower Upper
82 100
128 47.5 37.5 56.3
54 48.4 39.8 59.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.098 min Scan# 1362
Delta R.T. -0.012 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31


Tgt Ion:164 Resp: 369287
Ion Ratio Lower Upper
164 100
162 100.8 79.8 119.6
160 43.6 34.4 51.6








#42
2,4,6-Tribromophenol
Concen: 141.968 ng
RT: 10.892 min Scan# 1498
Delta R.T. -0.006 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31

Instrument :
BNA_F
ClientSampleId :
PB160756BL







Tgt Ion:330 Resp: 535293
Ion Ratio Lower Upper
330 100
332 97.0 77.3 115.9
141 29.1 23.8 35.6



#45
2-Fluorobiphenyl
Concen: 89.098 ng
RT: 9.410 min Scan# 1245
Delta R.T. -0.012 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31

Tgt Ion:172 Resp: 2028065
Ion Ratio Lower Upper
172 100
171 36.2 29.6 44.4
170 23.8 19.4 29.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.592 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31




Instrument :
BNA_F
ClientSampleId :
PB160756BL


Tgt Ion:188 Resp: 675375
Ion Ratio Lower Upper
188 100
94 9.2 8.8 13.2
80 10.0 9.6 14.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.245 min Scan# 2067
Delta R.T. -0.006 min
Lab File: BF137844.D
Acq: 07 May 2024 13:31

Tgt Ion:240 Resp: 472272
Ion Ratio Lower Upper
240 100
120 10.3 10.4 15.6#
236 25.8 20.4 30.6





#79

Terphenyl-d14

Concen: 90.677 ng

RT: 13.186 min Scan# 1887

Delta R.T. 0.000 min

Lab File: BF137844.D

Acq: 07 May 2024 13:31

Instrument :

BNA_F

ClientSampleId :

PB160756BL





Tgt Ion:244 Resp: 2555342

Ion Ratio Lower Upper

244 100

212 7.2 5.5 8.3

122 10.0 9.4 14.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.815 min Scan# 2334

Delta R.T. -0.006 min

Lab File: BF137844.D

Acq: 07 May 2024 13:31

Tgt Ion:264 Resp: 359162

Ion Ratio Lower Upper

264 100

260 23.9 18.9 28.3

265 21.2 17.4 26.0

