

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF050815\
 Data File : BF079044.D
 Acq On : 8 May 2015 18:16
 Operator : TP/IZ
 Sample : PB83253BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB83253BL

Quant Time: May 08 23:03:37 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF043015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 08 22:44:53 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.32	152	79018	20.00	ng	0.00
21) Naphthalene-d8	8.90	136	332899	20.00	ng	0.00
38) Acenaphthene-d10	11.07	164	164969	20.00	ng	0.00
63) Phenanthrene-d10	12.91	188	313725	20.00	ng	-0.01
75) Chrysene-d12	16.22	240	300918	20.00	ng	-0.03
86) Perylene-d12	17.95	264	297111	20.00	ng	-0.13
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	414452	90.29	ng	0.00
7) Phenol-d6	6.88	99	517448	85.28	ng	-0.01
23) Nitrobenzene-d5	8.01	82	503415	86.91	ng	0.00
41) 2,4,6-Tribromophenol	12.06	330	148971	83.47	ng	0.00
44) 2-Fluorobiphenyl	10.24	172	1048400	88.54	ng	-0.01
78) Terphenyl-d14	14.91	244	1211856	96.42	ng	-0.01
Target Compounds						
15) Benzyl Alcohol	7.51	79	9480	2.10	ng	Qvalue # 50


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF050815\
Data File : BF079044.D
Acq On : 8 May 2015 18:16
Operator : TP/IZ
Sample : PB83253BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB83253BL

Quant Time: May 08 23:03:37 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF043015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 08 22:44:53 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.32 min Scan# 537

Delta R.T. -0.00 min

Lab File: BF079044.D

Acq: 8 May 2015 18:16

Instrument :

BNA_F

ClientSampleId :

PB83253BL


Tgt Ion:152 Resp: 79018

Ion Ratio Lower Upper

152 100

150 152.6 122.0 183.0




115 54.7 46.3 69.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 90.29 ng

RT: 5.62 min Scan# 388

Delta R.T. -0.00 min

Lab File: BF079044.D

Acq: 8 May 2015 18:16


Tgt Ion:112 Resp: 414452

Ion Ratio Lower Upper

112 100

64 64.9 53.5 80.3



63 32.6 27.5 41.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 85.28 ng

RT: 6.88 min Scan# 498

Delta R.T. -0.01 min

Lab File: BF079044.D

Acq: 8 May 2015 18:16

Instrument :

BNA_F

ClientSampleId :

PB83253BL


Tgt Ion: 99 Resp: 517448

Ion Ratio Lower Upper

99 100

42 18.7 12.8 19.2




71 31.3 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#15

Benzyl Alcohol

Concen: 2.10 ng

RT: 7.51 min Scan# 553

Delta R.T. -0.00 min

Lab File: BF079044.D

Acq: 8 May 2015 18:16


Tgt Ion: 79 Resp: 9480

Ion Ratio Lower Upper

79 100

108 29.3 62.5 93.7#



77 98.6 52.2 78.4#




Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): B

Ion 77.00 (76.70 to 77.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.90 min Scan# 675
Delta R.T. -0.00 min
Lab File: BF079044.D
Acq: 8 May 2015 18:16




Instrument :
BNA_F
ClientSampleId :
PB83253BL


Tgt Ion:	136	Resp:	332899
Ion	Ratio	Lower	Upper
136	100		
137	10.2	8.7	13.1
54	5.7	5.8	8.8#
68	4.7	4.2	6.4



#23
Nitrobenzene-d5
Concen: 86.91 ng
RT: 8.01 min Scan# 597
Delta R.T. -0.00 min
Lab File: BF079044.D
Acq: 8 May 2015 18:16

Tgt Ion:	82	Resp:	503415
Ion	Ratio	Lower	Upper
82	100		
128	40.9	30.0	45.0
54	53.7	46.4	69.6









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 11.07 min Scan# 865
 Delta R.T. -0.00 min
 Lab File: BF079044.D
 Acq: 8 May 2015 18:16




Instrument :
 BNA_F
 ClientSampleId :
 PB83253BL


Tgt Ion:164 Resp: 164969
 Ion Ratio Lower Upper
 164 100
 162 102.0 82.7 124.1
 160 46.0 35.8 53.8



#41
 2,4,6-Tribromophenol
 Concen: 83.47 ng
 RT: 12.06 min Scan# 951
 Delta R.T. -0.00 min
 Lab File: BF079044.D
 Acq: 8 May 2015 18:16

Tgt Ion:330 Resp: 148971
 Ion Ratio Lower Upper
 330 100
 332 95.8 0.0 0.0#
 141 33.9 0.0 0.0#









#44
 2-Fluorobiphenyl
 Concen: 88.54 ng
 RT: 10.24 min Scan# 792
 Delta R.T. -0.01 min
 Lab File: BF079044.D
 Acq: 8 May 2015 18:16




Instrument :
 BNA_F
 ClientSampleId :
 PB83253BL


Tgt Ion:172 Resp: 1048400
 Ion Ratio Lower Upper
 172 100
 171 35.8 27.9 41.9
 170 24.0 19.4 29.0



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 12.91 min Scan# 1026
 Delta R.T. -0.01 min
 Lab File: BF079044.D
 Acq: 8 May 2015 18:16

Tgt Ion:188 Resp: 313725
 Ion Ratio Lower Upper
 188 100
 94 13.7 8.2 12.2#
 80 14.9 8.9 13.3#









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 16.22 min Scan# 1315
 Delta R.T. -0.03 min
 Lab File: BF079044.D
 Acq: 8 May 2015 18:16




Instrument :
 BNA_F
 ClientSampleId :
 PB83253BL




Tgt Ion:240 Resp: 300918
 Ion Ratio Lower Upper
 240 100
 120 9.5 9.7 14.5#
 236 25.5 20.2 30.4



#78
 Terphenyl-d14
 Concen: 96.42 ng
 RT: 14.91 min Scan# 1201
 Delta R.T. -0.01 min
 Lab File: BF079044.D
 Acq: 8 May 2015 18:16

Tgt Ion:244 Resp: 1211856
 Ion Ratio Lower Upper
 244 100
 212 7.5 5.6 8.4
 122 16.4 10.3 15.5#





#86

Perylene-d12

Concen: 20.00 ng

RT: 17.95 min Scan# 1467

Delta R.T. -0.13 min

Lab File: BF079044.D

Acq: 8 May 2015 18:16

Instrument :

BNA_F

ClientSampleId :

PB83253BL

Tgt Ion: 264 Resp: 297111

Ion Ratio Lower Upper

264 100

260 24.0 19.4 29.2

265 21.5 18.3 27.5

