

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050815\
 Data File : BF079062.D
 Acq On : 9 May 2015 4:44
 Operator : TP/IZ
 Sample : G2171-06
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-136-5615

Quant Time: May 09 05:21:02 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF043015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat May 09 04:13:31 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.32	152	68720	20.00	ng	0.00
21) Naphthalene-d8	8.89	136	280729	20.00	ng	-0.01
38) Acenaphthene-d10	11.07	164	139550	20.00	ng	0.00
63) Phenanthrene-d10	12.91	188	267281	20.00	ng	0.00
75) Chrysene-d12	16.22	240	251464	20.00	ng	0.00
86) Perylene-d12	17.97	264	240987	20.00	ng	0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	268782	67.33	ng	0.00
7) Phenol-d6	6.88	99	224093	42.47	ng	0.00
23) Nitrobenzene-d5	8.01	82	456978	93.55	ng	0.00
41) 2,4,6-Tribromophenol	12.06	330	228050	151.06	ng	0.00
44) 2-Fluorobiphenyl	10.24	172	878621	87.72	ng	0.00
78) Terphenyl-d14	14.91	244	974466	92.78	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050815\
Data File : BF079062.D
Acq On : 9 May 2015 4:44
Operator : TP/IZ
Sample : G2171-06
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DCW-WW-136-5615

Quant Time: May 09 05:21:02 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF043015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat May 09 04:13:31 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.32 min Scan# 537
Delta R.T. -0.00 min
Lab File: BF079062.D
Acq: 9 May 2015 4:44

Instrument :
BNA_F
ClientSampleId :
DCW-WW-136-5615

Tot Ion:152 Resp: 68720
Ion Ratio Lower Upper
152 100
150 158.3 122.0 183.0
115 51.4 46.3 69.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 67.33 ng
RT: 5.62 min Scan# 388
Delta R.T. -0.00 min
Lab File: BF079062.D
Acq: 9 May 2015 4:44

Tgt Ion:112 Resp: 268782
Ion Ratio Lower Upper
112 100
64 57.8 53.5 80.3
63 28.7 27.5 41.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 42.47 ng

RT: 6.88 min Scan# 498

Delta R.T. -0.00 min

Lab File: BF079062.D

Acq: 9 May 2015 4:44

Instrument :

BNA_F

ClientSampleId :

DCW-WW-136-5615


Tot Ion: 99 Resp: 224093

Ion Ratio Lower Upper

99 100

42 14.8 12.8 19.2




71 27.6 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF078853.D (-498) (-)

Ion 42.00 (41.70 to 42.70): BF078853.D (-498) (-)

Ion 71.00 (70.70 to 71.70): BF078853.D (-498) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.89 min Scan# 674

Delta R.T. -0.01 min

Lab File: BF079062.D

Acq: 9 May 2015 4:44

Tgt Ion: 136 Resp: 280729


Ion Ratio Lower Upper

136 100

137 11.3 8.7 13.1

54 10.7 5.8 8.8#

68 7.5 4.2 6.4#





Abundance Ion 136.00 (135.70 to 136.70): BF078853.D (-676) (-)

Ion 137.00 (136.70 to 137.70): BF078853.D (-676) (-)

Ion 54.00 (53.70 to 54.70): BF078853.D (-676) (-)

Ion 68.00 (67.70 to 68.70): BF078853.D (-676) (-)









#23
 Nitrobenzene-d5
 Concen: 93.55 ng
 RT: 8.01 min Scan# 597
 Delta R.T. -0.00 min
 Lab File: BF079062.D
 Acq: 9 May 2015 4:44




Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-136-5615

Tot Ion: 82 Resp: 456978
 Ion Ratio Lower Upper
 82 100
 128 42.9 30.0 45.0
 54 52.1 46.4 69.6



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 11.07 min Scan# 865
 Delta R.T. -0.00 min
 Lab File: BF079062.D
 Acq: 9 May 2015 4:44

Tgt Ion: 164 Resp: 139550
 Ion Ratio Lower Upper
 164 100
 162 100.8 82.7 124.1
 160 45.3 35.8 53.8








#41
 2,4,6-Tribromophenol
 Concen: 151.06 ng
 RT: 12.06 min Scan# 951
 Delta R.T. -0.00 min
 Lab File: BF079062.D
 Acq: 9 May 2015 4:44

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-136-5615

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.8	0.0	0.0#
141	33.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.72 ng
 RT: 10.24 min Scan# 792
 Delta R.T. -0.00 min
 Lab File: BF079062.D
 Acq: 9 May 2015 4:44

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	27.9	41.9
170	24.0	19.4	29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.91 min Scan# 1026
Delta R.T. -0.00 min
Lab File: BF079062.D
Acq: 9 May 2015 4:44

Instrument :
BNA_F
ClientSampleId :
DCW-WW-136-5615

Tot Ion:188 Resp: 267281
Ion Ratio Lower Upper
188 100
94 13.3 8.2 12.2#
80 13.9 8.9 13.3#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.22 min Scan# 1315
Delta R.T. -0.00 min
Lab File: BF079062.D
Acq: 9 May 2015 4:44

Tgt Ion:240 Resp: 251464
Ion Ratio Lower Upper
240 100
120 9.2 9.7 14.5#
236 25.8 20.2 30.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 92.78 ng
 RT: 14.91 min Scan# 1201
 Delta R.T. -0.00 min
 Lab File: BF079062.D
 Acq: 9 May 2015 4:44

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-136-5615

Tot Ion:244 Resp: 974466
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.6 8.4
 122 15.5 10.3 15.5#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.97 min Scan# 1468
 Delta R.T. 0.03 min
 Lab File: BF079062.D
 Acq: 9 May 2015 4:44

Tgt Ion:264 Resp: 240987
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.4 29.2
 265 21.9 18.3 27.5



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

