

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050815\
 Data File : BF079087.D
 Acq On : 9 May 2015 18:31
 Operator : TP/IZ
 Sample : G2035-15RE
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-14-D3RE

Quant Time: May 11 02:07:42 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF043015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 11 01:50:36 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.32	152	177925	20.00	ng	0.00
21) Naphthalene-d8	8.89	136	749355	20.00	ng	0.00
38) Acenaphthene-d10	11.07	164	392435	20.00	ng	0.00
63) Phenanthrene-d10	12.91	188	710381	20.00	ng	0.00
75) Chrysene-d12	16.21	240	667902	20.00	ng	0.00
86) Perylene-d12	17.94	264	677633	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	786833	76.12	ng	0.00
7) Phenol-d6	6.88	99	980186	71.74	ng	0.00
23) Nitrobenzene-d5	8.01	82	596360	45.74	ng	0.00
41) 2,4,6-Tribromophenol	12.06	330	298187	70.24	ng	0.00
44) 2-Fluorobiphenyl	10.24	172	953005	33.83	ng	0.00
78) Terphenyl-d14	14.91	244	1016692	36.44	ng	0.00
Target Compounds						
49) Dimethylphthalate	10.74	163	58644	2.04	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050815\
Data File : BF079087.D
Acq On : 9 May 2015 18:31
Operator : TP/IZ
Sample : G2035-15RE
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-14-D3RE

Quant Time: May 11 02:07:42 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF043015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 11 01:50:36 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.32 min Scan# 537
Delta R.T. 0.00 min
Lab File: BF079087.D
Acq: 9 May 2015 18:31

Instrument :
BNA_F
ClientSampled :
TP-14-D3RE

Tot Ion:152 Resp: 177925
Ion Ratio Lower Upper
152 100
150 151.7 122.0 183.0
115 50.3 46.3 69.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 76.12 ng
RT: 5.62 min Scan# 388
Delta R.T. 0.00 min
Lab File: BF079087.D
Acq: 9 May 2015 18:31

Tgt Ion:112 Resp: 786833
Ion Ratio Lower Upper
112 100
64 60.4 53.5 80.3
63 29.8 27.5 41.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 71.74 ng

RT: 6.88 min Scan# 498

Delta R.T. 0.00 min

Lab File: BF079087.D

Acq: 9 May 2015 18:31

Instrument :

BNA_F

ClientSampleId :

TP-14-D3RE


Tot Ion: 99 Resp: 980186

Ion Ratio Lower Upper

99 100

42 18.3 12.8 19.2



71 31.6 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.89 min Scan# 674

Delta R.T. 0.00 min

Lab File: BF079087.D

Acq: 9 May 2015 18:31

Tgt Ion: 136 Resp: 749355


Ion Ratio Lower Upper

136 100

137 11.4 8.7 13.1

54 10.1 5.8 8.8#

68 7.3 4.2 6.4#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 45.74 ng
 RT: 8.01 min Scan# 597
 Delta R.T. 0.00 min
 Lab File: BF079087.D
 Acq: 9 May 2015 18:31

Instrument :
 BNA_F
 ClientSampleId :
 TP-14-D3RE

Tot Ion: 82 Resp: 596360
 Ion Ratio Lower Upper
 82 100
 128 43.8 30.0 45.0
 54 52.6 46.4 69.6




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 11.07 min Scan# 865
 Delta R.T. 0.00 min
 Lab File: BF079087.D
 Acq: 9 May 2015 18:31

Tgt Ion: 164 Resp: 392435
 Ion Ratio Lower Upper
 164 100
 162 101.3 82.7 124.1
 160 45.1 35.8 53.8



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 70.24 ng
 RT: 12.06 min Scan# 951
 Delta R.T. 0.00 min
 Lab File: BF079087.D
 Acq: 9 May 2015 18:31

Instrument :
 BNA_F
 ClientSampleId :
 TP-14-D3RE

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	0.0	0.0#
141	32.3	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 33.83 ng
 RT: 10.24 min Scan# 792
 Delta R.T. 0.00 min
 Lab File: BF079087.D
 Acq: 9 May 2015 18:31

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	27.9	41.9
170	24.2	19.4	29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 2.04 ng
RT: 10.74 min Scan# 836
Delta R.T. -0.01 min
Lab File: BF079087.D
Acq: 9 May 2015 18:31




Instrument :
BNA_F
ClientSampleId :
TP-14-D3RE


Tot Ion:163 Resp: 58644
Ion Ratio Lower Upper
163 100
194 2.9 2.6 4.0
164 10.5 8.1 12.1



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.91 min Scan# 1026
Delta R.T. 0.00 min
Lab File: BF079087.D
Acq: 9 May 2015 18:31

Tgt Ion:188 Resp: 710381
Ion Ratio Lower Upper
188 100
94 13.0 8.2 12.2#
80 14.3 8.9 13.3#









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 16.21 min Scan# 1314
 Delta R.T. 0.00 min
 Lab File: BF079087.D
 Acq: 9 May 2015 18:31




Instrument :
 BNA_F
 ClientSampleId :
 TP-14-D3RE




Tot Ion:240 Resp: 667902
 Ion Ratio Lower Upper
 240 100
 120 16.0 9.7 14.5#
 236 26.6 20.2 30.4



#78
 Terphenyl-d14
 Concen: 36.44 ng
 RT: 14.91 min Scan# 1201
 Delta R.T. 0.00 min
 Lab File: BF079087.D
 Acq: 9 May 2015 18:31

Tgt Ion:244 Resp: 1016692
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.6 8.4
 122 14.1 10.3 15.5





#86

Pervlene-d12

Concen: 20.00 ng

RT: 17.94 min Scan# 1466

Delta R.T. 0.02 min

Lab File: BF079087.D

Acq: 9 May 2015 18:31

Instrument :

BNA_F

ClientSampleId :

TP-14-D3RE

Tot Ion:264 Resp: 677633

Ion Ratio Lower Upper

264 100

260 24.8 19.4 29.2

265 21.6 18.3 27.5

