

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050917\
 Data File : BF095040.D
 Acq On : 10 May 2017 00:56
 Operator : SJ/MA
 Sample : I3027-10
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 10 05:17:26 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	101338	20.00	ng	-0.02
21) Naphthalene-d8	9.73	136	403557	20.00	ng	-0.02
38) Acenaphthene-d10	12.56	164	189461	20.00	ng	-0.02
63) Phenanthrene-d10	14.97	188	321051	20.00	ng	-0.02
75) Chrysene-d12	18.63	240	225813	20.00	ng	-0.02
86) Perylene-d12	20.30	264	175124	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	802958	132.10	ng	0.01
7) Phenol-d6	7.28	99	999439	137.04	ng	0.00
23) Nitrobenzene-d5	8.61	82	556747	87.00	ng	-0.02
41) 2,4,6-Tribromophenol	13.86	330	199535	128.60	ng	-0.02
44) 2-Fluorobiphenyl	11.51	172	1011296	76.83	ng	-0.02
78) Terphenyl-d14	17.29	244	759665	74.10	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.62	70	70501	14.29	ng	Qvalue # 73
49) Dimethylphthalate	12.20	163	95934	6.17	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF050917\
Data File : BF095040.D
Acq On : 10 May 2017 00:56
Operator : SJ/MA
Sample : I3027-10
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 10 05:17:26 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:24:51 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.71 min Scan# 982
Delta R.T. -0.02 min
Lab File: BF095040.D
Acq: 10 May 2017 00:56

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 101338
Ion Ratio Lower Upper
152 100
150 158.7 126.2 189.2
115 61.3 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 132.10 ng
RT: 5.69 min Scan# 638
Delta R.T. 0.01 min
Lab File: BF095040.D
Acq: 10 May 2017 00:56

Tgt Ion:112 Resp: 802958
Ion Ratio Lower Upper
112 100
64 53.8 46.0 69.0
63 27.8 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 137.04 ng

RT: 7.28 min Scan# 908

Delta R.T. -0.00 min

Lab File: BF095040.D

Acq: 10 May 2017 00:56

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 999439

Ion Ratio Lower Upper

99 100

42 16.6 13.5 20.3




71 32.2 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 14.29 ng

RT: 8.62 min Scan# 1136

Delta R.T. 0.18 min

Lab File: BF095040.D

Acq: 10 May 2017 00:56

Tgt Ion: 70 Resp: 70501


Ion Ratio Lower Upper

70 100

42 41.7 47.2 70.8#

101 0.0 7.2 10.8#

130 2.1 15.9 23.9#





Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.73 min Scan# 1325

Delta R.T. -0.02 min

Lab File: BF095040.D

Acq: 10 May 2017 00:56

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 403557



Ion Ratio Lower Upper

136 100

137 10.9 8.5 12.7

54 6.7 4.9 7.3

68 5.2 4.1 6.1




Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 87.00 ng

RT: 8.61 min Scan# 1135

Delta R.T. -0.02 min

Lab File: BF095040.D

Acq: 10 May 2017 00:56



Tgt Ion: 82 Resp: 556747

Ion Ratio Lower Upper

82 100

128 46.0 34.0 51.0


54 47.7 42.2 63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 12.56 min Scan# 1806

Delta R.T. -0.02 min

Lab File: BF095040.D

Acq: 10 May 2017 00:56

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 189461

Ion Ratio Lower Upper

164 100

162 105.2 82.6 123.8



160 44.0 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 128.60 ng

RT: 13.86 min Scan# 2027

Delta R.T. -0.02 min

Lab File: BF095040.D

Acq: 10 May 2017 00:56


Tgt Ion:330 Resp: 199535

Ion Ratio Lower Upper

330 100

332 97.5 76.6 115.0



141 40.6 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 76.83 ng
RT: 11.51 min Scan# 1627
Delta R.T. -0.02 min
Lab File: BF095040.D
Acq: 10 May 2017 00:56

Instrument :
BNA_F
ClientSampleId :

Tot Ion:172 Resp: 1011296
Ion Ratio Lower Upper
172 100
171 36.4 29.6 44.4
170 23.8 19.8 29.8




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#49
Dimethylphthalate
Concen: 6.17 ng
RT: 12.20 min Scan# 1745
Delta R.T. -0.03 min
Lab File: BF095040.D
Acq: 10 May 2017 00:56

Tgt Ion:163 Resp: 95934
Ion Ratio Lower Upper
163 100
194 3.0 2.6 4.0
164 10.2 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 14.97 min Scan# 2215
Delta R.T. -0.02 min
Lab File: BF095040.D
Acq: 10 May 2017 00:56

Instrument :
BNA_F
ClientSampleId :

Tot Ion:188 Resp: 321051
Ion Ratio Lower Upper
188 100
94 9.5 9.4 14.2
80 9.7 10.2 15.2#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75
Chrysene-d12
Concen: 20.00 ng
RT: 18.63 min Scan# 2838
Delta R.T. -0.02 min
Lab File: BF095040.D
Acq: 10 May 2017 00:56

Tgt Ion:240 Resp: 225813
Ion Ratio Lower Upper
240 100
120 14.8 5.8 8.8#
236 24.5 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 74.10 ng
 RT: 17.29 min Scan# 2610
 Delta R.T. -0.02 min
 Lab File: BF095040.D
 Acq: 10 May 2017 00:56

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 759665
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.0 9.0
 122 13.6 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 20.30 min Scan# 3122
 Delta R.T. -0.01 min
 Lab File: BF095040.D
 Acq: 10 May 2017 00:56

Tgt Ion:264 Resp: 175124
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.5 29.3
 265 21.7 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

