

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051016\
 Data File : BF086871.D
 Acq On : 10 May 2016 20:39
 Operator : UM/SJ
 Sample : H2916-01
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 VITALE-FILL-CSPH3-1K

Quant Time: May 11 05:23:20 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 09 16:04:56 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.68	152	152435	20.00	ng	-0.01
21) Naphthalene-d8	7.97	136	562371	20.00	ng	-0.01
38) Acenaphthene-d10	9.72	164	231042	20.00	ng	-0.01
63) Phenanthrene-d10	11.20	188	362998	20.00	ng	-0.01
75) Chrysene-d12	13.83	240	302816	20.00	ng	-0.01
86) Perylene-d12	15.20	264	258161	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.29	112	962415	106.92	ng	0.00
7) Phenol-d6	6.35	99	1225954	101.91	ng	-0.01
23) Nitrobenzene-d5	7.25	82	722330	64.49	ng	-0.01
41) 2,4,6-Tribromophenol	10.51	330	215735	88.20	ng	-0.01
44) 2-Fluorobiphenyl	9.05	172	1094003	79.58	ng	-0.01
78) Terphenyl-d14	12.79	244	824951	57.80	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	9.45	163	153425	8.70	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051016\
Data File : BF086871.D
Acq On : 10 May 2016 20:39
Operator : UM/SJ
Sample : H2916-01
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
VITALE-FILL-CSPH3-1K

Quant Time: May 11 05:23:20 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 09 16:04:56 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.68 min Scan# 402

Delta R.T. -0.01 min

Lab File: BF086871.D

Acq: 10 May 2016 20:39

Instrument :

BNA_F

ClientSampleId :

VITALE-FILL-CSPH3-1K


Tot Ion:152 Resp: 152435

Ion Ratio Lower Upper

152 100

150 156.7 125.8 188.6




115 67.2 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 106.92 ng

RT: 5.29 min Scan# 280

Delta R.T. 0.00 min

Lab File: BF086871.D

Acq: 10 May 2016 20:39


Tgt Ion:112 Resp: 962415

Ion Ratio Lower Upper

112 100

64 67.8 52.1 78.1



63 36.6 25.7 38.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 101.91 ng

RT: 6.35 min Scan# 373

Delta R.T. -0.01 min

Lab File: BF086871.D

Acq: 10 May 2016 20:39

Instrument :


BNA_F

ClientSampleId :

VITALE-FILL-CSPH3-1K

Tot Ion: 99 Resp: 1225954




Ion	Ratio	Lower	Upper
99	100		
42	23.3	13.6	20.4#
71	33.6	24.6	36.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.97 min Scan# 515


Delta R.T. -0.01 min

Lab File: BF086871.D

Acq: 10 May 2016 20:39

Tgt Ion: 136 Resp: 562371

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.8	13.2
54	9.8	5.0	7.4#
68	5.5	4.4	6.6





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 64.49 ng
 RT: 7.25 min Scan# 452
 Delta R.T. -0.01 min
 Lab File: BF086871.D
 Acq: 10 May 2016 20:39




Instrument :
 BNA_F
 ClientSampleId :
 VITALE-FILL-CSPH3-1K

Tot Ion: 82 Resp: 722330
 Ion Ratio Lower Upper
 82 100
 128 37.2 40.6 61.0#
 54 74.1 38.1 57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.72 min Scan# 668
 Delta R.T. -0.01 min
 Lab File: BF086871.D
 Acq: 10 May 2016 20:39

Tgt Ion: 164 Resp: 231042
 Ion Ratio Lower Upper
 164 100
 162 104.5 82.8 124.2
 160 47.6 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 88.20 ng
 RT: 10.51 min Scan# 737
 Delta R.T. -0.01 min
 Lab File: BF086871.D
 Acq: 10 May 2016 20:39

Instrument :
 BNA_F
 ClientSampleId :
 VITALE-FILL-CSPH3-1K

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.9	79.0	118.4
141	36.8	31.2	46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 79.58 ng
 RT: 9.05 min Scan# 609
 Delta R.T. -0.01 min
 Lab File: BF086871.D
 Acq: 10 May 2016 20:39

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.0	43.6
170	24.4	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 8.70 ng

RT: 9.45 min Scan# 644

Delta R.T. -0.02 min

Lab File: BF086871.D

Acq: 10 May 2016 20:39

Instrument :

BNA_F

ClientSampleId :

VITALE-FILL-CSPH3-1K


Tot Ion:163 Resp: 153425

Ion Ratio Lower Upper

163 100

194 3.1 2.6 4.0




164 10.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.20 min Scan# 797

Delta R.T. -0.01 min

Lab File: BF086871.D

Acq: 10 May 2016 20:39


Tgt Ion:188 Resp: 362998

Ion Ratio Lower Upper

188 100

94 10.1 6.8 10.2



80 11.5 7.1 10.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.83 min Scan# 1027

Delta R.T. -0.01 min

Lab File: BF086871.D

Acq: 10 May 2016 20:39

Instrument :

BNA_F

ClientSampleId :

VITALE-FILL-CSPH3-1K


Tot Ion:240 Resp: 302816

Ion Ratio Lower Upper

240 100

120 10.1 11.2 16.8#




236 26.5 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 57.80 ng

RT: 12.79 min Scan# 936

Delta R.T. -0.01 min

Lab File: BF086871.D

Acq: 10 May 2016 20:39


Tgt Ion:244 Resp: 824951

Ion Ratio Lower Upper

244 100

212 6.6 6.2 9.2



122 7.0 12.0 18.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.20 min Scan# 1147
 Delta R.T. -0.01 min
 Lab File: BF086871.D
 Acq: 10 May 2016 20:39

Instrument :
 BNA_F
 ClientSampleId :
 VITALE-FILL-CSPH3-1K

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.5	29.3
265	21.7	17.3	25.9

