

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051017\
 Data File : BF095059.D
 Acq On : 10 May 2017 16:54
 Operator : SJ/MA
 Sample : I3037-06
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 HY-SB408B

Quant Time: May 10 18:10:52 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	92228	20.00	ng	-0.02
21) Naphthalene-d8	9.72	136	366613	20.00	ng	-0.03
38) Acenaphthene-d10	12.56	164	174643	20.00	ng	-0.02
63) Phenanthrene-d10	14.96	188	313974	20.00	ng	-0.02
75) Chrysene-d12	18.63	240	287135	20.00	ng	-0.02
86) Perylene-d12	20.30	264	209264	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	824216	148.99	ng	-0.02
7) Phenol-d6	7.25	99	1026149	154.60	ng	-0.02
23) Nitrobenzene-d5	8.61	82	588296	101.19	ng	-0.03
41) 2,4,6-Tribromophenol	13.85	330	220460	154.14	ng	-0.03
44) 2-Fluorobiphenyl	11.50	172	1200589	98.95	ng	-0.03
78) Terphenyl-d14	17.29	244	1012437	77.66	ng	-0.02
Target Compounds						
49) Dimethylphthalate	12.19	163	156452	10.91	ng	Qvalue 100
73) Di-n-butylphthalate	15.93	149	59054	2.82	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051017\
Data File : BF095059.D
Acq On : 10 May 2017 16:54
Operator : SJ/MA
Sample : I3037-06
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
HY-SB408B

Quant Time: May 10 18:10:52 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:24:51 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.71 min Scan# 981
Delta R.T. -0.02 min
Lab File: BF095059.D
Acq: 10 May 2017 16:54

Instrument :
BNA_F
ClientSampleId :
HY-SB408B

Tot Ion:152 Resp: 92228
Ion Ratio Lower Upper
152 100
150 157.4 126.2 189.2
115 61.8 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 148.99 ng
RT: 5.65 min Scan# 632
Delta R.T. -0.02 min
Lab File: BF095059.D
Acq: 10 May 2017 16:54

Tgt Ion:112 Resp: 824216
Ion Ratio Lower Upper
112 100
64 55.3 46.0 69.0
63 27.7 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 154.60 ng

RT: 7.25 min Scan# 904

Delta R.T. -0.02 min

Lab File: BF095059.D

Acq: 10 May 2017 16:54

Instrument :

BNA_F

ClientSampleId :

HY-SB408B


Tot Ion: 99 Resp: 1026149

Ion Ratio Lower Upper

99 100

42 16.6 13.5 20.3




71 33.3 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.72 min Scan# 1324

Delta R.T. -0.03 min

Lab File: BF095059.D

Acq: 10 May 2017 16:54

Tgt Ion: 136 Resp: 366613


Ion Ratio Lower Upper

136 100

137 10.9 8.5 12.7

54 7.5 4.9 7.3#

68 5.9 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 101.19 ng
 RT: 8.61 min Scan# 1134
 Delta R.T. -0.03 min
 Lab File: BF095059.D
 Acq: 10 May 2017 16:54




Instrument :
 BNA_F
 ClientSampleId :
 HY-SB408B


Tot Ion: 82 Resp: 588296
 Ion Ratio Lower Upper
 82 100
 128 46.3 34.0 51.0
 54 48.1 42.2 63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.56 min Scan# 1806
 Delta R.T. -0.02 min
 Lab File: BF095059.D
 Acq: 10 May 2017 16:54

Tgt Ion: 164 Resp: 174643
 Ion Ratio Lower Upper
 164 100
 162 102.5 82.6 123.8
 160 45.0 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 154.14 ng
 RT: 13.85 min Scan# 2026
 Delta R.T. -0.03 min
 Lab File: BF095059.D
 Acq: 10 May 2017 16:54




Instrument :
 BNA_F
 ClientSampleId :
 HY-SB408B


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.7	76.6	115.0
141	40.5	31.4	47.2



#44
 2-Fluorobiphenyl
 Concen: 98.95 ng
 RT: 11.50 min Scan# 1626
 Delta R.T. -0.03 min
 Lab File: BF095059.D
 Acq: 10 May 2017 16:54

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	29.6	44.4
170	23.8	19.8	29.8





#49

Dimethylphthalate

Concen: 10.91 ng

RT: 12.19 min Scan# 1744

Delta R.T. -0.04 min

Lab File: BF095059.D

Acq: 10 May 2017 16:54

Instrument :

BNA_F

ClientSampleId :

HY-SB408B


Tot Ion:163 Resp: 156452

Ion Ratio Lower Upper

163 100

194 3.5 2.6 4.0




164 10.4 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.96 min Scan# 2214

Delta R.T. -0.02 min

Lab File: BF095059.D

Acq: 10 May 2017 16:54


Tgt Ion:188 Resp: 313974

Ion Ratio Lower Upper

188 100

94 9.9 9.4 14.2



80 10.5 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#73
Di-n-butylphthalate
Concen: 2.82 ng
RT: 15.93 min Scan# 2379
Delta R.T. -0.03 min
Lab File: BF095059.D
Acq: 10 May 2017 16:54




Instrument :
BNA_F
ClientSampleId :
HY-SB408B


Tot Ion:149 Resp: 59054
Ion Ratio Lower Upper
149 100
150 9.1 7.7 11.5
104 4.3 4.0 6.0



#75
Chrysene-d12
Concen: 20.00 ng
RT: 18.63 min Scan# 2838
Delta R.T. -0.02 min
Lab File: BF095059.D
Acq: 10 May 2017 16:54

Tgt Ion:240 Resp: 287135
Ion Ratio Lower Upper
240 100
120 14.0 5.8 8.8#
236 25.5 20.5 30.7





#78

Terphenyl-d14

Concen: 77.66 ng

RT: 17.29 min Scan# 2610

Delta R.T. -0.02 min

Lab File: BF095059.D

Acq: 10 May 2017 16:54

Instrument :

BNA_F

ClientSampleId :

HY-SB408B


Tot Ion:244 Resp: 1012437

Ion Ratio Lower Upper

244 100

212 6.9 6.0 9.0




122 13.7 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 20.30 min Scan# 3122

Delta R.T. -0.01 min

Lab File: BF095059.D

Acq: 10 May 2017 16:54


Tgt Ion:264 Resp: 209264

Ion Ratio Lower Upper

264 100

260 23.2 19.5 29.3

265 21.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

