

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051017\
 Data File : BF095065.D
 Acq On : 10 May 2017 20:06
 Operator : SJ/MA
 Sample : I3039-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 INFLUENT-5-5-17

Quant Time: May 11 07:43:05 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	80774	20.00	ng	-0.02
21) Naphthalene-d8	9.72	136	352668	20.00	ng	-0.03
38) Acenaphthene-d10	12.55	164	145630	20.00	ng	-0.03
63) Phenanthrene-d10	14.96	188	290245	20.00	ng	-0.02
75) Chrysene-d12	18.63	240	239682	20.00	ng	-0.02
86) Perylene-d12	20.29	264	182948	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	205711	42.46	ng	-0.01
7) Phenol-d6	7.27	99	175131	30.13	ng	0.00
23) Nitrobenzene-d5	8.61	82	525557	93.97	ng	-0.03
41) 2,4,6-Tribromophenol	13.85	330	129984	108.99	ng	-0.03
44) 2-Fluorobiphenyl	11.50	172	1034495	102.24	ng	-0.03
78) Terphenyl-d14	17.29	244	950845	87.38	ng	-0.02
Target Compounds						Qvalue
49) Dimethylphthalate	12.20	163	40489	3.39	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051017\
Data File : BF095065.D
Acq On : 10 May 2017 20:06
Operator : SJ/MA
Sample : I3039-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
INFLUENT-5-5-17

Quant Time: May 11 07:43:05 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:24:51 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.71 min Scan# 981
Delta R.T. -0.02 min
Lab File: BF095065.D
Acq: 10 May 2017 20:06

Instrument :
BNA_F
ClientSampleId :
INFLUENT-5-5-17

Tot Ion:152 Resp: 80774
Ion Ratio Lower Upper
152 100
150 150.9 126.2 189.2
115 59.6 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 42.46 ng
RT: 5.67 min Scan# 634
Delta R.T. -0.01 min
Lab File: BF095065.D
Acq: 10 May 2017 20:06

Tgt Ion:112 Resp: 205711
Ion Ratio Lower Upper
112 100
64 53.0 46.0 69.0
63 26.0 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 30.13 ng

RT: 7.27 min Scan# 907

Delta R.T. -0.01 min

Lab File: BF095065.D

Acq: 10 May 2017 20:06

Instrument :

BNA_F

ClientSampleId :

INFLUENT-5-5-17


Tot Ion: 99 Resp: 175131

Ion Ratio Lower Upper

99 100

42 15.5 13.5 20.3




71 30.7 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.72 min Scan# 1324

Delta R.T. -0.03 min

Lab File: BF095065.D

Acq: 10 May 2017 20:06

Tgt Ion: 136 Resp: 352668


Ion Ratio Lower Upper

136 100

137 11.1 8.5 12.7

54 7.7 4.9 7.3#

68 5.4 4.1 6.1





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0








#23
 Nitrobenzene-d5
 Concen: 93.97 ng
 RT: 8.61 min Scan# 1134
 Delta R.T. -0.03 min
 Lab File: BF095065.D
 Acq: 10 May 2017 20:06




Instrument :
 BNA_F
 ClientSampleId :
 INFLUENT-5-5-17

Tot Ion	82	Resp	525557
Ion Ratio	100		
Lower	34.0		
Upper	51.0		
54	46.6	42.2	63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.55 min Scan# 1805
 Delta R.T. -0.03 min
 Lab File: BF095065.D
 Acq: 10 May 2017 20:06

Tgt Ion	164	Resp	145630
Ion Ratio	100		
Lower	82.6		
Upper	123.8		
162	104.5	36.2	54.2
160	43.4		









#41
 2,4,6-Tribromophenol
 Concen: 108.99 ng
 RT: 13.85 min Scan# 2026
 Delta R.T. -0.03 min
 Lab File: BF095065.D
 Acq: 10 May 2017 20:06

Instrument :
 BNA_F
 ClientSampleId :
 INFLUENT-5-5-17

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	76.6	115.0
141	38.4	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 102.24 ng
 RT: 11.50 min Scan# 1626
 Delta R.T. -0.03 min
 Lab File: BF095065.D
 Acq: 10 May 2017 20:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.6	44.4
170	23.6	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.39 ng

RT: 12.20 min Scan# 1744

Delta R.T. -0.04 min

Lab File: BF095065.D

Acq: 10 May 2017 20:06

Instrument :

BNA_F

ClientSampleId :

INFLUENT-5-5-17


Tot Ion:163 Resp: 40489

Ion Ratio Lower Upper

163 100

194 3.5 2.6 4.0




164 10.4 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.96 min Scan# 2214

Delta R.T. -0.02 min

Lab File: BF095065.D

Acq: 10 May 2017 20:06


Tgt Ion:188 Resp: 290245

Ion Ratio Lower Upper

188 100

94 9.6 9.4 14.2



80 9.7 10.2 15.2#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.63 min Scan# 2838

Delta R.T. -0.02 min

Lab File: BF095065.D

Acq: 10 May 2017 20:06

Instrument :

BNA_F

ClientSampleId :

INFLUENT-5-5-17


Tot Ion:240 Resp: 239682

Ion Ratio Lower Upper

240 100

120 13.2 5.8 8.8#




236 25.9 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 87.38 ng

RT: 17.29 min Scan# 2610

Delta R.T. -0.02 min

Lab File: BF095065.D

Acq: 10 May 2017 20:06


Tgt Ion:244 Resp: 950845

Ion Ratio Lower Upper

244 100

212 7.3 6.0 9.0



122 14.5 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 20.29 min Scan# 3121
Delta R.T. -0.02 min
Lab File: BF095065.D
Acq: 10 May 2017 20:06

Instrument :
BNA_F
ClientSampleId :
INFLUENT-5-5-17

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.5	19.5	29.3
265	20.6	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

