

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051017\
 Data File : BF095076.D
 Acq On : 11 May 2017 1:58
 Operator : SJ/MA
 Sample : I3049-03
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DRUM-M4935

Quant Time: May 11 08:28:59 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	87444	20.00	ng	-0.03
21) Naphthalene-d8	9.72	136	344568	20.00	ng	-0.03
38) Acenaphthene-d10	12.55	164	144808	20.00	ng	-0.03
63) Phenanthrene-d10	14.97	188	221849	20.00	ng	-0.02
75) Chrysene-d12	18.66	240	136943	20.00	ng	0.00
86) Perylene-d12	20.35	264	123634	20.00	ng	0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	492069	93.82	ng	-0.03
7) Phenol-d6	7.25	99	632649	100.53	ng	-0.03
23) Nitrobenzene-d5	8.60	82	374537	68.54	ng	-0.04
41) 2,4,6-Tribromophenol	13.85	330	124668	105.12	ng	-0.03
44) 2-Fluorobiphenyl	11.50	172	683763	67.96	ng	-0.03
78) Terphenyl-d14	17.29	244	451937	72.69	ng	-0.02
Target Compounds						
49) Dimethylphthalate	12.20	163	83010	6.98	ng	Qvalue 98
83) Bis(2-ethylhexyl)phthalate	18.71	149	159092	23.44	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051017\
Data File : BF095076.D
Acq On : 11 May 2017 1:58
Operator : SJ/MA
Sample : I3049-03
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DRUM-M4935

Quant Time: May 11 08:28:59 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 03 17:24:51 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.70 min Scan# 980

Delta R.T. -0.03 min

Lab File: BF095076.D

Acq: 11 May 2017 1:58

Instrument :

BNA_F

ClientSampleId :

DRUM-M4935


Tot Ion:152 Resp: 87444

Ion Ratio Lower Upper

152 100

150 159.2 126.2 189.2




115 61.7 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 93.82 ng

RT: 5.65 min Scan# 631

Delta R.T. -0.03 min

Lab File: BF095076.D

Acq: 11 May 2017 1:58


Tgt Ion:112 Resp: 492069

Ion Ratio Lower Upper

112 100

64 54.5 46.0 69.0



63 27.0 23.4 35.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 100.53 ng

RT: 7.25 min Scan# 903

Delta R.T. -0.03 min

Lab File: BF095076.D

Acq: 11 May 2017 1:58

Instrument :

BNA_F

ClientSampleId :

DRUM-M4935


Tot Ion: 99 Resp: 632649

Ion Ratio Lower Upper

99 100

42 15.5 13.5 20.3




71 32.0 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.72 min Scan# 1324

Delta R.T. -0.03 min

Lab File: BF095076.D

Acq: 11 May 2017 1:58

Tgt Ion: 136 Resp: 344568


Ion Ratio Lower Upper

136 100

137 10.6 8.5 12.7

54 6.8 4.9 7.3

68 6.3 4.1 6.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 68.54 ng
 RT: 8.60 min Scan# 1133
 Delta R.T. -0.04 min
 Lab File: BF095076.D
 Acq: 11 May 2017 1:58




Instrument :
 BNA_F
 ClientSampleId :
 DRUM-M4935


Tot Ion: 82 Resp: 374537
 Ion Ratio Lower Upper
 82 100
 128 46.6 34.0 51.0
 54 47.4 42.2 63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.55 min Scan# 1805
 Delta R.T. -0.03 min
 Lab File: BF095076.D
 Acq: 11 May 2017 1:58

Tgt Ion: 164 Resp: 144808
 Ion Ratio Lower Upper
 164 100
 162 100.3 82.6 123.8
 160 44.0 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 105.12 ng
 RT: 13.85 min Scan# 2026
 Delta R.T. -0.03 min
 Lab File: BF095076.D
 Acq: 11 May 2017 1:58

Instrument :
 BNA_F
 ClientSampleId :
 DRUM-M4935

Tot Ion	Ratio	Lower	Upper
330	100		
332	93.6	76.6	115.0
141	38.6	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 67.96 ng
 RT: 11.50 min Scan# 1626
 Delta R.T. -0.03 min
 Lab File: BF095076.D
 Acq: 11 May 2017 1:58

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.2	29.6	44.4
170	23.4	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.98 ng

RT: 12.20 min Scan# 1744

Delta R.T. -0.04 min

Lab File: BF095076.D

Acq: 11 May 2017 1:58

Instrument :

BNA_F

ClientSampleId :

DRUM-M4935


Tot Ion:163 Resp: 83010

Ion Ratio Lower Upper

163 100

194 3.4 2.6 4.0




164 9.6 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.97 min Scan# 2215

Delta R.T. -0.02 min

Lab File: BF095076.D

Acq: 11 May 2017 1:58


Tgt Ion:188 Resp: 221849

Ion Ratio Lower Upper

188 100

94 11.3 9.4 14.2



80 11.8 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.66 min Scan# 2843

Delta R.T. 0.01 min

Lab File: BF095076.D

Acq: 11 May 2017 1:58

Instrument :

BNA_F

ClientSampleId :

DRUM-M4935





Tot Ion:240 Resp: 136943

Ion Ratio Lower Upper

240 100

120 23.4 5.8 8.8#

236 25.7 20.5 30.7



#78

Terphenyl-d14

Concen: 72.69 ng

RT: 17.29 min Scan# 2611

Delta R.T. -0.02 min

Lab File: BF095076.D

Acq: 11 May 2017 1:58



Tgt Ion:244 Resp: 451937


Ion Ratio Lower Upper

244 100

212 6.9 6.0 9.0

122 15.1 10.3 15.5









#83
 Bis(2-ethylhexyl)phthalate
 Concen: 23.44 ng
 RT: 18.71 min Scan# 2852
 Delta R.T. -0.01 min
 Lab File: BF095076.D
 Acq: 11 May 2017 1:58

Instrument :
 BNA_F
 ClientSampleId :
 DRUM-M4935

Tot Ion	Ratio	Lower	Upper
149	100		
167	28.8	21.0	31.4
279	3.7	1.9	2.9



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 20.35 min Scan# 3130
 Delta R.T. 0.04 min
 Lab File: BF095076.D
 Acq: 11 May 2017 1:58

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.5	29.3
265	22.2	17.2	25.8

