

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051021\
 Data File : BF123897.D
 Acq On : 10 May 2021 22:08
 Operator : JU/CG
 Sample : M2295-07
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DRUM-D-E

Quant Time: May 11 03:38:01 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 10 16:46:01 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.769	152	105468	20.00	ng	0.00
21) Naphthalene-d8	8.051	136	396546	20.00	ng	0.00
39) Acenaphthene-d10	9.804	164	247384	20.00	ng	0.00
64) Phenanthrene-d10	11.292	188	465194	20.00	ng	# 0.00
76) Chrysene-d12	13.927	240	235375	20.00	ng	0.00
86) Perylene-d12	15.368	264	236006	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	887061	122.83	ng	0.02
7) Phenol-d6	6.422	99	1038616	107.75	ng	0.00
23) Nitrobenzene-d5	7.334	82	889501	93.11	ng	0.00
42) 2,4,6-Tribromophenol	10.598	330	456075	125.16	ng	0.00
45) 2-Fluorobiphenyl	9.134	172	1622383	81.84	ng	0.00
79) Terphenyl-d14	12.880	244	1807546	125.50	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.522	163	147641	7.86	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051021\
Data File : BF123897.D
Acq On : 10 May 2021 22:08
Operator : JU/CG
Sample : M2295-07
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DRUM-D-E

Quant Time: May 11 03:38:01 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 10 16:46:01 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.769 min Scan# 796
Delta R.T. -0.000 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08




Instrument :
BNA_F
ClientSampleId :
DRUM-D-E


Tgt Ion:152 Resp: 105468
Ion Ratio Lower Upper
152 100
150 155.6 127.0 190.6
115 64.4 54.3 81.5



#5
2-Fluorophenol
Concen: 122.83 ng
RT: 5.416 min Scan# 566
Delta R.T. 0.024 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08

Tgt Ion:112 Resp: 887061
Ion Ratio Lower Upper
112 100
64 76.4 61.4 92.0
63 43.9 33.0 49.4









#7
Phenol-d6
Concen: 107.75 ng
RT: 6.422 min Scan# 737
Delta R.T. 0.006 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08

Instrument :
BNA_F
ClientSampleId :
DRUM-D-E

Tgt Ion: 99 Resp: 1038616




Ion	Ratio	Lower	Upper
99	100		
42	28.8	19.8	29.8
71	44.5	31.1	46.7




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.051 min Scan# 1014
Delta R.T. -0.006 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08

Tgt Ion: 136 Resp: 396546

Ion	Ratio	Lower	Upper
136	100		
137	11.6	8.7	13.1
54	12.0	9.8	14.6
68	4.3	4.1	6.1









#23
Nitrobenzene-d5
Concen: 93.11 ng
RT: 7.334 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08




Instrument :
BNA_F
ClientSampleId :
DRUM-D-E


Tgt Ion: 82 Resp: 889501
Ion Ratio Lower Upper
82 100
128 36.1 29.4 44.2
54 69.0 54.1 81.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.804 min Scan# 1312
Delta R.T. -0.006 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08

Tgt Ion:164 Resp: 247384
Ion Ratio Lower Upper
164 100
162 104.3 80.7 121.1
160 45.2 37.3 55.9









#42
2,4,6-Tribromophenol
Concen: 125.16 ng
RT: 10.598 min Scan# 1447
Delta R.T. 0.000 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08




Instrument :
BNA_F
ClientSampleId :
DRUM-D-E


Tgt Ion: 330 Resp: 456075
Ion Ratio Lower Upper
330 100
332 96.5 77.1 115.7
141 31.6 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 81.84 ng
RT: 9.134 min Scan# 1198
Delta R.T. 0.000 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08

Tgt Ion: 172 Resp: 1622383
Ion Ratio Lower Upper
172 100
171 34.7 28.1 42.1
170 24.8 19.2 28.8









#50
Dimethylphthalate
Concen: 7.86 ng
RT: 9.522 min Scan# 1264
Delta R.T. -0.017 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08




Instrument :
BNA_F
ClientSampleId :
DRUM-D-E


Tgt Ion:163 Resp: 147641
Ion Ratio Lower Upper
163 100
194 4.0 3.1 4.7
164 9.4 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.292 min Scan# 1565
Delta R.T. 0.000 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08

Tgt Ion:188 Resp: 465194
Ion Ratio Lower Upper
188 100
94 6.2 6.9 10.3#
80 7.3 8.2 12.2#









#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.927 min Scan# 2013
Delta R.T. -0.006 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08




Instrument :
BNA_F
ClientSampleId :
DRUM-D-E


Tgt Ion:240 Resp: 235375
Ion Ratio Lower Upper
240 100
120 7.4 7.2 10.8
236 22.2 19.0 28.4



#79
Terphenyl-d14
Concen: 125.50 ng
RT: 12.880 min Scan# 1835
Delta R.T. 0.000 min
Lab File: BF123897.D
Acq: 10 May 2021 22:08


Tgt Ion:244 Resp: 1807546
Ion Ratio Lower Upper
244 100
212 7.2 5.7 8.5
122 10.8 9.7 14.5





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.368 min Scan# 2258
 Delta R.T. 0.000 min
 Lab File: BF123897.D
 Acq: 10 May 2021 22:08

Instrument :
 BNA_F
 ClientSampleId :
 DRUM-D-E



Tgt Ion:264 Resp: 236006

Ion	Ratio	Lower	Upper
264	100		
260	24.1	18.7	28.1
265	20.5	17.8	26.8

