

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051022\
 Data File : BF128161.D
 Acq On : 10 May 2022 15:32
 Operator : CG\JU
 Sample : PB144630BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB144630BL

Quant Time: May 11 04:00:17 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 09 15:30:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	101849	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	406306	20.000	ng	0.00
39) Acenaphthene-d10	9.933	164	232331	20.000	ng	0.00
64) Phenanthrene-d10	11.422	188	430963	20.000	ng	0.00
76) Chrysene-d12	14.068	240	337645	20.000	ng	-0.01
86) Perylene-d12	15.563	264	281437	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	798679	125.009	ng	0.01
7) Phenol-d6	6.522	99	1043964	123.540	ng	0.00
23) Nitrobenzene-d5	7.457	82	750644	83.131	ng	0.00
42) 2,4,6-Tribromophenol	10.728	330	320444	120.262	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	1249628	84.159	ng	0.00
79) Terphenyl-d14	13.016	244	1494713	83.067	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051022\
Data File : BF128161.D
Acq On : 10 May 2022 15:32
Operator : CG\JU
Sample : PB144630BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB144630BL


Quant Time: May 11 04:00:17 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 09 15:30:11 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF128161.D
Acq: 10 May 2022 15:32

Instrument :
BNA_F
ClientSampleId :
PB144630BL







Tgt Ion:152 Resp: 101849
Ion Ratio Lower Upper
152 100
150 150.1 125.3 187.9
115 63.1 48.8 73.2



#5
2-Fluorophenol
Concen: 125.009 ng
RT: 5.528 min Scan# 551
Delta R.T. 0.012 min
Lab File: BF128161.D
Acq: 10 May 2022 15:32

Tgt Ion:112 Resp: 798679
Ion Ratio Lower Upper
112 100
64 67.0 49.5 74.3
63 37.6 26.3 39.5









#7
Phenol-d6
Concen: 123.540 ng
RT: 6.522 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128161.D
Acq: 10 May 2022 15:32




Instrument :
BNA_F
ClientSampleId :
PB144630BL


Tgt Ion: 99 Resp: 1043964
Ion Ratio Lower Upper
99 100
42 22.4 16.6 24.8
71 41.5 30.0 45.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1001
Delta R.T. -0.006 min
Lab File: BF128161.D
Acq: 10 May 2022 15:32

Tgt Ion: 136 Resp: 406306
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 8.1 6.8 10.2
68 5.5 5.1 7.7









#23
Nitrobenzene-d5
Concen: 83.131 ng
RT: 7.457 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF128161.D
Acq: 10 May 2022 15:32




Instrument :
BNA_F
ClientSampleId :
PB144630BL


Tgt Ion: 82 Resp: 750644
Ion Ratio Lower Upper
82 100
128 36.7 30.0 45.0
54 52.6 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.933 min Scan# 1300
Delta R.T. -0.006 min
Lab File: BF128161.D
Acq: 10 May 2022 15:32

Tgt Ion:164 Resp: 232331
Ion Ratio Lower Upper
164 100
162 94.9 76.0 114.0
160 43.4 34.8 52.2





#42

2,4,6-Tribromophenol

Concen: 120.262 ng

RT: 10.728 min Scan# 1435

Delta R.T. -0.006 min

Lab File: BF128161.D

Acq: 10 May 2022 15:32

Instrument :

BNA_F

ClientSampleId :

PB144630BL





Tgt Ion:330 Resp: 320444

Ion Ratio Lower Upper

330 100

332 95.2 79.0 118.4

141 32.5 28.9 43.3



#45

2-Fluorobiphenyl

Concen: 84.159 ng

RT: 9.251 min Scan# 1184

Delta R.T. -0.006 min

Lab File: BF128161.D

Acq: 10 May 2022 15:32




Tgt Ion:172 Resp: 1249628


Ion Ratio Lower Upper

172 100

171 35.2 28.6 42.8

170 24.1 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.422 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128161.D
Acq: 10 May 2022 15:32




Instrument :
BNA_F
ClientSampleId :
PB144630BL


Tgt Ion:188 Resp: 430963
Ion Ratio Lower Upper
188 100
94 9.4 8.0 12.0
80 10.4 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.068 min Scan# 2003
Delta R.T. -0.012 min
Lab File: BF128161.D
Acq: 10 May 2022 15:32

Tgt Ion:240 Resp: 337645
Ion Ratio Lower Upper
240 100
120 9.0 7.0 10.6
236 25.7 20.3 30.5









#79
 Terphenyl-d14
 Concen: 83.067 ng
 RT: 13.016 min Scan# 1824
 Delta R.T. 0.000 min
 Lab File: BF128161.D
 Acq: 10 May 2022 15:32

Instrument :
 BNA_F
 ClientSampleId :
 PB144630BL

Tgt Ion:244 Resp: 1494713
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.2 9.4
 122 10.1 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.563 min Scan# 2257
 Delta R.T. -0.012 min
 Lab File: BF128161.D
 Acq: 10 May 2022 15:32

Tgt Ion:264 Resp: 281437
 Ion Ratio Lower Upper
 264 100
 260 23.4 20.1 30.1
 265 21.1 17.5 26.3

