

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051022\
 Data File : BF128171.D
 Acq On : 10 May 2022 20:31
 Operator : CG\JU
 Sample : N2749-14
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-5

Quant Time: May 11 04:01:43 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 09 15:30:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	79451	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	305350	20.000	ng	0.00
39) Acenaphthene-d10	9.927	164	172375	20.000	ng	-0.01
64) Phenanthrene-d10	11.421	188	313411	20.000	ng	0.00
76) Chrysene-d12	14.068	240	178596	20.000	ng	-0.01
86) Perylene-d12	15.562	264	173906	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	623568	125.115	ng	0.01
7) Phenol-d6	6.522	99	756637	114.780	ng	0.00
23) Nitrobenzene-d5	7.457	82	626690	92.350	ng	0.00
42) 2,4,6-Tribromophenol	10.727	330	268390	135.761	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	1033602	93.823	ng	0.00
79) Terphenyl-d14	13.010	244	1137116	119.471	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051022\
Data File : BF128171.D
Acq On : 10 May 2022 20:31
Operator : CG\JU
Sample : N2749-14
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-5

Quant Time: May 11 04:01:43 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 09 15:30:11 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31




Instrument :
BNA_F
ClientSampleId :
TP-5

Tgt Ion:152 Resp: 79451
Ion Ratio Lower Upper
152 100
150 154.7 125.3 187.9
115 64.2 48.8 73.2



#5
2-Fluorophenol
Concen: 125.115 ng
RT: 5.528 min Scan# 551
Delta R.T. 0.012 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31

Tgt Ion:112 Resp: 623568
Ion Ratio Lower Upper
112 100
64 64.7 49.5 74.3
63 35.2 26.3 39.5








#7
Phenol-d6
Concen: 114.780 ng
RT: 6.522 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31




Instrument :
BNA_F
ClientSampleId :
TP-5


Tgt Ion: 99 Resp: 756637
Ion Ratio Lower Upper
99 100
42 21.8 16.6 24.8
71 40.7 30.0 45.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1001
Delta R.T. -0.006 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31

Tgt Ion: 136 Resp: 305350
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 7.6 6.8 10.2
68 5.9 5.1 7.7









#23
Nitrobenzene-d5
Concen: 92.350 ng
RT: 7.457 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31




Instrument :
BNA_F
ClientSampleId :
TP-5


Tgt Ion: 82 Resp: 626690
Ion Ratio Lower Upper
82 100
128 36.4 30.0 45.0
54 52.9 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.927 min Scan# 1299
Delta R.T. -0.012 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31

Tgt Ion:164 Resp: 172375
Ion Ratio Lower Upper
164 100
162 98.3 76.0 114.0
160 44.5 34.8 52.2









#42
2,4,6-Tribromophenol
Concen: 135.761 ng
RT: 10.727 min Scan# 1435
Delta R.T. -0.006 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31




Instrument :
BNA_F
ClientSampleId :
TP-5

Tgt Ion:330 Resp: 268390
Ion Ratio Lower Upper
330 100
332 96.0 79.0 118.4
141 33.9 28.9 43.3



#45
2-Fluorobiphenyl
Concen: 93.823 ng
RT: 9.251 min Scan# 1184
Delta R.T. -0.006 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31

Tgt Ion:172 Resp: 1033602
Ion Ratio Lower Upper
172 100
171 34.7 28.6 42.8
170 23.4 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.421 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31




Instrument :
BNA_F
ClientSampleId :
TP-5

Tgt Ion:188 Resp: 313411
Ion Ratio Lower Upper
188 100
94 9.0 8.0 12.0
80 9.3 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.068 min Scan# 2003
Delta R.T. -0.012 min
Lab File: BF128171.D
Acq: 10 May 2022 20:31

Tgt Ion:240 Resp: 178596
Ion Ratio Lower Upper
240 100
120 8.1 7.0 10.6
236 25.4 20.3 30.5









#79
 Terphenyl-d14
 Concen: 119.471 ng
 RT: 13.010 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF128171.D
 Acq: 10 May 2022 20:31

Instrument :
 BNA_F
 ClientSampleId :
 TP-5

Tgt Ion:244 Resp: 1137116
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.2 9.4
 122 10.1 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.562 min Scan# 2257
 Delta R.T. -0.012 min
 Lab File: BF128171.D
 Acq: 10 May 2022 20:31

Tgt Ion:264 Resp: 173906
 Ion Ratio Lower Upper
 264 100
 260 23.6 20.1 30.1
 265 22.7 17.5 26.3

