

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051023\
 Data File : BF133335.D
 Acq On : 10 May 2023 17:31
 Operator : CG\JU
 Sample : 02719-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-02_0-2_20230509

Quant Time: May 10 17:59:22 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 09 04:59:36 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.722	152	194041	20.000	ng	0.00
21) Naphthalene-d8	8.004	136	800840	20.000	ng	0.00
39) Acenaphthene-d10	9.757	164	404944	20.000	ng	0.00
64) Phenanthrene-d10	11.239	188	670786	20.000	ng	# 0.00
76) Chrysene-d12	13.874	240	347741	20.000	ng	0.00
86) Perylene-d12	15.292	264	451984	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.340	112	1204084	93.738	ng	0.01
7) Phenol-d6	6.363	99	1444608	90.607	ng	0.00
23) Nitrobenzene-d5	7.287	82	882905	59.508	ng	0.00
42) 2,4,6-Tribromophenol	10.545	330	210313	51.642	ng	0.00
45) 2-Fluorobiphenyl	9.081	172	1541763	63.697	ng	0.00
79) Terphenyl-d14	12.822	244	1294645	64.210	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051023\
Data File : BF133335.D
Acq On : 10 May 2023 17:31
Operator : CG\JU
Sample : 02719-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-02_0-2_20230509

Quant Time: May 10 17:59:22 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 09 04:59:36 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.722 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF133335.D
Acq: 10 May 2023 17:31




Instrument :
BNA_F
ClientSampleId :
SB-02_0-2_20230509


Tgt Ion:152 Resp: 194041
Ion Ratio Lower Upper
152 100
150 157.0 124.8 187.2
115 59.3 49.9 74.9



#5
2-Fluorophenol
Concen: 93.738 ng
RT: 5.340 min Scan# 553
Delta R.T. 0.012 min
Lab File: BF133335.D
Acq: 10 May 2023 17:31

Tgt Ion:112 Resp: 1204084
Ion Ratio Lower Upper
112 100
64 52.3 46.8 70.2
63 27.5 23.8 35.8









#7
Phenol-d6
Concen: 90.607 ng
RT: 6.363 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF133335.D
Acq: 10 May 2023 17:31




Instrument :
BNA_F
ClientSampleId :
SB-02_0-2_20230509


Tgt Ion: 99 Resp: 1444608
Ion Ratio Lower Upper
99 100
42 19.6 16.3 24.5
71 32.1 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.004 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BF133335.D
Acq: 10 May 2023 17:31

Tgt Ion: 136 Resp: 800840
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 8.2 7.0 10.4
68 6.6 5.4 8.2





#23

Nitrobenzene-d5

Concen: 59.508 ng

RT: 7.287 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF133335.D

Acq: 10 May 2023 17:31

Instrument :

BNA_F

ClientSampleId :

SB-02_0-2_20230509





Tgt Ion: 82 Resp: 882905

Ion Ratio Lower Upper

82 100

128 49.5 37.7 56.5

54 52.3 43.0 64.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.757 min Scan# 1304

Delta R.T. -0.006 min

Lab File: BF133335.D

Acq: 10 May 2023 17:31




Tgt Ion:164 Resp: 404944


Ion Ratio Lower Upper

164 100

162 100.4 78.7 118.1

160 44.9 35.8 53.6





#42

2,4,6-Tribromophenol

Concen: 51.642 ng

RT: 10.545 min Scan# 1444

Delta R.T. -0.006 min

Lab File: BF133335.D

Acq: 10 May 2023 17:31

Instrument :

BNA_F

ClientSampleId :

SB-02_0-2_20230509





Tgt Ion:330 Resp: 210313

Ion Ratio Lower Upper

330 100

332 97.5 77.1 115.7

141 35.4 25.8 38.8



#45

2-Fluorobiphenyl

Concen: 63.697 ng

RT: 9.081 min Scan# 1189

Delta R.T. -0.006 min

Lab File: BF133335.D

Acq: 10 May 2023 17:31




Tgt Ion:172 Resp: 1541763


Ion Ratio Lower Upper

172 100

171 35.8 28.8 43.2

170 24.2 19.4 29.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.239 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF133335.D


Acq: 10 May 2023 17:31

Instrument :

BNA_F

ClientSampleId :

SB-02_0-2_20230509






Tgt Ion:188 Resp: 670786

Ion Ratio Lower Upper

188 100

94 10.2 9.7 14.5

80 10.4 10.4 15.6#



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.874 min Scan# 2004

Delta R.T. -0.006 min

Lab File: BF133335.D

Acq: 10 May 2023 17:31




Tgt Ion:240 Resp: 347741


Ion Ratio Lower Upper

240 100

120 12.3 10.5 15.7

236 26.9 21.5 32.3









#79
 Terphenyl-d14
 Concen: 64.210 ng
 RT: 12.822 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF133335.D
 Acq: 10 May 2023 17:31

Instrument :
 BNA_F
 ClientSampleId :
 SB-02_0-2_20230509

Tgt Ion:244 Resp: 1294645
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.1 7.7
 122 13.9 8.6 13.0#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.292 min Scan# 2245
 Delta R.T. 0.000 min
 Lab File: BF133335.D
 Acq: 10 May 2023 17:31

Tgt Ion:264 Resp: 451984
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.8 28.2
 265 21.3 17.0 25.4

