

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051225\
 Data File : BF142316.D
 Acq On : 12 May 2025 13:17
 Operator : RC/JU
 Sample : Q1986-06
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COMP-10

Quant Time: May 12 13:38:54 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 05 18:41:44 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.904	152	208174	20.000	ng	0.00
21) Naphthalene-d8	8.181	136	794587	20.000	ng	0.00
39) Acenaphthene-d10	9.939	164	433265	20.000	ng	0.00
64) Phenanthrene-d10	11.427	188	772454	20.000	ng	0.00
76) Chrysene-d12	14.063	240	443853	20.000	ng	0.00
86) Perylene-d12	15.557	264	336470	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	1396913	114.550	ng	0.02
7) Phenol-d6	6.522	99	1575433	105.039	ng	0.00
23) Nitrobenzene-d5	7.463	82	1081383	83.000	ng	0.00
42) 2,4,6-Tribromophenol	10.728	330	571132	136.533	ng	0.00
45) 2-Fluorobiphenyl	9.257	172	2232431	73.469	ng	0.00
79) Terphenyl-d14	13.016	244	2324779	77.524	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051225\
Data File : BF142316.D
Acq On : 12 May 2025 13:17
Operator : RC/JU
Sample : Q1986-06
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COMP-10

Quant Time: May 12 13:38:54 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 05 18:41:44 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.904 min Scan# 801
Delta R.T. 0.000 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17




Instrument :
BNA_F
ClientSampleId :
COMP-10


Tgt Ion:152 Resp: 208174
Ion Ratio Lower Upper
152 100
150 156.4 126.6 190.0
115 57.7 47.3 70.9



#5
2-Fluorophenol
Concen: 114.550 ng
RT: 5.528 min Scan# 567
Delta R.T. 0.018 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17

Tgt Ion:112 Resp: 1396913
Ion Ratio Lower Upper
112 100
64 58.0 48.9 73.3
63 30.0 25.6 38.4









#7
Phenol-d6
Concen: 105.039 ng
RT: 6.522 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17




Instrument :
BNA_F
ClientSampleId :
COMP-10


Tgt Ion: 99 Resp: 1575433
Ion Ratio Lower Upper
99 100
42 20.6 17.0 25.4
71 32.4 25.8 38.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.181 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17

Tgt Ion:136 Resp: 794587
Ion Ratio Lower Upper
136 100
137 10.9 8.9 13.3
54 9.5 7.7 11.5
68 6.1 4.9 7.3









#23
Nitrobenzene-d5
Concen: 83.000 ng
RT: 7.463 min Scan# 897
Delta R.T. -0.006 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17




Instrument :
BNA_F
ClientSampleId :
COMP-10


Tgt Ion: 82 Resp: 1081383
Ion Ratio Lower Upper
82 100
128 46.9 37.0 55.6
54 60.2 48.6 73.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.939 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17


Tgt Ion:164 Resp: 433265
Ion Ratio Lower Upper
164 100
162 101.3 79.2 118.8
160 44.2 35.3 52.9








#42
2,4,6-Tribromophenol
Concen: 136.533 ng
RT: 10.728 min Scan# 1451
Delta R.T. -0.006 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17


Instrument :
BNA_F
ClientSampleId :
COMP-10





Tgt Ion:330 Resp: 571132
Ion Ratio Lower Upper
330 100
332 96.9 76.8 115.2
141 28.0 24.9 37.3




#45
2-Fluorobiphenyl
Concen: 73.469 ng
RT: 9.257 min Scan# 1201
Delta R.T. -0.006 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17



Tgt Ion:172 Resp: 2232431
Ion Ratio Lower Upper
172 100
171 35.8 28.6 42.8
170 23.9 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.427 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17




Instrument :
BNA_F
ClientSampleId :
COMP-10


Tgt Ion:188 Resp: 772454
Ion Ratio Lower Upper
188 100
94 9.4 7.5 11.3
80 9.6 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.006 min
Lab File: BF142316.D
Acq: 12 May 2025 13:17

Tgt Ion:240 Resp: 443853
Ion Ratio Lower Upper
240 100
120 11.9 9.7 14.5
236 24.9 20.0 30.0









#79
 Terphenyl-d14
 Concen: 77.524 ng
 RT: 13.016 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF142316.D
 Acq: 12 May 2025 13:17

Instrument :
 BNA_F
 ClientSampleId :
 COMP-10

Tgt Ion:244 Resp: 2324779
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.2
 122 10.4 9.0 13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.557 min Scan# 2272
 Delta R.T. -0.006 min
 Lab File: BF142316.D
 Acq: 12 May 2025 13:17

Tgt Ion:264 Resp: 336470
 Ion Ratio Lower Upper
 264 100
 260 23.3 18.6 27.8
 265 21.4 17.5 26.3

