

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051316\
 Data File : BF086979.D
 Acq On : 13 May 2016 19:08
 Operator : UM/SJ
 Sample : H3026-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WELDON-WC-SC-019

Quant Time: May 13 23:08:10 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 13 23:02:21 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.62	152	135947	20.00	ng	0.00
21) Naphthalene-d8	7.90	136	568986	20.00	ng	-0.01
38) Acenaphthene-d10	9.64	164	281094	20.00	ng	-0.01
63) Phenanthrene-d10	11.12	188	541005	20.00	ng	-0.01
75) Chrysene-d12	13.75	240	478281	20.00	ng	-0.01
86) Perylene-d12	15.11	264	362490	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	700942	87.32	ng	0.00
7) Phenol-d6	6.27	99	944920	88.08	ng	-0.01
23) Nitrobenzene-d5	7.19	82	734434	64.81	ng	-0.01
41) 2,4,6-Tribromophenol	10.43	330	235669	79.19	ng	-0.01
44) 2-Fluorobiphenyl	8.98	172	1175806	70.30	ng	0.00
78) Terphenyl-d14	12.71	244	1031439	45.76	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	9.38	163	155303	7.24	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051316\
Data File : BF086979.D
Acq On : 13 May 2016 19:08
Operator : UM/SJ
Sample : H3026-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WELDON-WC-SC-019

Quant Time: May 13 23:08:10 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 13 23:02:21 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.62 min Scan# 440

Delta R.T. 0.00 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08

Instrument :

BNA_F

ClientSampleId :

WELDON-WC-SC-019


Tot Ion:152 Resp: 135947

Ion Ratio Lower Upper

152 100

150 153.1 125.8 188.6




115 54.4 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 87.32 ng

RT: 5.20 min Scan# 316

Delta R.T. 0.00 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08


Tgt Ion:112 Resp: 700942

Ion Ratio Lower Upper

112 100

64 74.8 52.1 78.1



63 40.8 25.7 38.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 88.08 ng

RT: 6.27 min Scan# 410

Delta R.T. -0.01 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08

Instrument :

BNA_F

ClientSampleId :

WELDON-WC-SC-019


Tot Ion: 99 Resp: 944920

Ion Ratio Lower Upper

99 100

42 30.7 13.6 20.4#




71 39.2 24.6 36.8#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.90 min Scan# 552

Delta R.T. -0.01 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08

Tgt Ion: 136 Resp: 568986


Ion Ratio Lower Upper

136 100

137 11.5 8.8 13.2

54 14.5 5.0 7.4#

68 7.4 4.4 6.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 64.81 ng

RT: 7.19 min Scan# 490

Delta R.T. -0.01 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08

Instrument :

BNA_F

ClientSampleId :

WELDON-WC-SC-019


Tot Ion: 82 Resp: 734434

Ion Ratio Lower Upper

82 100

128 42.7 40.6 61.0




54 65.2 38.1 57.1#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.64 min Scan# 705

Delta R.T. -0.01 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08


Tgt Ion: 164 Resp: 281094

Ion Ratio Lower Upper

164 100

162 102.7 82.8 124.2



160 45.4 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 79.19 ng
 RT: 10.43 min Scan# 774
 Delta R.T. -0.01 min
 Lab File: BF086979.D
 Acq: 13 May 2016 19:08

Instrument :
 BNA_F
 ClientSampleId :
 WELDON-WC-SC-019

Tot Ion	Ratio	Lower	Upper
330	100		
332	92.8	79.0	118.4
141	38.8	31.2	46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 70.30 ng
 RT: 8.98 min Scan# 647
 Delta R.T. 0.00 min
 Lab File: BF086979.D
 Acq: 13 May 2016 19:08

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.0	43.6
170	24.1	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 7.24 ng

RT: 9.38 min Scan# 682

Delta R.T. -0.01 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08

Instrument :

BNA_F

ClientSampleId :

WELDON-WC-SC-019


Tot Ion:163 Resp: 155303

Ion Ratio Lower Upper

163 100

194 3.3 2.6 4.0




164 9.6 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.12 min Scan# 834

Delta R.T. -0.01 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08


Tgt Ion:188 Resp: 541005

Ion Ratio Lower Upper

188 100

94 14.2 6.8 10.2#



80 15.7 7.1 10.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.75 min Scan# 1064

Delta R.T. -0.01 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08

Instrument :

BNA_F

ClientSampleId :

WELDON-WC-SC-019


Tot Ion:240 Resp: 478281

Ion Ratio Lower Upper

240 100

120 13.9 11.2 16.8




236 26.2 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 45.76 ng

RT: 12.71 min Scan# 973

Delta R.T. -0.01 min

Lab File: BF086979.D

Acq: 13 May 2016 19:08


Tgt Ion:244 Resp: 1031439

Ion Ratio Lower Upper

244 100

212 8.5 6.2 9.2



122 15.8 12.0 18.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.11 min Scan# 1183
Delta R.T. -0.01 min
Lab File: BF086979.D
Acq: 13 May 2016 19:08

Instrument :
BNA_F
ClientSampleId :
WELDON-WC-SC-019

Tot Ion	Ratio	Lower	Upper
264	100		
260	25.1	19.5	29.3
265	21.5	17.3	25.9

