

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051316\
 Data File : BF087000.D
 Acq On : 14 May 2016 5:36
 Operator : UM/SJ
 Sample : H2966-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-01

Quant Time: May 14 06:01:23 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 13 23:02:21 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.62	152	134181	20.00	ng	0.00
21) Naphthalene-d8	7.90	136	518083	20.00	ng	-0.01
38) Acenaphthene-d10	9.64	164	251237	20.00	ng	-0.01
63) Phenanthrene-d10	11.13	188	473063	20.00	ng	0.00
75) Chrysene-d12	13.75	240	349994	20.00	ng	-0.01
86) Perylene-d12	15.11	264	268487	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	507692	64.08	ng	0.00
7) Phenol-d6	6.27	99	446876	42.20	ng	-0.01
23) Nitrobenzene-d5	7.19	82	903596	87.58	ng	-0.01
41) 2,4,6-Tribromophenol	10.44	330	426282	160.27	ng	0.00
44) 2-Fluorobiphenyl	8.98	172	1430959	95.72	ng	0.00
78) Terphenyl-d14	12.71	244	1110224	67.30	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.38	163	61518	3.21	ng	Qvalue # 83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051316\
Data File : BF087000.D
Acq On : 14 May 2016 5:36
Operator : UM/SJ
Sample : H2966-06
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-01

Quant Time: May 14 06:01:23 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 13 23:02:21 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.62 min Scan# 440

Delta R.T. -0.00 min

Lab File: BF087000.D

Acq: 14 May 2016 5:36

Instrument :

BNA_F

ClientSampled :

MW-01


Tot Ion:152 Resp: 134181

Ion Ratio Lower Upper

152 100

150 153.5 125.8 188.6




115 57.8 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 64.08 ng

RT: 5.20 min Scan# 316

Delta R.T. -0.00 min

Lab File: BF087000.D

Acq: 14 May 2016 5:36


Tgt Ion:112 Resp: 507692

Ion Ratio Lower Upper

112 100

64 69.8 52.1 78.1



63 37.5 25.7 38.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 42.20 ng

RT: 6.27 min Scan# 410

Delta R.T. -0.01 min

Lab File: BF087000.D

Acq: 14 May 2016 5:36

Instrument :

BNA_F

ClientSampled :

MW-01





Tot Ion: 99 Resp: 446876

Ion Ratio Lower Upper

99 100

42 29.6 13.6 20.4#

71 37.6 24.6 36.8#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.90 min Scan# 552

Delta R.T. -0.01 min

Lab File: BF087000.D

Acq: 14 May 2016 5:36

Tgt Ion: 136 Resp: 518083




Ion Ratio Lower Upper


136 100

137 11.2 8.8 13.2

54 15.2 5.0 7.4#

68 8.1 4.4 6.6#









#23
Nitrobenzene-d5
Concen: 87.58 ng
RT: 7.19 min Scan# 490
Delta R.T. -0.01 min
Lab File: BF087000.D
Acq: 14 May 2016 5:36




Instrument :
BNA_F
ClientSampleId :
MW-01


Tot Ion: 82 Resp: 903596
Ion Ratio Lower Upper
82 100
128 39.0 40.6 61.0#
54 73.1 38.1 57.1#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.64 min Scan# 705
Delta R.T. -0.01 min
Lab File: BF087000.D
Acq: 14 May 2016 5:36

Tgt Ion: 164 Resp: 251237
Ion Ratio Lower Upper
164 100
162 101.8 82.8 124.2
160 46.4 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 160.27 ng
 RT: 10.44 min Scan# 775
 Delta R.T. -0.00 min
 Lab File: BF087000.D
 Acq: 14 May 2016 5:36

Instrument :
 BNA_F
 ClientSampleId :
 MW-01

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	79.0	118.4
141	34.9	31.2	46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 95.72 ng
 RT: 8.98 min Scan# 647
 Delta R.T. -0.00 min
 Lab File: BF087000.D
 Acq: 14 May 2016 5:36

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.9	29.0	43.6
170	24.8	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 3.21 ng
RT: 9.38 min Scan# 682
Delta R.T. -0.01 min
Lab File: BF087000.D
Acq: 14 May 2016 5:36

Instrument :
BNA_F
ClientSampleID :
MW-01

Tot Ion:163 Resp: 61518
Ion Ratio Lower Upper
163 100
194 3.4 2.6 4.0
164 18.8 8.2 12.4#




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.13 min Scan# 835
Delta R.T. -0.00 min
Lab File: BF087000.D
Acq: 14 May 2016 5:36

Tgt Ion:188 Resp: 473063
Ion Ratio Lower Upper
188 100
94 6.2 6.8 10.2#
80 6.3 7.1 10.7#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.75 min Scan# 1064

Delta R.T. -0.01 min

Lab File: BF087000.D

Acq: 14 May 2016 5:36

Instrument :

BNA_F

ClientSampleId :

MW-01


Tot Ion:240 Resp: 349994

Ion Ratio Lower Upper

240 100

120 13.8 11.2 16.8




236 26.6 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 67.30 ng

RT: 12.71 min Scan# 973

Delta R.T. -0.01 min

Lab File: BF087000.D

Acq: 14 May 2016 5:36


Tgt Ion:244 Resp: 1110224

Ion Ratio Lower Upper

244 100

212 8.3 6.2 9.2



122 14.9 12.0 18.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.11 min Scan# 1183
Delta R.T. -0.01 min
Lab File: BF087000.D
Acq: 14 May 2016 5:36

Instrument :
BNA_F
ClientSampleId :
MW-01

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.5	29.3
265	21.6	17.3	25.9

