

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF051420\
 Data File : BF120292.D
 Acq On : 14 May 2020 15:58
 Operator : MA/SJ
 Sample : PB128874BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB128874BL

Quant Time: May 14 16:38:44 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF051420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 14 12:47:38 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.62	152	363210	20.00	ng	0.00
21) Naphthalene-d8	7.90	136	1513085	20.00	ng	0.00
39) Acenaphthene-d10	9.66	164	809161	20.00	ng	0.00
64) Phenanthrene-d10	11.15	188	1651309	20.00	ng	0.00
76) Chrysene-d12	13.78	240	1323936	20.00	ng	0.00
87) Perylene-d12	15.17	264	1140453	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	1991222	106.67	ng	0.00
7) Phenol-d6	6.27	99	2609582	110.55	ng	0.00
23) Nitrobenzene-d5	7.19	82	1667048	75.43	ng	0.00
42) 2,4,6-Tribromophenol	10.45	330	744763	112.89	ng	0.00
45) 2-Fluorobiphenyl	8.99	172	3101984	78.76	ng	0.00
79) Terphenyl-d14	12.73	244	3825309	63.83	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.19	70	207438	13.413	ng	# 78
25) Isophorone	7.19	82	1667040	36.254	ng	# 65
50) Dimethylphthalate	9.66	163	170049	3.324	ng	# 1
51) 2,6-Dinitrotoluene	9.66	165	104808	9.181	ng	# 22
57) 2,4-Dinitrotoluene	9.66	165	105990	7.914	ng	# 16
67) 4-Bromophenyl-phenylether	10.45	248	46248	2.886	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF051420\
Data File : BF120292.D
Acq On : 14 May 2020 15:58
Operator : MA/SJ
Sample : PB128874BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB128874BL

Quant Time: May 14 16:38:44 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF051420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 14 12:47:38 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.62 min Scan# 771
Delta R.T. -0.00 min
Lab File: BF120292.D
Acq: 14 May 2020 15:58

Instrument :
BNA_F
ClientSampleId :
PB128874BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.6	126.2	189.2
115	57.9	47.9	71.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 106.669 ng
RT: 5.23 min Scan# 534
Delta R.T. -0.00 min
Lab File: BF120292.D
Acq: 14 May 2020 15:58

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.7	52.7	79.1
63	33.3	26.2	39.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 110.545 ng

RT: 6.27 min Scan# 712

Delta R.T. -0.01 min

Lab File: BF120292.D

Acq: 14 May 2020 15:58

Instrument :

BNA_F

ClientSampleId :

PB128874BL


Tot Ion: 99 Resp: 2609582

Ion Ratio Lower Upper

99 100

42 16.8 13.6 20.4




71 30.6 24.2 36.4



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 13.413 ng

RT: 7.19 min Scan# 868

Delta R.T. 0.14 min

Lab File: BF120292.D

Acq: 14 May 2020 15:58

Tgt Ion: 70 Resp: 207438


Ion Ratio Lower Upper

70 100

42 44.7 43.4 65.0

101 0.0 7.8 11.8#

130 2.2 18.2 27.4#






Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.90 min Scan# 989

Delta R.T. -0.01 min

Lab File: BF120292.D

Acq: 14 May 2020 15:58

Instrument :

BNA_F

ClientSampleId :

PB128874BL

Tot Ion:136 Resp: 1513085


Ion Ratio Lower Upper

136 100

137 11.4 9.1 13.7

54 10.6 7.9 11.9

68 7.2 5.4 8.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 75.433 ng

RT: 7.19 min Scan# 868

Delta R.T. -0.01 min

Lab File: BF120292.D

Acq: 14 May 2020 15:58


Tgt Ion: 82 Resp: 1667048

Ion Ratio Lower Upper

82 100

128 47.5 38.3 57.5



54 56.0 43.9 65.9




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 36.254 ng

RT: 7.19 min Scan# 868

Delta R.T. -0.26 min

Lab File: BF120292.D

Acq: 14 May 2020 15:58

Instrument :

BNA_F

ClientSampleId :

PB128874BL


Tot Ion: 82 Resp: 1667040

Ion Ratio Lower Upper

82 100

95 0.0 5.4 8.0#




138 0.0 14.7 22.1#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.66 min Scan# 1287

Delta R.T. -0.01 min

Lab File: BF120292.D

Acq: 14 May 2020 15:58


Tgt Ion:164 Resp: 809161

Ion Ratio Lower Upper

164 100

162 103.4 81.2 121.8



160 46.7 35.8 53.6




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 112.886 ng
 RT: 10.45 min Scan# 1422
 Delta R.T. -0.01 min
 Lab File: BF120292.D
 Acq: 14 May 2020 15:58

Instrument :
 BNA_F
 ClientSampleId :
 PB128874BL

Tot Ion:330 Resp: 744763
 Ion Ratio Lower Upper
 330 100
 332 97.3 76.5 114.7
 141 33.0 25.4 38.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 78.760 ng
 RT: 8.99 min Scan# 1173
 Delta R.T. -0.01 min
 Lab File: BF120292.D
 Acq: 14 May 2020 15:58

Tgt Ion:172 Resp: 3101984
 Ion Ratio Lower Upper
 172 100
 171 37.2 29.7 44.5
 170 25.0 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.324 ng

RT: 9.66 min Scan# 1287

Delta R.T. 0.26 min

Lab File: BF120292.D

Acq: 14 May 2020 15:58

Instrument :

BNA_F

ClientSampleId :

PB128874BL


Tot Ion:163 Resp: 170049

Ion Ratio Lower Upper

163 100

194 0.0 3.1 4.7#




164 468.1 8.6 12.8#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#51

2,6-Dinitrotoluene

Concen: 9.181 ng

RT: 9.66 min Scan# 1287

Delta R.T. 0.20 min

Lab File: BF120292.D

Acq: 14 May 2020 15:58


Tgt Ion:165 Resp: 104808

Ion Ratio Lower Upper

165 100

63 1.0 50.2 75.2#



89 1.0 44.6 66.8#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1









#57
 2,4-Dinitrotoluene
 Concen: 7.914 ng
 RT: 9.66 min Scan# 1287
 Delta R.T. -0.21 min
 Lab File: BF120292.D
 Acq: 14 May 2020 15:58

Instrument :
 BNA_F
 ClientSampleId :
 PB128874BL

Tot Ion:165 Resp: 105990
 Ion Ratio Lower Upper
 165 100
 63 1.0 51.8 77.8#
 89 1.0 64.2 96.4#
 182 0.0 2.0 3.0#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.15 min Scan# 1540
 Delta R.T. 0.00 min
 Lab File: BF120292.D
 Acq: 14 May 2020 15:58

Tgt Ion:188 Resp: 1651309
 Ion Ratio Lower Upper
 188 100
 94 9.6 8.6 13.0
 80 9.7 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1









#67
4-Bromophenyl-phenylether
Concen: 2.886 ng
RT: 10.45 min Scan# 1422
Delta R.T. -0.24 min
Lab File: BF120292.D
Acq: 14 May 2020 15:58

Instrument :
BNA_F
ClientSampleId :
PB128874BL

Tot Ion:248 Resp: 46248
Ion Ratio Lower Upper
248 100
250 204.6 77.8 116.6#
141 524.6 57.7 86.5#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.78 min Scan# 1988
Delta R.T. -0.01 min
Lab File: BF120292.D
Acq: 14 May 2020 15:58

Tgt Ion:240 Resp: 1323936
Ion Ratio Lower Upper
240 100
120 13.3 10.4 15.6
236 26.0 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 63.832 ng
 RT: 12.73 min Scan# 1810
 Delta R.T. 0.00 min
 Lab File: BF120292.D
 Acq: 14 May 2020 15:58

Instrument :
 BNA_F
 ClientSampleId :
 PB128874BL

Tot Ion:244 Resp: 3825309
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.8 8.6
 122 13.8 10.8 16.2




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.17 min Scan# 2225
 Delta R.T. 0.00 min
 Lab File: BF120292.D
 Acq: 14 May 2020 15:58

Tgt Ion:264 Resp: 1140453
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.0 28.6
 265 22.1 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

