

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051622\
 Data File : BF128267.D
 Acq On : 16 May 2022 14:40
 Operator : CG\JU
 Sample : N2852-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CBH-594

Quant Time: May 16 15:32:33 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat May 14 00:51:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	84580	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	323329	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	179635	20.000	ng	-0.01
64) Phenanthrene-d10	11.416	188	316667	20.000	ng	0.00
76) Chrysene-d12	14.063	240	206601	20.000	ng	0.00
86) Perylene-d12	15.557	264	188727	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	241761	45.566	ng	0.00
7) Phenol-d6	6.510	99	189648	27.025	ng	-0.02
23) Nitrobenzene-d5	7.451	82	640203	89.095	ng	-0.01
42) 2,4,6-Tribromophenol	10.716	330	165875	80.514	ng	-0.01
45) 2-Fluorobiphenyl	9.245	172	1004289	87.478	ng	0.00
79) Terphenyl-d14	13.004	244	956502	86.873	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051622\
Data File : BF128267.D
Acq On : 16 May 2022 14:40
Operator : CG\JU
Sample : N2852-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CBH-594

Quant Time: May 16 15:32:33 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat May 14 00:51:21 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40




Instrument :
BNA_F
ClientSampleId :
CBH-594


Tgt Ion:152 Resp: 84580
Ion Ratio Lower Upper
152 100
150 153.1 125.3 187.9
115 60.6 48.8 73.2



#5
2-Fluorophenol
Concen: 45.566 ng
RT: 5.504 min Scan# 547
Delta R.T. -0.006 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40

Tgt Ion:112 Resp: 241761
Ion Ratio Lower Upper
112 100
64 67.1 49.5 74.3
63 35.7 26.3 39.5









#7
Phenol-d6
Concen: 27.025 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.018 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40




Instrument :
BNA_F
ClientSampleId :
CBH-594

Tgt Ion: 99 Resp: 189648
Ion Ratio Lower Upper
99 100
42 21.0 16.6 24.8
71 37.5 30.0 45.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1000
Delta R.T. -0.006 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40

Tgt Ion: 136 Resp: 323329
Ion Ratio Lower Upper
136 100
137 10.2 8.6 13.0
54 8.4 6.8 10.2
68 6.0 5.1 7.7









#23
Nitrobenzene-d5
Concen: 89.095 ng
RT: 7.451 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40




Instrument :
BNA_F
ClientSampleId :
CBH-594


Tgt Ion: 82 Resp: 640203
Ion Ratio Lower Upper
82 100
128 36.8 30.0 45.0
54 53.0 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.922 min Scan# 1298
Delta R.T. -0.012 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40


Tgt Ion:164 Resp: 179635
Ion Ratio Lower Upper
164 100
162 94.9 76.0 114.0
160 44.0 34.8 52.2








#42
2,4,6-Tribromophenol
Concen: 80.514 ng
RT: 10.716 min Scan# 1433
Delta R.T. -0.012 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40

Instrument :
BNA_F
ClientSampleId :
CBH-594






Tgt Ion:330 Resp: 165875
Ion Ratio Lower Upper
330 100
332 95.8 79.0 118.4
141 34.6 28.9 43.3



#45
2-Fluorobiphenyl
Concen: 87.478 ng
RT: 9.245 min Scan# 1183
Delta R.T. -0.006 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40

Tgt Ion:172 Resp: 1004289
Ion Ratio Lower Upper
172 100
171 35.0 28.6 42.8
170 23.5 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.416 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40




Instrument :
BNA_F
ClientSampleId :
CBH-594

Tgt Ion:188 Resp: 316667
Ion Ratio Lower Upper
188 100
94 9.1 8.0 12.0
80 10.0 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.063 min Scan# 2002
Delta R.T. -0.006 min
Lab File: BF128267.D
Acq: 16 May 2022 14:40

Tgt Ion:240 Resp: 206601
Ion Ratio Lower Upper
240 100
120 8.3 7.0 10.6
236 25.2 20.3 30.5









#79
 Terphenyl-d14
 Concen: 86.873 ng
 RT: 13.004 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF128267.D
 Acq: 16 May 2022 14:40

Instrument :
 BNA_F
 ClientSampleId :
 CBH-594

Tgt Ion:244 Resp: 956502
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.2 9.4
 122 9.3 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.557 min Scan# 2256
 Delta R.T. -0.006 min
 Lab File: BF128267.D
 Acq: 16 May 2022 14:40

Tgt Ion:264 Resp: 188727
 Ion Ratio Lower Upper
 264 100
 260 23.2 20.1 30.1
 265 21.4 17.5 26.3

