

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051716\
 Data File : BF087126.D
 Acq On : 18 May 2016 2:48
 Operator : UM/SJ
 Sample : H3085-02
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 VITALE-FILL-CSPH3-11K

Quant Time: May 18 03:57:42 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 17 16:55:01 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.59	152	127299	20.00	ng	-0.01
21) Naphthalene-d8	7.87	136	514461	20.00	ng	-0.02
38) Acenaphthene-d10	9.62	164	242666	20.00	ng	-0.02
63) Phenanthrene-d10	11.11	188	477307	20.00	ng	-0.01
75) Chrysene-d12	13.73	240	367325	20.00	ng	-0.03
86) Perylene-d12	15.09	264	280901	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.18	112	656975	86.75	ng	-0.02
7) Phenol-d6	6.25	99	855915	84.26	ng	-0.03
23) Nitrobenzene-d5	7.16	82	617158	59.79	ng	-0.02
41) 2,4,6-Tribromophenol	10.42	330	215502	80.36	ng	-0.02
44) 2-Fluorobiphenyl	8.96	172	976748	66.66	ng	-0.02
78) Terphenyl-d14	12.69	244	869172	53.53	ng	-0.02
Target Compounds						Qvalue
49) Dimethylphthalate	9.36	163	119181	6.44	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051716\
Data File : BF087126.D
Acq On : 18 May 2016 2:48
Operator : UM/SJ
Sample : H3085-02
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
VITALE-FILL-CSPH3-11K

Quant Time: May 18 03:57:42 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 17 16:55:01 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.59 min Scan# 438

Delta R.T. -0.01 min

Lab File: BF087126.D

Acq: 18 May 2016 2:48

Instrument :

BNA_F

ClientSampleId :

VITALE-FILL-CSPH3-11K


Tot Ion:152 Resp: 127299

Ion Ratio Lower Upper

152 100

150 156.6 125.8 188.6




115 59.4 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 86.75 ng

RT: 5.18 min Scan# 314

Delta R.T. -0.02 min

Lab File: BF087126.D

Acq: 18 May 2016 2:48


Tgt Ion:112 Resp: 656975

Ion Ratio Lower Upper

112 100

64 75.8 52.1 78.1



63 41.2 25.7 38.5#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 84.26 ng

RT: 6.25 min Scan# 408

Delta R.T. -0.03 min

Lab File: BF087126.D

Acq: 18 May 2016 2:48

Instrument :

BNA_F

ClientSampleId :

VITALE-FILL-CSPH3-11K





Tot Ion: 99 Resp: 855915

Ion Ratio Lower Upper

99 100

42 32.2 13.6 20.4#

71 39.5 24.6 36.8#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.87 min Scan# 550

Delta R.T. -0.02 min

Lab File: BF087126.D

Acq: 18 May 2016 2:48

Tgt Ion: 136 Resp: 514461




Ion Ratio Lower Upper


136 100

137 11.3 8.8 13.2

54 15.3 5.0 7.4#

68 7.9 4.4 6.6#









#23
 Nitrobenzene-d5
 Concen: 59.79 ng
 RT: 7.16 min Scan# 488
 Delta R.T. -0.02 min
 Lab File: BF087126.D
 Acq: 18 May 2016 2:48




Instrument :
 BNA_F
 ClientSampleId :
 VITALE-FILL-CSPH3-11K


Tot Ion: 82 Resp: 617158
 Ion Ratio Lower Upper
 82 100
 128 39.9 40.6 61.0#
 54 69.6 38.1 57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.62 min Scan# 703
 Delta R.T. -0.02 min
 Lab File: BF087126.D
 Acq: 18 May 2016 2:48

Tgt Ion: 164 Resp: 242666
 Ion Ratio Lower Upper
 164 100
 162 104.3 82.8 124.2
 160 46.7 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 80.36 ng
 RT: 10.42 min Scan# 773
 Delta R.T. -0.02 min
 Lab File: BF087126.D
 Acq: 18 May 2016 2:48

Instrument :
 BNA_F
 ClientSampleId :
 VITALE-FILL-CSPH3-11K

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.9	79.0	118.4
141	35.3	31.2	46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 66.66 ng
 RT: 8.96 min Scan# 645
 Delta R.T. -0.02 min
 Lab File: BF087126.D
 Acq: 18 May 2016 2:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.0	43.6
170	24.3	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.44 ng

RT: 9.36 min Scan# 680

Delta R.T. -0.03 min

Lab File: BF087126.D

Acq: 18 May 2016 2:48

Instrument :

BNA_F

ClientSampleId :

VITALE-FILL-CSPH3-11K


Tot Ion:163 Resp: 119181

Ion Ratio Lower Upper

163 100

194 3.2 2.6 4.0




164 10.1 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.11 min Scan# 833

Delta R.T. -0.01 min

Lab File: BF087126.D

Acq: 18 May 2016 2:48


Tgt Ion:188 Resp: 477307

Ion Ratio Lower Upper

188 100

94 7.4 6.8 10.2



80 7.4 7.1 10.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.73 min Scan# 1062

Delta R.T. -0.03 min

Lab File: BF087126.D

Acq: 18 May 2016 2:48

Instrument :

BNA_F

ClientSampleId :

VITALE-FILL-CSPH3-11K


Tot Ion:240 Resp: 367325

Ion Ratio Lower Upper

240 100

120 17.5 11.2 16.8#




236 26.3 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 53.53 ng

RT: 12.69 min Scan# 971

Delta R.T. -0.02 min

Lab File: BF087126.D

Acq: 18 May 2016 2:48


Tgt Ion:244 Resp: 869172

Ion Ratio Lower Upper

244 100

212 8.2 6.2 9.2



122 15.6 12.0 18.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.09 min Scan# 1181
Delta R.T. -0.02 min
Lab File: BF087126.D
Acq: 18 May 2016 2:48

Instrument :
BNA_F
ClientSampleId :
VITALE-FILL-CSPH3-11K

Tot Ion: 264 Resp: 280901

Ion	Ratio	Lower	Upper
264	100		
260	24.7	19.5	29.3
265	21.2	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

