

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051717\
 Data File : BF095192.D
 Acq On : 17 May 2017 19:01
 Operator : SJ/MA
 Sample : PB99024BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 18 04:08:14 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.78	152	94417	20.00	ng	0.05
21) Naphthalene-d8	9.79	136	379798	20.00	ng	0.04
38) Acenaphthene-d10	12.62	164	179153	20.00	ng	0.04
63) Phenanthrene-d10	15.02	188	302679	20.00	ng	0.04
75) Chrysene-d12	18.69	240	247428	20.00	ng	0.04
86) Perylene-d12	20.37	264	175605	20.00	ng	0.06

System Monitoring Compounds

5) 2-Fluorophenol	5.75	112	777562	137.30	ng	0.07
7) Phenol-d6	7.32	99	913142	134.39	ng	0.05
23) Nitrobenzene-d5	8.68	82	553598	91.91	ng	0.04
41) 2,4,6-Tribromophenol	13.92	330	206139	140.50	ng	0.04
44) 2-Fluorobiphenyl	11.57	172	1106235	88.88	ng	0.04
78) Terphenyl-d14	17.35	244	1000682	89.08	ng	0.04

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	2.30	88	78777	28.36	ng	98
3) Pyridine	3.00	79	110288	17.13	ng	98
4) n-Nitrosodimethylamine	2.92	42	79593	29.66	ng	83
6) Aniline	7.28	93	331126	38.60	ng	95
8) 2-Chlorophenol	7.47	128	291882	45.28	ng	94
9) Benzaldehyde	7.11	77	106371	25.64	ng	97
10) Phenol	7.34	94	291689	40.74	ng	92
11) bis(2-Chloroethyl)ether	7.41	93	247905	41.94	ng	96
12) 1,3-Dichlorobenzene	7.68	146	303190	41.47	ng	98
13) 1,4-Dichlorobenzene	7.80	146	313390	42.26	ng	97
14) 1,2-Dichlorobenzene	8.04	146	295967	42.76	ng	96
15) Benzyl Alcohol	8.06	79	218779	50.06	ng	97
16) 2,2'-oxybis(1-Chloropropan	8.26	45	332222	39.71	ng	55
17) 2-Methylphenol	8.27	107	232366	44.05	ng	# 90
18) Hexachloroethane	8.55	117	96590	38.45	ng	# 85
19) n-Nitroso-di-n-propylamine	8.48	70	188676	41.06	ng	95
20) 3+4-Methylphenols	8.52	107	293756	40.98	ng	# 57
22) Acetophenone	8.45	105	402312	44.15	ng	# 84
24) Nitrobenzene	8.71	77	272679	43.19	ng	91
25) Isophorone	9.11	82	501281	46.61	ng	# 93
26) 2-Nitrophenol	9.21	139	157711	46.30	ng	99
27) 2,4-Dimethylphenol	9.34	122	250367	45.46	ng	97
28) bis(2-Chloroethoxy)methane	9.47	93	293153	39.40	ng	99
29) 2,4-Dichlorophenol	9.63	162	238597	45.88	ng	99
30) 1,2,4-Trichlorobenzene	9.71	180	236187	42.39	ng	99
31) Naphthalene	9.82	128	800606	41.94	ng	99
32) Benzoic acid	9.67	122	124227	35.80	ng	93
33) 4-Chloroaniline	9.98	127	117441	16.51	ng	# 94
34) Hexachlorobutadiene	10.04	225	120754	41.08	ng	99
35) Caprolactam	10.67	113	22917	14.68	ng	86
36) 4-Chloro-3-methylphenol	10.82	107	251868	45.30	ng	91
37) 2-Methylnaphthalene	10.95	142	562957	44.94	ng	97
39) 1,2,4,5-Tetrachlorobenzene	11.22	216	226941	41.19	ng	99
40) Hexachlorocyclopentadiene	11.20	237	155294	68.03	ng	98

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051717\
 Data File : BF095192.D
 Acq On : 17 May 2017 19:01
 Operator : SJ/MA
 Sample : PB99024BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampled :

Quant Time: May 18 04:08:14 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 2,4,6-Trichlorophenol	11.45	196	164472	44.71	ng	99
43) 2,4,5-Trichlorophenol	11.54	196	157903	39.94	ng	# 92
45) 1,1'-Biphenyl	11.71	154	654099	43.36	ng	98
46) 2-Chloronaphthalene	11.73	162	517042	42.45	ng	95
47) 2-Nitroaniline	11.95	65	131515	39.45	ng	# 84
48) Acenaphthylene	12.39	152	835319	43.79	ng	99
49) Dimethylphthalate	12.27	163	617976	42.02	ng	99
50) 2,6-Dinitrotoluene	12.36	165	131370	43.78	ng	98
51) Acenaphthene	12.67	154	445440	39.09	ng	99
52) 3-Nitroaniline	12.64	138	71216	22.11	ng	90
53) 2,4-Dinitrophenol	12.84	184	121957	74.28	ng	# 66
54) Dibenzofuran	12.97	168	735159	46.62	ng	97
55) 4-Nitrophenol	13.02	139	148199	76.62	ng	# 77
56) 2,4-Dinitrotoluene	13.03	165	187457	48.62	ng	# 92
57) Fluorene	13.52	166	601870	43.90	ng	99
58) 2,3,4,6-Tetrachlorophenol	13.21	232	124635	50.09	ng	# 94
59) Diethylphthalate	13.41	149	597366	42.38	ng	99
60) 4-Chlorophenyl-phenylether	13.54	204	266748	44.27	ng	89
61) 4-Nitroaniline	13.64	138	122311	41.37	ng	95
62) Azobenzene	13.80	77	561410	49.56	ng	93
64) 4,6-Dinitro-2-methylphenol	13.69	198	92803	45.74	ng	# 70
65) n-Nitrosodiphenylamine	13.75	169	524600	47.75	ng	99
66) 4-Bromophenyl-phenylether	14.32	248	150416	47.04	ng	98
67) Hexachlorobenzene	14.41	284	149764	45.70	ng	# 85
68) Atrazine	14.67	200	155719	50.20	ng	97
69) Pentachlorophenol	14.77	266	112591	76.28	ng	96
70) Phenanthrene	15.07	178	838179	48.20	ng	98
71) Anthracene	15.15	178	853611	48.05	ng	98
72) Carbazole	15.42	167	710682	43.97	ng	97
73) Di-n-butylphthalate	15.99	149	848040	42.07	ng	98
74) Fluoranthene	16.81	202	851316	47.72	ng	98
76) Benzidine	17.02	184	314243	47.10	ng	# 91
77) Pyrene	17.11	202	883541	47.75	ng	99
79) Butylbenzylphthalate	18.00	149	387569	45.03	ng	# 86
80) Benzo(a)anthracene	18.68	228	645381	44.82	ng	99
81) 3,3'-Dichlorobenzidine	18.66	252	119546	24.04	ng	# 95
82) Chrysene	18.73	228	591112	42.45	ng	99
83) Bis(2-ethylhexyl)phthalate	18.75	149	486532	39.67	ng	# 99
84) Di-n-octyl phthalate	19.51	149	807516	40.16	ng	96
85) Indeno(1,2,3-cd)pyrene	21.70	276	383749	33.94	ng	99
87) Benzo(b)fluoranthene	19.96	252	492925	45.43	ng	98
88) Benzo(k)fluoranthene	19.98	252	529403	50.58	ng	96
89) Benzo(a)pyrene	20.31	252	470951	47.04	ng	99
90) Dibenzo(a,h)anthracene	21.70	278	314547	38.04	ng	97
91) Benzo(g,h,i)perylene	22.08	276	318791	39.28	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051717\
 Data File : BF095192.D
 Acq On : 17 May 2017 19:01
 Operator : SJ/MA
 Sample : PB99024BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 Client Sampled :

Quant Time: May 18 04:08:14 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 03 17:24:51 2017
 Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.78 min Scan# 993
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Instrument :
 BNA_F
 ClientSampled :

Tgt Ion: 152 Resp: 94417




Ion	Ratio	Lower	Upper
152	100		
150	151.4	126.2	189.2
115	58.7	52.2	78.2




#2
 1,4-Dioxane
 Concen: 28.36 ng
 RT: 2.30 min Scan# 61
 Delta R.T. 0.19 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion: 88 Resp: 78777

Ion	Ratio	Lower	Upper
88	100		
58	75.8	61.4	92.0
43	26.2	23.4	35.0








#3
 Pyridine
 Concen: 17.13 ng
 RT: 3.00 min Scan# 181
 Delta R.T. 0.24 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
79	110288		
52	67.3	54.8	82.2
51	31.3	27.0	40.4



#4
 n-Nitrosodimethylamine
 Concen: 29.66 ng
 RT: 2.92 min Scan# 167
 Delta R.T. 0.22 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
42	79593		
74	150.2	103.9	155.9
44	7.7	5.7	8.5









#5
 2-Fluorophenol
 Concen: 137.30 ng
 RT: 5.75 min Scan# 648
 Delta R.T. 0.07 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Instrument :
 BNA_F
 ClientSampled :

Tgt Ion: 112 Resp: 777562




Ion	Ratio	Lower	Upper
112	100		
64	54.7	46.0	69.0
63	27.6	23.4	35.0




#6
 Aniline
 Concen: 38.60 ng
 RT: 7.28 min Scan# 909
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion: 93 Resp: 331126

Ion	Ratio	Lower	Upper
93	100		
66	37.5	32.9	49.3
65	18.7	16.0	24.0









#7
 Phenol-d6
 Concen: 134.39 ng
 RT: 7.32 min Scan# 916
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
99	913142		
Ion Ratio			
99	100		
42	15.4	13.5	20.3
71	32.0	24.5	36.7



#8
 2-Chlorophenol
 Concen: 45.28 ng
 RT: 7.47 min Scan# 940
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
128	291882		
Ion Ratio			
128	100		
130	31.5	12.9	52.9
64	43.0	28.4	68.4









#9
Benzaldehyde
Concen: 25.64 ng
RT: 7.11 min Scan# 879
Delta R.T. 0.07 min
Lab File: BF095192.D
Acq: 17 May 2017 19:01




Instrument :
BNA_F
ClientSampled :


Tgt Ion	Resp	Lower	Upper
77	106371		
105	109.2	83.8	123.8
106	98.9	79.1	119.1



#10
Phenol
Concen: 40.74 ng
RT: 7.34 min Scan# 918
Delta R.T. 0.04 min
Lab File: BF095192.D
Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
94	291689		
65	26.9	9.9	49.9
66	37.2	23.1	63.1








#11
 bis(2-Chloroethyl)ether
 Concen: 41.94 ng
 RT: 7.41 min Scan# 931
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
93	247905		
93	100		
63	73.8	59.2	99.2
95	32.7	12.8	52.8



#12
 1,3-Dichlorobenzene
 Concen: 41.47 ng
 RT: 7.68 min Scan# 976
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
146	303190		
146	100		
148	63.0	51.8	77.6
75	27.7	23.1	34.7









#13
 1,4-Dichlorobenzene
 Concen: 42.26 ng
 RT: 7.80 min Scan# 997
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Instrument :
 BNA_F
 ClientSampled :

Tgt Ion:146 Resp: 313390




Ion	Ratio	Lower	Upper
146	100		
148	63.4	52.2	78.2
111	40.4	30.3	45.5




#14
 1,2-Dichlorobenzene
 Concen: 42.76 ng
 RT: 8.04 min Scan# 1037
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion:146 Resp: 295967

Ion	Ratio	Lower	Upper
146	100		
148	63.8	50.4	75.6
111	42.2	38.2	57.4








#15
Benzyl Alcohol
Concen: 50.06 ng
RT: 8.06 min Scan# 1041
Delta R.T. 0.05 min
Lab File: BF095192.D
Acq: 17 May 2017 19:01





Instrument :
BNA_F
ClientSampled :


Tgt Ion	Resp	Lower	Upper
79	100		
108	82.3	63.4	95.0
77	60.4	49.2	73.8



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.71 ng
RT: 8.26 min Scan# 1075
Delta R.T. 0.05 min
Lab File: BF095192.D
Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
45	100		
77	30.5	0.0	33.2
79	27.7	0.0	30.0









#17
 2-Methylphenol
 Concen: 44.05 ng
 RT: 8.27 min Scan# 1076
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :




Tgt Ion	Resp	Lower	Upper
107	100		
108	110.9	93.4	140.0
77	55.5	35.8	53.6#
79	52.6	34.8	52.2#



#18
 Hexachloroethane
 Concen: 38.45 ng
 RT: 8.55 min Scan# 1124
 Delta R.T. 0.03 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
117	100		
119	100.4	77.4	116.0
201	91.7	94.6	141.8#









#19
 n-Nitroso-di-n-propylamine
 Concen: 41.06 ng
 RT: 8.48 min Scan# 1112
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01


Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
70	188676		
42	54.8	47.2	70.8
101	9.5	7.2	10.8
130	22.2	15.9	23.9



#20
 3+4-Methylphenols
 Concen: 40.98 ng
 RT: 8.52 min Scan# 1120
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
107	293756		
108	81.4	71.0	111.0
77	27.7	90.5	130.5#
79	21.4	8.4	48.4









#21
 Naphthalene-d8
 Concen: 20.00 ng
 RT: 9.79 min Scan# 1335
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Instrument :
 BNA_F
 ClientSampled :

Tgt Ion:136 Resp: 379798




Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.5	12.7
54	6.1	4.9	7.3
68	5.1	4.1	6.1




#22
 Acetophenone
 Concen: 44.15 ng
 RT: 8.45 min Scan# 1107
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion:105 Resp: 402312

Ion	Ratio	Lower	Upper
105	100		
71	0.0	2.8	4.2#
51	23.1	30.7	46.1#
120	21.6	17.4	26.0









#23
 Nitrobenzene-d5
 Concen: 91.91 ng
 RT: 8.68 min Scan# 1146
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
82	100		
128	46.9	34.0	51.0
54	45.8	42.2	63.2



#24
 Nitrobenzene
 Concen: 43.19 ng
 RT: 8.71 min Scan# 1151
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
77	100		
123	52.1	35.8	53.8
65	13.1	10.6	15.8









#25
 Isophorone
 Concen: 46.61 ng
 RT: 9.11 min Scan# 1219
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
82	100		
95	6.7	5.3	7.9
138	20.5	13.1	19.7#



#26
 2-Nitrophenol
 Concen: 46.30 ng
 RT: 9.21 min Scan# 1237
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
139	100		
109	25.1	21.0	31.6
65	41.1	33.0	49.6








#27
 2,4-Dimethylphenol
 Concen: 45.46 ng
 RT: 9.34 min Scan# 1259
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
122	100		
107	107.4	89.2	133.8
121	58.1	45.2	67.8



#28
 bis(2-Chloroethoxy)methane
 Concen: 39.40 ng
 RT: 9.47 min Scan# 1280
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
93	100		
95	32.8	26.5	39.7
123	10.7	9.0	13.4









#29
 2,4-Dichlorophenol
 Concen: 45.88 ng
 RT: 9.63 min Scan# 1308
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
162	100		
164	63.8	44.6	84.6
98	34.0	14.8	54.8



#30
 1,2,4-Trichlorobenzene
 Concen: 42.39 ng
 RT: 9.71 min Scan# 1322
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
180	100		
182	95.2	75.8	113.6
145	32.1	25.3	37.9









#31
 Naphthalene
 Concen: 41.94 ng
 RT: 9.82 min Scan# 1341
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
128	100		
129	11.0	9.0	13.6
127	13.3	10.8	16.2



#32
 Benzoic acid
 Concen: 35.80 ng
 RT: 9.67 min Scan# 1314
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
122	100		
105	119.4	103.3	143.3
77	82.2	73.7	113.7








#33
 4-Chloroaniline
 Concen: 16.51 ng
 RT: 9.98 min Scan# 1368
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
127	117441		
129	32.5	26.2	39.2
65	26.8	27.8	41.8#
92	20.2	16.8	25.2



#34
 Hexachlorobutadiene
 Concen: 41.08 ng
 RT: 10.04 min Scan# 1377
 Delta R.T. 0.02 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
225	120754		
223	61.8	48.8	73.2
227	63.2	51.1	76.7









#35
 Caprolactam
 Concen: 14.68 ng
 RT: 10.67 min Scan# 1485
 Delta R.T. 0.14 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion	Resp	Lower	Upper
113	100		
55	150.4	150.2	190.2
56	113.7	107.8	147.8



#36
 4-Chloro-3-methylphenol
 Concen: 45.30 ng
 RT: 10.82 min Scan# 1510
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
107	100		
144	25.3	24.2	36.4
142	82.8	73.4	110.0









#37
 2-Methylnaphthalene
 Concen: 44.94 ng
 RT: 10.95 min Scan# 1532
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
142	100		
141	90.9	71.3	106.9
115	30.8	27.1	40.7



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.62 min Scan# 1816
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
164	100		
162	101.4	82.6	123.8
160	45.1	36.2	54.2









#39
 1,2,4,5-Tetrachlorobenzene
 Concen: 41.19 ng
 RT: 11.22 min Scan# 1579
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
216	100		
214	79.6	63.4	95.2
179	21.9	17.9	26.9
108	20.1	16.5	24.7



#40
 Hexachlorocyclopentadiene
 Concen: 68.03 ng
 RT: 11.20 min Scan# 1575
 Delta R.T. 0.03 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
237	100		
235	64.7	42.6	82.6
272	11.9	0.0	31.9









#41
 2,4,6-Tribromophenol
 Concen: 140.50 ng
 RT: 13.92 min Scan# 2038
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
330	100		
332	96.4	76.6	115.0
141	38.9	31.4	47.2



#42
 2,4,6-Trichlorophenol
 Concen: 44.71 ng
 RT: 11.45 min Scan# 1617
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
196	100		
198	92.1	74.2	111.4
200	29.6	24.0	36.0









#43
 2,4,5-Trichlorophenol
 Concen: 39.94 ng
 RT: 11.54 min Scan# 1633
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion	Resp	Lower	Upper
196	100		
198	96.2	75.7	113.5
97	46.1	47.7	71.5#
132	31.0	28.0	42.0



#44
 2-Fluorobiphenyl
 Concen: 88.88 ng
 RT: 11.57 min Scan# 1637
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
172	100		
171	35.4	29.6	44.4
170	23.4	19.8	29.8








#45
 1,1'-Biphenyl
 Concen: 43.36 ng
 RT: 11.71 min Scan# 1662
 Delta R.T. 0.03 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
154	100		
153	41.1	21.2	61.2
76	13.0	0.0	29.9



#46
 2-Chloronaphthalene
 Concen: 42.45 ng
 RT: 11.73 min Scan# 1665
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
162	100		
127	39.7	28.3	42.5
164	31.9	27.0	40.4









#47
 2-Nitroaniline
 Concen: 39.45 ng
 RT: 11.95 min Scan# 1702
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
65	100		
92	70.1	53.9	80.9
138	123.4	78.8	118.2



#48
 Acenaphthylene
 Concen: 43.79 ng
 RT: 12.39 min Scan# 1777
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
152	100		
151	19.9	16.8	25.2
153	13.4	10.8	16.2









#49
 Dimethylphthalate
 Concen: 42.02 ng
 RT: 12.27 min Scan# 1756
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
163	100		
194	3.4	2.6	4.0
164	10.2	8.4	12.6



#50
 2,6-Dinitrotoluene
 Concen: 43.78 ng
 RT: 12.36 min Scan# 1772
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
165	100		
63	45.8	34.3	51.5
89	46.3	37.1	55.7









#51
 Acenaphthene
 Concen: 39.09 ng
 RT: 12.67 min Scan# 1825
 Delta R.T. 0.03 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Instrument :
 BNA_F
 ClientSampled :

Tgt Ion:154 Resp: 445440




Ion	Ratio	Lower	Upper
154	100		
153	112.1	90.5	135.7
152	54.1	43.6	65.4




#52
 3-Nitroaniline
 Concen: 22.11 ng
 RT: 12.64 min Scan# 1819
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion:138 Resp: 71216

Ion	Ratio	Lower	Upper
138	100		
108	11.5	9.1	13.7
92	104.9	93.8	140.6









#53
 2,4-Dinitrophenol
 Concen: 74.28 ng
 RT: 12.84 min Scan# 1853
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
184	100		
63	57.4	62.7	94.1#
154	59.1	81.1	121.7#



#54
 Dibenzofuran
 Concen: 46.62 ng
 RT: 12.97 min Scan# 1875
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
168	100		
139	35.8	30.6	45.8
169	12.8	10.8	16.2









#55
 4-Nitrophenol
 Concen: 76.62 ng
 RT: 13.02 min Scan# 1884
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
139	100		
109	57.4	34.1	74.1
65	80.4	31.4	71.4



#56
 2,4-Dinitrotoluene
 Concen: 48.62 ng
 RT: 13.03 min Scan# 1886
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
165	100		
63	42.8	25.4	38.0
89	59.6	46.4	69.6
182	2.5	1.8	2.6








#57
 Fluorene
 Concen: 43.90 ng
 RT: 13.52 min Scan# 1969
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
166	100		
165	99.1	78.8	118.2
167	13.3	10.6	16.0



#58
 2,3,4,6-Tetrachlorophenol
 Concen: 50.09 ng
 RT: 13.21 min Scan# 1916
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
232	100		
131	50.9	44.8	67.2
130	2.2	2.3	3.5#
166	33.6	29.0	43.4








#59
 Diethylphthalate
 Concen: 42.38 ng
 RT: 13.41 min Scan# 1951
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
149	100		
177	21.7	16.7	25.1
150	12.6	10.2	15.2



#60
 4-Chlorophenyl-phenylether
 Concen: 44.27 ng
 RT: 13.54 min Scan# 1973
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
204	100		
206	32.7	26.2	39.2
141	62.3	60.8	91.2









#61
 4-Nitroaniline
 Concen: 41.37 ng
 RT: 13.64 min Scan# 1989
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
138	122311		
138	100		
92	43.6	21.8	61.8
108	57.0	42.3	82.3



#62
 Azobenzene
 Concen: 49.56 ng
 RT: 13.80 min Scan# 2017
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
77	561410		
77	100		
182	26.5	0.1	40.1
105	24.3	3.6	43.6
51	25.4	9.4	49.4









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 15.02 min Scan# 2225
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
188	100		
94	10.8	9.4	14.2
80	11.4	10.2	15.2



#64
 4,6-Dinitro-2-methylphenol
 Concen: 45.74 ng
 RT: 13.69 min Scan# 1999
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
198	100		
51	45.0	53.2	93.2#
105	45.0	45.8	85.8#








#65
 n-Nitrosodiphenylamine
 Concen: 47.75 ng
 RT: 13.75 min Scan# 2008
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion	Resp	Lower	Upper
169	100		
168	67.8	53.2	79.8
167	36.6	29.5	44.3



#66
 4-Bromophenyl-phenylether
 Concen: 47.04 ng
 RT: 14.32 min Scan# 2106
 Delta R.T. 0.03 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
248	100		
250	97.6	76.8	115.2
141	88.7	68.6	103.0









#67
 Hexachlorobenzene
 Concen: 45.70 ng
 RT: 14.41 min Scan# 2121
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Instrument :
 BNA_F
 ClientSampled :

Tgt Ion: 284 Resp: 149764




Ion	Ratio	Lower	Upper
284	100		
142	42.2	22.8	34.2#
249	32.8	24.0	36.0




#68
 Atrazine
 Concen: 50.20 ng
 RT: 14.67 min Scan# 2165
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion: 200 Resp: 155719

Ion	Ratio	Lower	Upper
200	100		
173	27.6	6.3	46.3
215	45.3	27.2	67.2









#69
 Pentachlorophenol
 Concen: 76.28 ng
 RT: 14.77 min Scan# 2182
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
266	112591		
268	61.2	51.1	76.7
264	61.2	51.7	77.5



#70
 Phenanthrene
 Concen: 48.20 ng
 RT: 15.07 min Scan# 2232
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
178	838179		
176	19.0	16.2	24.4
179	15.1	12.6	19.0









#71
 Anthracene
 Concen: 48.05 ng
 RT: 15.15 min Scan# 2246
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
178	100		
176	18.7	15.8	23.8
179	15.6	12.7	19.1



#72
 Carbazole
 Concen: 43.97 ng
 RT: 15.42 min Scan# 2293
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
167	100		
166	21.4	18.1	27.1
139	12.7	11.7	17.5









#73
 Di-n-butylphthalate
 Concen: 42.07 ng
 RT: 15.99 min Scan# 2389
 Delta R.T. 0.03 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
149	100		
150	9.1	7.7	11.5
104	4.2	4.0	6.0



#74
 Fluoranthene
 Concen: 47.72 ng
 RT: 16.81 min Scan# 2528
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
202	100		
101	12.2	0.0	33.2
203	17.2	0.0	38.1









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.69 min Scan# 2849
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
240	100		
120	14.0	5.8	8.8#
236	24.9	20.5	30.7



#76
 Benzidine
 Concen: 47.10 ng
 RT: 17.02 min Scan# 2565
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
184	100		
185	13.6	15.5	23.3#
183	11.4	9.8	14.6









#77
 Pyrene
 Concen: 47.75 ng
 RT: 17.11 min Scan# 2579
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
202	100		
200	21.3	17.6	26.4
203	18.3	14.4	21.6



#78
 Terphenyl-d14
 Concen: 89.08 ng
 RT: 17.35 min Scan# 2620
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
244	100		
212	7.0	6.0	9.0
122	13.4	10.3	15.5









#79
 Butylbenzylphthalate
 Concen: 45.03 ng
 RT: 18.00 min Scan# 2731
 Delta R.T. 0.03 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
149	100		
91	68.5	45.0	67.4#
206	18.8	17.0	25.6



#80
 Benzo(a)anthracene
 Concen: 44.82 ng
 RT: 18.68 min Scan# 2847
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
228	100		
226	27.7	22.6	33.8
229	19.4	16.3	24.5








#81
 3,3'-Dichlorobenzidine
 Concen: 24.04 ng
 RT: 18.66 min Scan# 2843
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01





Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
252	119546		
252	100		
254	61.4	51.5	77.3
126	14.8	15.8	23.8#



#82
 Chrysene
 Concen: 42.45 ng
 RT: 18.73 min Scan# 2855
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
228	591112		
228	100		
226	30.1	24.9	37.3
229	19.8	15.8	23.6









#83
 Bis(2-ethylhexyl)phthalate
 Concen: 39.67 ng
 RT: 18.75 min Scan# 2858
 Delta R.T. 0.03 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
149	100		
167	26.8	21.0	31.4
279	3.3	1.9	2.9



#84
 Di-n-octyl phthalate
 Concen: 40.16 ng
 RT: 19.51 min Scan# 2988
 Delta R.T. 0.02 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
149	100		
167	1.5	1.2	1.8
43	8.8	8.5	12.7









#85
 Indeno(1,2,3-cd)pyrene
 Concen: 33.94 ng
 RT: 21.70 min Scan# 3360
 Delta R.T. 0.09 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion:	276	Resp:	383749
Ion Ratio	Lower	Upper	
276	100		
138	34.1	27.8	41.6
277	25.2	20.2	30.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 20.37 min Scan# 3134
 Delta R.T. 0.06 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion:	264	Resp:	175605
Ion Ratio	Lower	Upper	
264	100		
260	23.4	19.5	29.3
265	21.8	17.2	25.8








#87
 Benzo(b)fluoranthene
 Concen: 45.43 ng
 RT: 19.96 min Scan# 3064
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
252	100		
253	21.1	18.1	27.1
125	11.9	9.8	14.8



#88
 Benzo(k)fluoranthene
 Concen: 50.58 ng
 RT: 19.98 min Scan# 3068
 Delta R.T. 0.04 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
252	100		
253	21.7	18.4	27.6
125	13.6	13.1	19.7









#89
 Benzo(a)pyrene
 Concen: 47.04 ng
 RT: 20.31 min Scan# 3124
 Delta R.T. 0.05 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01




Instrument :
 BNA_F
 ClientSampled :


Tgt Ion	Resp	Lower	Upper
252	100		
253	20.9	17.5	26.3
125	13.6	11.0	16.4



#90
 Dibenzo(a,h)anthracene
 Concen: 38.04 ng
 RT: 21.70 min Scan# 3360
 Delta R.T. 0.08 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Tgt Ion	Resp	Lower	Upper
278	100		
139	22.5	16.6	24.8
279	22.7	19.3	28.9





#91
 Benzo(a,h,i)perylene
 Concen: 39.28 ng
 RT: 22.08 min Scan# 3425
 Delta R.T. 0.11 min
 Lab File: BF095192.D
 Acq: 17 May 2017 19:01

Instrument :
 BNA_F
 ClientSampled :

Tot Ion: 276 Resp: 318791

Ion	Ratio	Lower	Upper
276	100		
277	24.9	18.6	28.0
138	29.0	25.4	38.0

