

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF051815\
 Data File : BF079337.D
 Acq On : 19 May 2015 7:19
 Operator : TP/IZ
 Sample : G2270-10
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-07

Quant Time: May 19 08:12:41 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF043015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 19 07:20:28 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.16	152	46081	20.00	ng	0.00
21) Naphthalene-d8	8.74	136	197004	20.00	ng	0.00
38) Acenaphthene-d10	10.92	164	98699	20.00	ng	0.01
63) Phenanthrene-d10	12.77	188	185194	20.00	ng	0.01
75) Chrysene-d12	16.07	240	186512	20.00	ng	0.01
86) Perylene-d12	17.86	264	192413	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	0.00	112	0	0.00	ng	
7) Phenol-d6	6.74	99	383067	108.26	ng	0.00
23) Nitrobenzene-d5	7.86	82	217552	63.47	ng	0.00
41) 2,4,6-Tribromophenol	11.91	330	113867	106.64	ng	0.01
44) 2-Fluorobiphenyl	10.09	172	458728	64.75	ng	0.00
78) Terphenyl-d14	14.75	244	531643	68.24	ng	0.00
Target Compounds						Qvalue
31) Naphthalene	8.78	128	45129	4.81	ng	97
49) Dimethylphthalate	10.60	163	56180	7.76	ng	97
70) Phenanthrene	12.79	178	33987	3.28	ng	99
74) Fluoranthene	14.26	202	74143	6.87	ng	99
77) Pyrene	14.55	202	79763	7.42	ng	98
80) Benzo(a)anthracene	16.09	228	57976	5.68	ng	93
82) Chrysene	16.09	228	57274	5.83	ng	97
85) Indeno(1,2,3-cd)pyrene	19.28	276	50036	4.00	ng	94
87) Benzo(b)fluoranthene	17.41	252	116954	11.10	ng	98
88) Benzo(k)fluoranthene	17.41	252	116954	11.47	ng	# 93
89) Benzo(a)pyrene	17.79	252	68488	7.06	ng	# 95
91) Benzo(g,h,i)perylene	19.69	276	47145	4.56	ng	# 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF051815\
Data File : BF079337.D
Acq On : 19 May 2015 7:19
Operator : TP/IZ
Sample : G2270-10
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-07

Quant Time: May 19 08:12:41 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF043015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 19 07:20:28 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.16 min Scan# 523
 Delta R.T. -0.00 min
 Lab File: BF079337.D
 Acq: 19 May 2015 7:19


Instrument :
 BNA_F
 ClientSampleId :
 SB-07

Tgt Ion:	152	Resp:	46081
Ion	Ratio	Lower	Upper
152	100		
150	161.9	123.8	185.8
115	68.8	49.4	74.0



#5
 2-Fluorophenol
 Concen: 0.00 ng
 Expected RT: 5.45 min
 Lab File: BF079337.D
 Acq: 19 May 2015 7:19

Tgt Ion:	112
Sig	Exp Ratio
112	100
64	55.2
63	28.4





#7

Phenol-d6

Concen: 108.26 ng

RT: 6.74 min Scan# 486

Delta R.T. -0.00 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19

Instrument :

BNA_F

ClientSampleId :

SB-07


Tgt Ion: 99 Resp: 383067

Ion Ratio Lower Upper

99 100

42 21.0 17.1 25.7


71 34.0 26.3 39.5





Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



Time-->



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.74 min Scan# 661

Delta R.T. -0.00 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19

Tgt Ion: 136 Resp: 197004


Ion Ratio Lower Upper

136 100

137 11.0 8.8 13.2

54 9.1 6.9 10.3

68 6.6 4.9 7.3




Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E


Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time-->





#23

Nitrobenzene-d5

Concen: 63.47 ng

RT: 7.86 min Scan# 584

Delta R.T. -0.00 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19

Instrument :

BNA_F

ClientSampleId :

SB-07


Tgt Ion: 82 Resp: 217552

Ion Ratio Lower Upper

82 100

128 40.2 29.7 44.5




54 53.5 46.2 69.4



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#31

Naphthalene

Concen: 4.81 ng

RT: 8.78 min Scan# 664

Delta R.T. 0.01 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19


Tgt Ion: 128 Resp: 45129

Ion Ratio Lower Upper

128 100

129 10.1 9.2 13.8



127 12.3 10.3 15.5




Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E








#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.92 min Scan# 852
 Delta R.T. 0.01 min
 Lab File: BF079337.D
 Acq: 19 May 2015 7:19

Instrument :
 BNA_F
 ClientSampleId :
 SB-07

Tgt Ion:164 Resp: 98699
 Ion Ratio Lower Upper
 164 100
 162 103.5 81.4 122.0
 160 46.9 36.6 54.8




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41
 2,4,6-Tribromophenol
 Concen: 106.64 ng
 RT: 11.91 min Scan# 938
 Delta R.T. 0.01 min
 Lab File: BF079337.D
 Acq: 19 May 2015 7:19

Tgt Ion:330 Resp: 113867
 Ion Ratio Lower Upper
 330 100
 332 97.7 76.9 115.3
 141 34.3 27.8 41.8



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 64.75 ng
 RT: 10.09 min Scan# 779
 Delta R.T. -0.00 min
 Lab File: BF079337.D
 Acq: 19 May 2015 7:19




Instrument :
 BNA_F
 ClientSampleId :
 SB-07


Tgt Ion:172 Resp: 458728
 Ion Ratio Lower Upper
 172 100
 171 34.9 28.3 42.5
 170 24.1 19.4 29.2



#49
 Dimethylphthalate
 Concen: 7.76 ng
 RT: 10.60 min Scan# 824
 Delta R.T. -0.00 min
 Lab File: BF079337.D
 Acq: 19 May 2015 7:19

Tgt Ion:163 Resp: 56180
 Ion Ratio Lower Upper
 163 100
 194 3.4 2.4 3.6
 164 9.5 8.6 12.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.77 min Scan# 1013
Delta R.T. 0.01 min
Lab File: BF079337.D
Acq: 19 May 2015 7:19

Instrument :
BNA_F
ClientSampleId :
SB-07

Tgt Ion:188 Resp: 185194
Ion Ratio Lower Upper
188 100
94 8.4 9.4 14.0#
80 8.5 9.8 14.6#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#70
Phenanthrene
Concen: 3.28 ng
RT: 12.79 min Scan# 1015
Delta R.T. -0.00 min
Lab File: BF079337.D
Acq: 19 May 2015 7:19

Tgt Ion:178 Resp: 33987
Ion Ratio Lower Upper
178 100
176 20.4 15.9 23.9
179 14.9 12.2 18.4



Abundance Ion 178.00 (177.70 to 178.70): E
Ion 176.00 (175.70 to 176.70): E
Ion 179.00 (178.70 to 179.70): E





#74

Fluoranthene

Concen: 6.87 ng

RT: 14.26 min Scan# 1144

Delta R.T. -0.00 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19

Instrument :

BNA_F

ClientSampleId :

SB-07


Tgt Ion:202 Resp: 74143

Ion Ratio Lower Upper

202 100

101 15.3 0.0 34.7




203 17.3 0.0 37.9



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#75

Chrysene-d12

Concen: 20.00 ng

RT: 16.07 min Scan# 1302

Delta R.T. 0.01 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19


Tgt Ion:240 Resp: 186512

Ion Ratio Lower Upper

240 100

120 8.5 8.6 12.8#



236 25.4 21.0 31.6




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#77
 Pyrene
 Concen: 7.42 ng
 RT: 14.55 min Scan# 1169
 Delta R.T. 0.01 min
 Lab File: BF079337.D
 Acq: 19 May 2015 7:19




Instrument :
 BNA_F
 ClientSampled :
 SB-07


Tgt Ion: 202 Resp: 79763
 Ion Ratio Lower Upper
 202 100
 200 21.3 17.5 26.3
 203 17.5 14.7 22.1



#78
 Terphenyl-d14
 Concen: 68.24 ng
 RT: 14.75 min Scan# 1187
 Delta R.T. -0.00 min
 Lab File: BF079337.D
 Acq: 19 May 2015 7:19

Tgt Ion: 244 Resp: 531643
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.6 8.4
 122 15.2 10.5 15.7





#80

Benzo(a)anthracene

Concen: 5.68 ng

RT: 16.09 min Scan# 1304

Delta R.T. 0.05 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19

Instrument :

BNA_F

ClientSampleId :

SB-07


Tgt Ion:228 Resp: 57976

Ion Ratio Lower Upper

228 100

226 32.0 22.3 33.5




229 22.6 16.1 24.1



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#82

Chrysene

Concen: 5.83 ng

RT: 16.09 min Scan# 1304

Delta R.T. -0.00 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19


Tgt Ion:228 Resp: 57274

Ion Ratio Lower Upper

228 100

226 32.0 24.8 37.2



229 22.6 16.1 24.1




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#85

Indeno(1,2,3-cd)pyrene

Concen: 4.00 ng

RT: 19.28 min Scan# 1583

Delta R.T. 0.01 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19


Instrument :

BNA_F




ClientSampleId :

SB-07

Tgt Ion:	276	Resp:	50036
Ion	Ratio	Lower	Upper
276	100		
138	22.5	21.1	31.7
277	26.8	19.9	29.9



Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E



#86

Perylene-d12

Concen: 20.00 ng


RT: 17.86 min Scan# 1459

Delta R.T. 0.01 min



Lab File: BF079337.D


Acq: 19 May 2015 7:19

Tgt Ion:	264	Resp:	192413
Ion	Ratio	Lower	Upper
264	100		
260	24.8	19.2	28.8
265	21.7	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E





#87

Benzo(b)fluoranthene

Concen: 11.10 ng

RT: 17.41 min Scan# 1419

Delta R.T. 0.01 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19

Instrument :

BNA_F

ClientSampleId :

SB-07





Tgt Ion:252 Resp: 116954

Ion Ratio Lower Upper

252 100

253 23.5 18.1 27.1

125 12.7 9.4 14.2



#88

Benzo(k)fluoranthene

Concen: 11.47 ng

RT: 17.41 min Scan# 1419

Delta R.T. -0.02 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19




Tgt Ion:252 Resp: 116954


Ion Ratio Lower Upper

252 100

253 23.5 17.4 26.0

125 12.7 6.1 9.1#





#89

Benzo(a)pyrene

Concen: 7.06 ng

RT: 17.79 min Scan# 1453

Delta R.T. -0.00 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19

Instrument :

BNA_F

ClientSampleId :

SB-07


Tgt Ion:252 Resp: 68488

Ion Ratio Lower Upper

252 100

253 24.1 18.0 27.0




125 13.6 8.2 12.2#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#91

Benzo(g,h,i)perylene

Concen: 4.56 ng

RT: 19.69 min Scan# 1619

Delta R.T. -0.00 min

Lab File: BF079337.D

Acq: 19 May 2015 7:19


Tgt Ion:276 Resp: 47145

Ion Ratio Lower Upper

276 100

277 25.0 18.8 28.2

138 24.9 15.2 22.8#



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

