

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF051816\
 Data File : BF087147.D
 Acq On : 18 May 2016 16:52
 Operator : UM/SJ
 Sample : H3143-05
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 3-I-76(0-2)

Quant Time: May 19 03:50:10 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF051716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 17 16:55:01 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.58	152	136516	20.00	ng	-0.02
21) Naphthalene-d8	7.86	136	563124	20.00	ng	-0.03
38) Acenaphthene-d10	9.61	164	279375	20.00	ng	-0.03
63) Phenanthrene-d10	11.08	188	532435	20.00	ng	-0.03
75) Chrysene-d12	13.71	240	489024	20.00	ng	-0.05
86) Perylene-d12	15.06	264	396642	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.18	112	1094759	134.79	ng	-0.02
7) Phenol-d6	6.25	99	1407607	129.22	ng	-0.03
23) Nitrobenzene-d5	7.15	82	909945	80.53	ng	-0.03
41) 2,4,6-Tribromophenol	10.40	330	357989	115.96	ng	-0.05
44) 2-Fluorobiphenyl	8.95	172	1454476	86.22	ng	-0.03
78) Terphenyl-d14	12.67	244	1244347	57.56	ng	-0.03
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.15	70	130649	15.78	ng	# 74
25) Isophorone	7.15	82	698867	33.79	ng	# 68
49) Dimethylphthalate	9.35	163	182909	8.58	ng	99
56) 2,4-Dinitrotoluene	9.61	165	34943	5.90	ng	# 16
66) 4-Bromophenyl-phenylether	10.40	248	20198	3.69	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF051816\
Data File : BF087147.D
Acq On : 18 May 2016 16:52
Operator : UM/SJ
Sample : H3143-05
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
3-I-76(0-2)

Quant Time: May 19 03:50:10 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF051716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 17 16:55:01 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.58 min Scan# 437
Delta R.T. -0.02 min
Lab File: BF087147.D
Acq: 18 May 2016 16:52

Instrument :
BNA_F
ClientSampleId :
3-I-76(0-2)

Tgt Ion:152 Resp: 136516
Ion Ratio Lower Upper
152 100
150 154.2 125.8 188.6
115 59.5 51.5 77.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 134.79 ng
RT: 5.18 min Scan# 314
Delta R.T. -0.02 min
Lab File: BF087147.D
Acq: 18 May 2016 16:52

Tgt Ion:112 Resp: 1094759
Ion Ratio Lower Upper
112 100
64 65.1 52.1 78.1
63 35.3 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 129.22 ng

RT: 6.25 min Scan# 408

Delta R.T. -0.03 min

Lab File: BF087147.D

Acq: 18 May 2016 16:52

Instrument :

BNA_F

ClientSampleId :

3-I-76(0-2)





Tgt Ion: 99 Resp: 1407607

Ion Ratio Lower Upper

99 100

42 28.8 13.6 20.4#

71 39.3 24.6 36.8#



#19

n-Nitroso-di-n-propylamine

Concen: 15.78 ng

RT: 7.15 min Scan# 487

Delta R.T. 0.10 min

Lab File: BF087147.D

Acq: 18 May 2016 16:52

Tgt Ion: 70 Resp: 130649




Ion Ratio Lower Upper


70 100

42 66.5 43.1 64.7#

101 0.0 8.1 12.1#

130 1.8 18.6 28.0#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.86 min Scan# 549
Delta R.T. -0.03 min
Lab File: BF087147.D
Acq: 18 May 2016 16:52

Instrument :
BNA_F
ClientSampleId :
3-I-76(0-2)

Tgt Ion:	136	Resp:	563124
Ion	Ratio	Lower	Upper
136	100		
137	11.4	8.8	13.2
54	13.5	5.0	7.4#
68	6.9	4.4	6.6#




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 80.53 ng
RT: 7.15 min Scan# 487
Delta R.T. -0.03 min
Lab File: BF087147.D
Acq: 18 May 2016 16:52

Tgt Ion:	82	Resp:	909945
Ion	Ratio	Lower	Upper
82	100		
128	38.7	40.6	61.0#
54	70.0	38.1	57.1#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 33.79 ng

RT: 7.15 min Scan# 487

Delta R.T. -0.30 min

Lab File: BF087147.D

Acq: 18 May 2016 16:52

Instrument :

BNA_F

ClientSampled :

3-I-76(0-2)


Tgt Ion: 82 Resp: 698867

Ion Ratio Lower Upper

82 100

95 0.0 5.1 7.7#




138 0.0 12.4 18.6#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.61 min Scan# 702

Delta R.T. -0.03 min

Lab File: BF087147.D

Acq: 18 May 2016 16:52


Tgt Ion: 164 Resp: 279375

Ion Ratio Lower Upper

164 100

162 103.2 82.8 124.2



160 46.3 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 115.96 ng
 RT: 10.40 min Scan# 771
 Delta R.T. -0.05 min
 Lab File: BF087147.D
 Acq: 18 May 2016 16:52

Instrument :
 BNA_F
 ClientSampleId :
 3-I-76(0-2)

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.7	79.0	118.4
141	33.8	31.2	46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 86.22 ng
 RT: 8.95 min Scan# 644
 Delta R.T. -0.03 min
 Lab File: BF087147.D
 Acq: 18 May 2016 16:52

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.0	43.6
170	25.0	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 8.58 ng

RT: 9.35 min Scan# 679

Delta R.T. -0.05 min

Lab File: BF087147.D

Acq: 18 May 2016 16:52

Instrument :

BNA_F

ClientSampled :

3-I-76(0-2)


Tgt Ion:163 Resp: 182909

Ion Ratio Lower Upper

163 100

194 3.1 2.6 4.0




164 9.7 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#56

2,4-Dinitrotoluene

Concen: 5.90 ng

RT: 9.61 min Scan# 702

Delta R.T. -0.25 min

Lab File: BF087147.D

Acq: 18 May 2016 16:52

Tgt Ion:165 Resp: 34943


Ion Ratio Lower Upper

165 100

63 1.9 44.3 66.5#

89 1.9 70.0 105.0#

182 0.0 1.8 2.6#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.08 min Scan# 831
 Delta R.T. -0.03 min
 Lab File: BF087147.D
 Acq: 18 May 2016 16:52




Instrument :
 BNA_F
 ClientSampleId :
 3-I-76(0-2)


Tgt Ion:188 Resp: 532435
 Ion Ratio Lower Upper
 188 100
 94 12.5 6.8 10.2#
 80 14.4 7.1 10.7#



#66
 4-Bromophenyl-phenylether
 Concen: 3.69 ng
 RT: 10.40 min Scan# 771
 Delta R.T. -0.27 min
 Lab File: BF087147.D
 Acq: 18 May 2016 16:52

Tgt Ion:248 Resp: 20198
 Ion Ratio Lower Upper
 248 100
 250 201.0 78.6 117.8#
 141 666.5 76.0 114.0#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.71 min Scan# 1061

Delta R.T. -0.05 min

Lab File: BF087147.D

Acq: 18 May 2016 16:52

Instrument :

BNA_F

ClientSampleId :

3-I-76(0-2)


Tgt Ion:240 Resp: 489024

Ion Ratio Lower Upper

240 100

120 12.5 11.2 16.8




236 26.2 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 57.56 ng

RT: 12.67 min Scan# 970

Delta R.T. -0.03 min

Lab File: BF087147.D

Acq: 18 May 2016 16:52


Tgt Ion:244 Resp: 1244347

Ion Ratio Lower Upper

244 100

212 8.0 6.2 9.2



122 13.6 12.0 18.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.06 min Scan# 1179
Delta R.T. -0.05 min
Lab File: BF087147.D
Acq: 18 May 2016 16:52

Instrument :
BNA_F
ClientSampleId :
3-I-76(0-2)

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.8	19.5	29.3
265	22.1	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

