

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051816\
 Data File : BF087159.D
 Acq On : 18 May 2016 22:42
 Operator : UM/SJ
 Sample : H3143-09
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 5-I-76(0-2)

Quant Time: May 19 04:38:07 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 17 16:55:01 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.58	152	125636	20.00	ng	-0.02
21) Naphthalene-d8	7.86	136	520644	20.00	ng	-0.03
38) Acenaphthene-d10	9.61	164	252185	20.00	ng	-0.03
63) Phenanthrene-d10	11.08	188	466125	20.00	ng	-0.03
75) Chrysene-d12	13.71	240	379976	20.00	ng	-0.05
86) Perylene-d12	15.06	264	326443	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.16	112	1029826	137.78	ng	-0.03
7) Phenol-d6	6.25	99	1437953	143.44	ng	-0.03
23) Nitrobenzene-d5	7.15	82	915488	87.63	ng	-0.03
41) 2,4,6-Tribromophenol	10.40	330	310043	111.26	ng	-0.05
44) 2-Fluorobiphenyl	8.95	172	1291883	84.84	ng	-0.03
78) Terphenyl-d14	12.67	244	1074590	63.97	ng	-0.03
Target Compounds						
49) Dimethylphthalate	9.35	163	201303	10.46	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051816\
Data File : BF087159.D
Acq On : 18 May 2016 22:42
Operator : UM/SJ
Sample : H3143-09
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
5-I-76(0-2)

Quant Time: May 19 04:38:07 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 17 16:55:01 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.58 min Scan# 437
Delta R.T. -0.02 min
Lab File: BF087159.D
Acq: 18 May 2016 22:42

Instrument :
BNA_F
ClientSampleId :
5-I-76(0-2)

Tot Ion:152 Resp: 125636
Ion Ratio Lower Upper
152 100
150 154.6 125.8 188.6
115 56.5 51.5 77.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 137.78 ng
RT: 5.16 min Scan# 313
Delta R.T. -0.03 min
Lab File: BF087159.D
Acq: 18 May 2016 22:42

Tgt Ion:112 Resp: 1029826
Ion Ratio Lower Upper
112 100
64 78.9 52.1 78.1#
63 43.0 25.7 38.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 143.44 ng

RT: 6.25 min Scan# 408

Delta R.T. -0.03 min

Lab File: BF087159.D

Acq: 18 May 2016 22:42

Instrument :

BNA_F

ClientSampleId :

5-I-76(0-2)


Tot Ion: 99 Resp: 1437953

Ion Ratio Lower Upper

99 100

42 27.4 13.6 20.4#




71 38.4 24.6 36.8#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.86 min Scan# 549

Delta R.T. -0.03 min

Lab File: BF087159.D

Acq: 18 May 2016 22:42

Tgt Ion: 136 Resp: 520644


Ion Ratio Lower Upper

136 100

137 11.3 8.8 13.2

54 13.8 5.0 7.4#

68 7.2 4.4 6.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 87.63 ng
RT: 7.15 min Scan# 487
Delta R.T. -0.03 min
Lab File: BF087159.D
Acq: 18 May 2016 22:42




Instrument :
BNA_F
ClientSampleId :
5-I-76(0-2)


Tot Ion: 82 Resp: 915488
Ion Ratio Lower Upper
82 100
128 39.1 40.6 61.0#
54 69.9 38.1 57.1#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.61 min Scan# 702
Delta R.T. -0.03 min
Lab File: BF087159.D
Acq: 18 May 2016 22:42

Tgt Ion:164 Resp: 252185
Ion Ratio Lower Upper
164 100
162 103.7 82.8 124.2
160 46.9 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 111.26 ng
 RT: 10.40 min Scan# 771
 Delta R.T. -0.05 min
 Lab File: BF087159.D
 Acq: 18 May 2016 22:42

Instrument :
 BNA_F
 ClientSampleId :
 5-I-76(0-2)

Tot Ion:330 Resp: 310043
 Ion Ratio Lower Upper
 330 100
 332 96.8 79.0 118.4
 141 37.6 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 84.84 ng
 RT: 8.95 min Scan# 644
 Delta R.T. -0.03 min
 Lab File: BF087159.D
 Acq: 18 May 2016 22:42

Tgt Ion:172 Resp: 1291883
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.0 43.6
 170 24.5 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 10.46 ng

RT: 9.35 min Scan# 679

Delta R.T. -0.05 min

Lab File: BF087159.D

Acq: 18 May 2016 22:42

Instrument :

BNA_F

ClientSampleId :

5-I-76(0-2)


Tot Ion:163 Resp: 201303

Ion Ratio Lower Upper

163 100

194 3.4 2.6 4.0




164 9.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.08 min Scan# 831

Delta R.T. -0.03 min

Lab File: BF087159.D

Acq: 18 May 2016 22:42


Tgt Ion:188 Resp: 466125

Ion Ratio Lower Upper

188 100

94 11.4 6.8 10.2#



80 12.5 7.1 10.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.71 min Scan# 1061

Delta R.T. -0.05 min

Lab File: BF087159.D

Acq: 18 May 2016 22:42

Instrument :

BNA_F

ClientSampleId :

5-I-76(0-2)


Tot Ion:240 Resp: 379976

Ion Ratio Lower Upper

240 100

120 9.5 11.2 16.8#




236 26.0 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 63.97 ng

RT: 12.67 min Scan# 970

Delta R.T. -0.03 min

Lab File: BF087159.D

Acq: 18 May 2016 22:42


Tgt Ion:244 Resp: 1074590

Ion Ratio Lower Upper

244 100

212 7.3 6.2 9.2



122 9.2 12.0 18.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.06 min Scan# 1179
 Delta R.T. -0.05 min
 Lab File: BF087159.D
 Acq: 18 May 2016 22:42

Instrument :
 BNA_F
 ClientSampleId :
 5-I-76(0-2)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.5	29.3
265	21.8	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

