

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051817\
 Data File : BF095239.D
 Acq On : 19 May 2017 00:13
 Operator : SJ/MA
 Sample : I3188-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 19 01:07:25 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	99779	20.00	ng	0.00
21) Naphthalene-d8	9.79	136	397170	20.00	ng	0.00
38) Acenaphthene-d10	12.62	164	189290	20.00	ng	0.00
63) Phenanthrene-d10	15.02	188	364386	20.00	ng	0.00
75) Chrysene-d12	18.69	240	224062	20.00	ng	0.00
86) Perylene-d12	20.38	264	80105	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.75	112	653787	109.24	ng	0.01
7) Phenol-d6	7.31	99	764117	106.41	ng	0.00
23) Nitrobenzene-d5	8.67	82	518587	82.34	ng	0.00
41) 2,4,6-Tribromophenol	13.91	330	215229	138.84	ng	0.00
44) 2-Fluorobiphenyl	11.55	172	1111664	84.53	ng	0.00
78) Terphenyl-d14	17.34	244	1090058	107.15	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.67	70	61735	12.71	ng	# 79
50) 2,6-Dinitrotoluene	12.62	165	19310	6.09	ng	# 31


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051817\
Data File : BF095239.D
Acq On : 19 May 2017 00:13
Operator : SJ/MA
Sample : I3188-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 19 01:07:25 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.77 min Scan# 992
Delta R.T. 0.01 min
Lab File: BF095239.D
Acq: 19 May 2017 00:13

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 99779
Ion Ratio Lower Upper
152 100
150 159.7 126.2 189.2
115 61.0 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 109.24 ng
RT: 5.75 min Scan# 648
Delta R.T. 0.01 min
Lab File: BF095239.D
Acq: 19 May 2017 00:13

Tgt Ion:112 Resp: 653787
Ion Ratio Lower Upper
112 100
64 53.7 46.0 69.0
63 27.1 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 106.41 ng

RT: 7.31 min Scan# 914

Delta R.T. 0.00 min

Lab File: BF095239.D

Acq: 19 May 2017 00:13

Instrument :

BNA_F

ClientSampleId :





Tot Ion: 99 Resp: 764117

Ion Ratio Lower Upper

99 100

42 15.3 13.5 20.3

71 31.3 24.5 36.7



#19

n-Nitroso-di-n-propylamine

Concen: 12.71 ng

RT: 8.67 min Scan# 1144

Delta R.T. 0.19 min

Lab File: BF095239.D

Acq: 19 May 2017 00:13

Tgt Ion: 70 Resp: 61735




Ion Ratio Lower Upper


70 100

42 47.2 47.2 70.8

101 0.0 7.2 10.8#

130 3.0 15.9 23.9#





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.79 min Scan# 1335

Delta R.T. 0.01 min

Lab File: BF095239.D

Acq: 19 May 2017 00:13

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 397170



Ion Ratio Lower Upper

136 100

137 10.7 8.5 12.7

54 6.4 4.9 7.3

68 5.1 4.1 6.1





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 82.34 ng

RT: 8.67 min Scan# 1144

Delta R.T. -0.01 min

Lab File: BF095239.D

Acq: 19 May 2017 00:13



Tgt Ion: 82 Resp: 518587

Ion Ratio Lower Upper

82 100

128 46.6 34.0 51.0


54 47.3 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 12.62 min Scan# 1816

Delta R.T. 0.00 min

Lab File: BF095239.D

Acq: 19 May 2017 00:13

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 189290

Ion Ratio Lower Upper

164 100

162 105.3 82.6 123.8




160 44.2 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 138.84 ng

RT: 13.91 min Scan# 2036

Delta R.T. -0.01 min

Lab File: BF095239.D

Acq: 19 May 2017 00:13


Tgt Ion:330 Resp: 215229

Ion Ratio Lower Upper

330 100

332 96.9 76.6 115.0



141 39.8 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 84.53 ng
RT: 11.55 min Scan# 1635
Delta R.T. -0.01 min
Lab File: BF095239.D
Acq: 19 May 2017 00:13




Instrument :
BNA_F
ClientSampled :


Tot Ion:172 Resp: 1111664
Ion Ratio Lower Upper
172 100
171 36.9 29.6 44.4
170 23.1 19.8 29.8



#50
2,6-Dinitrotoluene
Concen: 6.09 ng
RT: 12.62 min Scan# 1816
Delta R.T. 0.26 min
Lab File: BF095239.D
Acq: 19 May 2017 00:13

Tgt Ion:165 Resp: 19310
Ion Ratio Lower Upper
165 100
63 0.0 34.3 51.5#
89 0.0 37.1 55.7#









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 15.02 min Scan# 2225
 Delta R.T. 0.00 min
 Lab File: BF095239.D
 Acq: 19 May 2017 00:13




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:188 Resp: 364386
 Ion Ratio Lower Upper
 188 100
 94 10.5 9.4 14.2
 80 11.1 10.2 15.2



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.69 min Scan# 2849
 Delta R.T. 0.00 min
 Lab File: BF095239.D
 Acq: 19 May 2017 00:13

Tgt Ion:240 Resp: 224062
 Ion Ratio Lower Upper
 240 100
 120 14.1 5.8 8.8#
 236 25.4 20.5 30.7









#78
 Terphenyl-d14
 Concen: 107.15 ng
 RT: 17.34 min Scan# 2619
 Delta R.T. -0.01 min
 Lab File: BF095239.D
 Acq: 19 May 2017 00:13

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 1090058
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.0 9.0
 122 14.5 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 20.38 min Scan# 3135
 Delta R.T. 0.01 min
 Lab File: BF095239.D
 Acq: 19 May 2017 00:13

Tgt Ion:264 Resp: 80105
 Ion Ratio Lower Upper
 264 100
 260 25.9 19.5 29.3
 265 21.0 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

