

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051817\
 Data File : BF095224.D
 Acq On : 18 May 2017 16:05
 Operator : SJ/MA
 Sample : I3159-01
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-3-20170515

Quant Time: May 18 17:08:29 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	105663	20.00	ng	0.00
21) Naphthalene-d8	9.78	136	415039	20.00	ng	0.00
38) Acenaphthene-d10	12.62	164	199963	20.00	ng	0.00
63) Phenanthrene-d10	15.02	188	309812	20.00	ng	0.00
75) Chrysene-d12	18.69	240	245160	20.00	ng	0.00
86) Perylene-d12	20.37	264	142543	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.74	112	404107	63.76	ng	0.00
7) Phenol-d6	7.32	99	300768	39.55	ng	0.00
23) Nitrobenzene-d5	8.67	82	625946	95.10	ng	0.00
41) 2,4,6-Tribromophenol	13.92	330	243500	148.69	ng	0.00
44) 2-Fluorobiphenyl	11.56	172	1241094	89.33	ng	0.00
78) Terphenyl-d14	17.34	244	895265	80.43	ng	0.00
Target Compounds						
49) Dimethylphthalate	12.26	163	44774	2.73	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051817\
Data File : BF095224.D
Acq On : 18 May 2017 16:05
Operator : SJ/MA
Sample : I3159-01
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-3-20170515

Quant Time: May 18 17:08:29 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.77 min Scan# 991
Delta R.T. 0.00 min
Lab File: BF095224.D
Acq: 18 May 2017 16:05

Instrument :
BNA_F
ClientSampleId :
MW-3-20170515

Tot Ion:152 Resp: 105663
Ion Ratio Lower Upper
152 100
150 157.4 126.2 189.2
115 60.9 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 63.76 ng
RT: 5.74 min Scan# 647
Delta R.T. 0.01 min
Lab File: BF095224.D
Acq: 18 May 2017 16:05

Tgt Ion:112 Resp: 404107
Ion Ratio Lower Upper
112 100
64 52.5 46.0 69.0
63 25.9 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 39.55 ng

RT: 7.32 min Scan# 915

Delta R.T. 0.01 min

Lab File: BF095224.D

Acq: 18 May 2017 16:05

Instrument :

BNA_F

ClientSampleId :

MW-3-20170515


Tot Ion: 99 Resp: 300768

Ion Ratio Lower Upper

99 100

42 14.7 13.5 20.3




71 32.3 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.78 min Scan# 1334

Delta R.T. 0.00 min

Lab File: BF095224.D

Acq: 18 May 2017 16:05

Tgt Ion: 136 Resp: 415039


Ion Ratio Lower Upper

136 100

137 11.2 8.5 12.7

54 7.0 4.9 7.3

68 5.3 4.1 6.1





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0








#23
Nitrobenzene-d5
Concen: 95.10 ng
RT: 8.67 min Scan# 1145
Delta R.T. 0.00 min
Lab File: BF095224.D
Acq: 18 May 2017 16:05




Instrument :
BNA_F
ClientSampleId :
MW-3-20170515

Tot Ion: 82 Resp: 625946
Ion Ratio Lower Upper
82 100
128 50.0 34.0 51.0
54 46.1 42.2 63.2



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 12.62 min Scan# 1816
Delta R.T. 0.00 min
Lab File: BF095224.D
Acq: 18 May 2017 16:05

Tgt Ion:164 Resp: 199963
Ion Ratio Lower Upper
164 100
162 105.2 82.6 123.8
160 44.7 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 148.69 ng
 RT: 13.92 min Scan# 2037
 Delta R.T. 0.00 min
 Lab File: BF095224.D
 Acq: 18 May 2017 16:05

Instrument :
 BNA_F
 ClientSampleId :
 MW-3-20170515

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.8	76.6	115.0
141	38.9	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 89.33 ng
 RT: 11.56 min Scan# 1636
 Delta R.T. 0.00 min
 Lab File: BF095224.D
 Acq: 18 May 2017 16:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.6	44.4
170	24.2	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.73 ng

RT: 12.26 min Scan# 1755

Delta R.T. 0.00 min

Lab File: BF095224.D

Acq: 18 May 2017 16:05

Instrument :

BNA_F

ClientSampleId :

MW-3-20170515


Tot Ion:163 Resp: 44774

Ion Ratio Lower Upper

163 100

194 3.0 2.6 4.0




164 11.0 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 15.02 min Scan# 2224

Delta R.T. -0.01 min

Lab File: BF095224.D

Acq: 18 May 2017 16:05


Tgt Ion:188 Resp: 309812

Ion Ratio Lower Upper

188 100

94 10.8 9.4 14.2



80 11.4 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.69 min Scan# 2849

Delta R.T. 0.00 min

Lab File: BF095224.D

Acq: 18 May 2017 16:05

Instrument :

BNA_F

ClientSampleId :

MW-3-20170515


Tot Ion:240 Resp: 245160

Ion Ratio Lower Upper

240 100

120 13.1 5.8 8.8#



236 24.8 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 80.43 ng

RT: 17.34 min Scan# 2619

Delta R.T. -0.01 min

Lab File: BF095224.D

Acq: 18 May 2017 16:05


Tgt Ion:244 Resp: 895265

Ion Ratio Lower Upper

244 100

212 7.0 6.0 9.0



122 14.2 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 20.37 min Scan# 3134
 Delta R.T. 0.01 min
 Lab File: BF095224.D
 Acq: 18 May 2017 16:05

Instrument :
 BNA_F
 ClientSampleId :
 MW-3-20170515

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.5	29.3
265	20.8	17.2	25.8



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

