

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051817\
 Data File : BF095234.D
 Acq On : 18 May 2017 21:31
 Operator : SJ/MA
 Sample : I3182-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 VNJ-204-228-ETGI-275

Quant Time: May 19 02:58:04 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	97163	20.00	ng	0.00
21) Naphthalene-d8	9.79	136	411021	20.00	ng	0.00
38) Acenaphthene-d10	12.62	164	204632	20.00	ng	0.00
63) Phenanthrene-d10	15.02	188	349339	20.00	ng	0.00
75) Chrysene-d12	18.69	240	217290	20.00	ng	0.00
86) Perylene-d12	20.38	264	117856	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.75	112	633175	108.65	ng	0.01
7) Phenol-d6	7.31	99	744326	106.45	ng	0.00
23) Nitrobenzene-d5	8.67	82	485031	74.41	ng	0.00
41) 2,4,6-Tribromophenol	13.92	330	226961	135.43	ng	0.00
44) 2-Fluorobiphenyl	11.56	172	1147313	80.70	ng	0.00
78) Terphenyl-d14	17.34	244	1043735	105.80	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051817\
Data File : BF095234.D
Acq On : 18 May 2017 21:31
Operator : SJ/MA
Sample : I3182-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
VNJ-204-228-ETGI-275

Quant Time: May 19 02:58:04 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.77 min Scan# 992
Delta R.T. 0.01 min
Lab File: BF095234.D
Acq: 18 May 2017 21:31

Instrument :
BNA_F
ClientSampleId :
VNJ-204-228-ETGI-275

Tot Ion:152 Resp: 97163
Ion Ratio Lower Upper
152 100
150 155.4 126.2 189.2
115 58.2 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.65 ng
RT: 5.75 min Scan# 648
Delta R.T. 0.01 min
Lab File: BF095234.D
Acq: 18 May 2017 21:31

Tgt Ion:112 Resp: 633175
Ion Ratio Lower Upper
112 100
64 53.4 46.0 69.0
63 27.2 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 106.45 ng

RT: 7.31 min Scan# 914

Delta R.T. 0.00 min

Lab File: BF095234.D

Acq: 18 May 2017 21:31

Instrument :

BNA_F

ClientSampleId :

VNJ-204-228-ETGI-275


Tot Ion: 99 Resp: 744326

Ion Ratio Lower Upper

99 100

42 16.0 13.5 20.3




71 31.7 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.79 min Scan# 1335

Delta R.T. 0.01 min

Lab File: BF095234.D

Acq: 18 May 2017 21:31

Tgt Ion: 136 Resp: 411021


Ion Ratio Lower Upper

136 100

137 11.0 8.5 12.7

54 6.5 4.9 7.3

68 5.2 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 74.41 ng
 RT: 8.67 min Scan# 1144
 Delta R.T. -0.01 min
 Lab File: BF095234.D
 Acq: 18 May 2017 21:31

Instrument :
 BNA_F
 ClientSampleId :
 VNJ-204-228-ETGI-275

Tot Ion: 82 Resp: 485031
 Ion Ratio Lower Upper
 82 100
 128 46.7 34.0 51.0
 54 47.2 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.62 min Scan# 1816
 Delta R.T. 0.00 min
 Lab File: BF095234.D
 Acq: 18 May 2017 21:31

Tgt Ion: 164 Resp: 204632
 Ion Ratio Lower Upper
 164 100
 162 102.9 82.6 123.8
 160 44.7 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 135.43 ng
 RT: 13.92 min Scan# 2037
 Delta R.T. 0.00 min
 Lab File: BF095234.D
 Acq: 18 May 2017 21:31

Instrument :
 BNA_F
 ClientSampleId :
 VNJ-204-228-ETGI-275

Tot Ion:330 Resp: 226961
 Ion Ratio Lower Upper
 330 100
 332 95.1 76.6 115.0
 141 39.0 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 80.70 ng
 RT: 11.56 min Scan# 1636
 Delta R.T. 0.00 min
 Lab File: BF095234.D
 Acq: 18 May 2017 21:31

Tgt Ion:172 Resp: 1147313
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.6 44.4
 170 22.8 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 15.02 min Scan# 2225
 Delta R.T. 0.00 min
 Lab File: BF095234.D
 Acq: 18 May 2017 21:31




Instrument :
 BNA_F
 ClientSampleId :
 VNJ-204-228-ETGI-275


Tot Ion:188 Resp: 349339
 Ion Ratio Lower Upper
 188 100
 94 10.1 9.4 14.2
 80 10.1 10.2 15.2#



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.69 min Scan# 2849
 Delta R.T. 0.00 min
 Lab File: BF095234.D
 Acq: 18 May 2017 21:31

Tgt Ion:240 Resp: 217290
 Ion Ratio Lower Upper
 240 100
 120 13.4 5.8 8.8#
 236 24.7 20.5 30.7





#78

Terphenyl-d14

Concen: 105.80 ng

RT: 17.34 min Scan# 2619

Delta R.T. -0.01 min

Lab File: BF095234.D

Acq: 18 May 2017 21:31

Instrument :

BNA_F

ClientSampleId :

VNJ-204-228-ETGI-275


Tot Ion:244 Resp: 1043735

Ion Ratio Lower Upper

244 100

212 7.1 6.0 9.0




122 15.1 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 20.38 min Scan# 3135

Delta R.T. 0.01 min

Lab File: BF095234.D

Acq: 18 May 2017 21:31


Tgt Ion:264 Resp: 117856

Ion Ratio Lower Upper

264 100

260 24.6 19.5 29.3

265 22.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

