

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF051820\
 Data File : BF120347.D
 Acq On : 18 May 2020 17:45
 Operator : MA/SJ
 Sample : PB128946TB
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB128946TB

Quant Time: May 19 04:52:39 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF051420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 18 15:23:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	293240	20.00	ng	0.00
21) Naphthalene-d8	7.89	136	1228493	20.00	ng	0.00
39) Acenaphthene-d10	9.63	164	746736	20.00	ng	-0.01
64) Phenanthrene-d10	11.12	188	1393199	20.00	ng	0.00
76) Chrysene-d12	13.75	240	1124280	20.00	ng	-0.01
87) Perylene-d12	15.14	264	1004144	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.21	112	2228748	147.88	ng	0.00
7) Phenol-d6	6.26	99	2606418	136.76	ng	0.00
23) Nitrobenzene-d5	7.17	82	1680860	93.68	ng	0.00
42) 2,4,6-Tribromophenol	10.43	330	795877	130.72	ng	0.00
45) 2-Fluorobiphenyl	8.97	172	2926191	80.51	ng	0.00
79) Terphenyl-d14	12.72	244	3552034	69.80	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF051820\
Data File : BF120347.D
Acq On : 18 May 2020 17:45
Operator : MA/SJ
Sample : PB128946TB
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB128946TB

Quant Time: May 19 04:52:39 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF051420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 18 15:23:07 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.60 min Scan# 767
Delta R.T. -0.01 min
Lab File: BF120347.D
Acq: 18 May 2020 17:45

Instrument :
BNA_F
ClientSampleId :
PB128946TB

Tot Ion:152 Resp: 293240
Ion Ratio Lower Upper
152 100
150 159.0 126.2 189.2
115 59.8 47.9 71.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 147.882 ng
RT: 5.21 min Scan# 531
Delta R.T. -0.00 min
Lab File: BF120347.D
Acq: 18 May 2020 17:45

Tgt Ion:112 Resp: 2228748
Ion Ratio Lower Upper
112 100
64 68.8 52.7 79.1
63 34.6 26.2 39.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 136.756 ng

RT: 6.26 min Scan# 709

Delta R.T. -0.01 min

Lab File: BF120347.D

Acq: 18 May 2020 17:45

Instrument :

BNA_F

ClientSampleId :

PB128946TB


Tot Ion: 99 Resp: 2606418

Ion Ratio Lower Upper




99 100

42 17.8 13.6 20.4

71 31.5 24.2 36.4



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.89 min Scan# 986

Delta R.T. -0.00 min

Lab File: BF120347.D

Acq: 18 May 2020 17:45

Tgt Ion: 136 Resp: 1228493


Ion Ratio Lower Upper

136 100



137 11.2 9.1 13.7


54 9.7 7.9 11.9

68 6.0 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 93.678 ng
 RT: 7.17 min Scan# 864
 Delta R.T. -0.01 min
 Lab File: BF120347.D
 Acq: 18 May 2020 17:45




Instrument :
 BNA_F
 ClientSampleId :
 PB128946TB


Tot Ion: 82 Resp: 1680860
 Ion Ratio Lower Upper
 82 100
 128 45.6 38.3 57.5
 54 59.7 43.9 65.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.63 min Scan# 1283
 Delta R.T. -0.01 min
 Lab File: BF120347.D
 Acq: 18 May 2020 17:45

Tgt Ion: 164 Resp: 746736
 Ion Ratio Lower Upper
 164 100
 162 100.8 81.2 121.8
 160 44.8 35.8 53.6









#42
 2,4,6-Tribromophenol
 Concen: 130.718 ng
 RT: 10.43 min Scan# 1419
 Delta R.T. -0.00 min
 Lab File: BF120347.D
 Acq: 18 May 2020 17:45




Instrument :
 BNA_F
 ClientSampleId :
 PB128946TB


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	76.5	114.7
141	32.5	25.4	38.0



#45
 2-Fluorobiphenyl
 Concen: 80.507 ng
 RT: 8.97 min Scan# 1170
 Delta R.T. -0.00 min
 Lab File: BF120347.D
 Acq: 18 May 2020 17:45

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.7	44.5
170	24.6	19.9	29.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.12 min Scan# 1536
Delta R.T. -0.00 min
Lab File: BF120347.D
Acq: 18 May 2020 17:45




Instrument :
BNA_F
ClientSampleId :
PB128946TB


Tot Ion:188 Resp: 1393199
Ion Ratio Lower Upper
188 100
94 10.4 8.6 13.0
80 10.6 9.2 13.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.75 min Scan# 1983
Delta R.T. -0.01 min
Lab File: BF120347.D
Acq: 18 May 2020 17:45

Tgt Ion:240 Resp: 1124280
Ion Ratio Lower Upper
240 100
120 14.1 10.4 15.6
236 25.6 21.0 31.6





#79

Terphenyl-d14

Concen: 69.798 ng

RT: 12.72 min Scan# 1807

Delta R.T. 0.01 min

Lab File: BF120347.D

Acq: 18 May 2020 17:45

Instrument :

BNA_F

ClientSampleId :

PB128946TB


Tot Ion:244 Resp: 3552034

Ion Ratio Lower Upper

244 100

212 6.7 5.8 8.6




122 12.7 10.8 16.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.14 min Scan# 2219

Delta R.T. -0.01 min

Lab File: BF120347.D

Acq: 18 May 2020 17:45


Tgt Ion:264 Resp: 1004144

Ion Ratio Lower Upper

264 100

260 23.8 19.0 28.6

265 21.1 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

