

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051917\
 Data File : BF095289.D
 Acq On : 20 May 2017 6:44
 Operator : SJ/MA
 Sample : PB99081TB
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 20 07:12:05 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	87945	20.00	ng	0.00
21) Naphthalene-d8	9.78	136	361290	20.00	ng	0.00
38) Acenaphthene-d10	12.61	164	146452	20.00	ng	0.00
63) Phenanthrene-d10	15.02	188	174555	20.00	ng	0.00
75) Chrysene-d12	18.69	240	152233	20.00	ng	0.00
86) Perylene-d12	20.37	264	124186	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.74	112	721211	136.72	ng	0.00
7) Phenol-d6	7.31	99	861388	136.10	ng	0.00
23) Nitrobenzene-d5	8.66	82	496253	86.61	ng	-0.01
41) 2,4,6-Tribromophenol	13.91	330	129591	108.05	ng	0.00
44) 2-Fluorobiphenyl	11.55	172	1017319	99.98	ng	0.00
78) Terphenyl-d14	17.34	244	524241	75.85	ng	-0.01
Target Compounds						
15) Benzyl Alcohol	8.00	79	8215	2.02	ng	# 33
19) n-Nitroso-di-n-propylamine	8.66	70	59104	13.81	ng	# 75
50) 2,6-Dinitrotoluene	12.61	165	14657	5.98	ng	# 31


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051917\
Data File : BF095289.D
Acq On : 20 May 2017 6:44
Operator : SJ/MA
Sample : PB99081TB
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 20 07:12:05 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.77 min Scan# 991
Delta R.T. 0.00 min
Lab File: BF095289.D
Acq: 20 May 2017 6:44

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 87945
Ion Ratio Lower Upper
152 100
150 158.6 126.2 189.2
115 59.7 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 136.72 ng
RT: 5.74 min Scan# 646
Delta R.T. 0.00 min
Lab File: BF095289.D
Acq: 20 May 2017 6:44

Tgt Ion:112 Resp: 721211
Ion Ratio Lower Upper
112 100
64 53.9 46.0 69.0
63 26.5 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 136.10 ng

RT: 7.31 min Scan# 913

Delta R.T. -0.01 min

Lab File: BF095289.D

Acq: 20 May 2017 6:44

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 861388

Ion Ratio Lower Upper

99 100

42 15.6 13.5 20.3




71 31.2 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#15

Benzyl Alcohol

Concen: 2.02 ng

RT: 8.00 min Scan# 1031

Delta R.T. -0.05 min

Lab File: BF095289.D

Acq: 20 May 2017 6:44


Tgt Ion: 79 Resp: 8215

Ion Ratio Lower Upper

79 100

108 29.1 63.4 95.0#



77 123.2 49.2 73.8#




Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): BF0

Ion 77.00 (76.70 to 77.70): BF0









#19
n-Nitroso-di-n-propylamine
Concen: 13.81 ng
RT: 8.66 min Scan# 1143
Delta R.T. 0.18 min
Lab File: BF095289.D
Acq: 20 May 2017 6:44




Instrument :
BNA_F
ClientSampled :

Tot Ion: 70 Resp: 59104
Ion Ratio Lower Upper
70 100
42 43.3 47.2 70.8#
101 0.0 7.2 10.8#
130 2.8 15.9 23.9#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 9.78 min Scan# 1334
Delta R.T. 0.00 min
Lab File: BF095289.D
Acq: 20 May 2017 6:44

Tgt Ion: 136 Resp: 361290
Ion Ratio Lower Upper
136 100
137 10.6 8.5 12.7
54 6.8 4.9 7.3
68 5.6 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 86.61 ng
 RT: 8.66 min Scan# 1143
 Delta R.T. -0.01 min
 Lab File: BF095289.D
 Acq: 20 May 2017 6:44

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion: 82 Resp: 496253
 Ion Ratio Lower Upper
 82 100
 128 45.9 34.0 51.0
 54 47.3 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.61 min Scan# 1815
 Delta R.T. -0.01 min
 Lab File: BF095289.D
 Acq: 20 May 2017 6:44

Tgt Ion:164 Resp: 146452
 Ion Ratio Lower Upper
 164 100
 162 101.3 82.6 123.8
 160 45.3 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 108.05 ng
 RT: 13.91 min Scan# 2036
 Delta R.T. -0.01 min
 Lab File: BF095289.D
 Acq: 20 May 2017 6:44

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.6	76.6	115.0
141	39.0	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 99.98 ng
 RT: 11.55 min Scan# 1635
 Delta R.T. -0.01 min
 Lab File: BF095289.D
 Acq: 20 May 2017 6:44

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	29.6	44.4
170	23.3	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#50
 2,6-Dinitrotoluene
 Concen: 5.98 ng
 RT: 12.61 min Scan# 1815
 Delta R.T. 0.25 min
 Lab File: BF095289.D
 Acq: 20 May 2017 6:44

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	34.3	51.5#
89	0.0	37.1	55.7#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0





#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 15.02 min Scan# 2225
 Delta R.T. 0.00 min
 Lab File: BF095289.D
 Acq: 20 May 2017 6:44

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.7	9.4	14.2
80	10.9	10.2	15.2



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.69 min Scan# 2848

Delta R.T. -0.01 min

Lab File: BF095289.D

Acq: 20 May 2017 6:44

Instrument :

BNA_F

ClientSampled :


Tot Ion:240 Resp: 152233

Ion Ratio Lower Upper

240 100

120 15.3 5.8 8.8#



236 24.3 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 75.85 ng

RT: 17.34 min Scan# 2618

Delta R.T. -0.01 min

Lab File: BF095289.D

Acq: 20 May 2017 6:44


Tgt Ion:244 Resp: 524241

Ion Ratio Lower Upper

244 100

212 6.6 6.0 9.0



122 13.7 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 20.37 min Scan# 3134
 Delta R.T. 0.01 min
 Lab File: BF095289.D
 Acq: 20 May 2017 6:44

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.5	29.3
265	22.5	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

