

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051917\
 Data File : BF095290.D
 Acq On : 20 May 2017 7:15
 Operator : SJ/MA
 Sample : I3207-04
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 22 01:54:37 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	94372	20.00	ng	0.00
21) Naphthalene-d8	9.78	136	306555	20.00	ng	0.00
38) Acenaphthene-d10	12.61	164	139955	20.00	ng	0.00
63) Phenanthrene-d10	15.02	188	205169	20.00	ng	0.00
75) Chrysene-d12	18.69	240	159050	20.00	ng	0.00
86) Perylene-d12	20.37	264	93512	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.74	112	662831	117.10	ng	0.00
7) Phenol-d6	7.31	99	704802	103.77	ng	0.00
23) Nitrobenzene-d5	8.66	82	458338	94.28	ng	-0.01
41) 2,4,6-Tribromophenol	13.91	330	140722	122.77	ng	0.00
44) 2-Fluorobiphenyl	11.55	172	986713	101.48	ng	0.00
78) Terphenyl-d14	17.34	244	568421	78.72	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.66	70	54679	11.90	ng	# 76
50) 2,6-Dinitrotoluene	12.62	165	14650	6.25	ng	# 31


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF051917\
Data File : BF095290.D
Acq On : 20 May 2017 7:15
Operator : SJ/MA
Sample : I3207-04
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 22 01:54:37 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.77 min Scan# 991
Delta R.T. 0.00 min
Lab File: BF095290.D
Acq: 20 May 2017 7:15

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 94372
Ion Ratio Lower Upper
152 100
150 159.1 126.2 189.2
115 60.1 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 117.10 ng
RT: 5.74 min Scan# 646
Delta R.T. 0.00 min
Lab File: BF095290.D
Acq: 20 May 2017 7:15

Tgt Ion:112 Resp: 662831
Ion Ratio Lower Upper
112 100
64 55.7 46.0 69.0
63 28.0 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 103.77 ng

RT: 7.31 min Scan# 913

Delta R.T. -0.01 min

Lab File: BF095290.D

Acq: 20 May 2017 7:15

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 704802

Ion Ratio Lower Upper

99 100

42 16.1 13.5 20.3




71 31.2 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 11.90 ng

RT: 8.66 min Scan# 1143

Delta R.T. 0.18 min

Lab File: BF095290.D

Acq: 20 May 2017 7:15

Tgt Ion: 70 Resp: 54679


Ion Ratio Lower Upper

70 100

42 44.6 47.2 70.8#

101 0.0 7.2 10.8#

130 2.4 15.9 23.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.78 min Scan# 1334

Delta R.T. 0.00 min

Lab File: BF095290.D

Acq: 20 May 2017 7:15

Instrument :

BNA_F

ClientSampled :

Tot Ion:136 Resp: 306555



Ion Ratio Lower Upper

136 100

137 11.3 8.5 12.7

54 6.5 4.9 7.3

68 5.6 4.1 6.1





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 94.28 ng

RT: 8.66 min Scan# 1143

Delta R.T. -0.01 min

Lab File: BF095290.D

Acq: 20 May 2017 7:15



Tgt Ion: 82 Resp: 458338

Ion Ratio Lower Upper

82 100

128 47.1 34.0 51.0


54 47.8 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 12.61 min Scan# 1815

Delta R.T. -0.01 min

Lab File: BF095290.D

Acq: 20 May 2017 7:15

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 139955

Ion Ratio Lower Upper

164 100

162 101.5 82.6 123.8




160 44.4 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 122.77 ng

RT: 13.91 min Scan# 2036

Delta R.T. -0.01 min

Lab File: BF095290.D

Acq: 20 May 2017 7:15


Tgt Ion:330 Resp: 140722

Ion Ratio Lower Upper

330 100

332 98.7 76.6 115.0



141 40.1 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 101.48 ng
 RT: 11.55 min Scan# 1635
 Delta R.T. -0.01 min
 Lab File: BF095290.D
 Acq: 20 May 2017 7:15




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	35.7	29.6	44.4
170	23.3	19.8	29.8



#50
 2,6-Dinitrotoluene
 Concen: 6.25 ng
 RT: 12.62 min Scan# 1816
 Delta R.T. 0.26 min
 Lab File: BF095290.D
 Acq: 20 May 2017 7:15

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	34.3	51.5#
89	0.0	37.1	55.7#









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 15.02 min Scan# 2224
 Delta R.T. -0.01 min
 Lab File: BF095290.D
 Acq: 20 May 2017 7:15

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:188 Resp: 205169
 Ion Ratio Lower Upper
 188 100
 94 10.7 9.4 14.2
 80 10.3 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.69 min Scan# 2848
 Delta R.T. -0.01 min
 Lab File: BF095290.D
 Acq: 20 May 2017 7:15

Tgt Ion:240 Resp: 159050
 Ion Ratio Lower Upper
 240 100
 120 15.5 5.8 8.8#
 236 24.7 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 78.72 ng
 RT: 17.34 min Scan# 2618
 Delta R.T. -0.01 min
 Lab File: BF095290.D
 Acq: 20 May 2017 7:15

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 568421
 Ion Ratio Lower Upper
 244 100
 212 6.7 6.0 9.0
 122 13.4 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 20.37 min Scan# 3134
 Delta R.T. 0.01 min
 Lab File: BF095290.D
 Acq: 20 May 2017 7:15

Tgt Ion:264 Resp: 93512
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.5 29.3
 265 21.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

