

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF051917\
 Data File : BF095297.D
 Acq On : 20 May 2017 10:59
 Operator : SJ/MA
 Sample : I3199-04
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-08-COMP

Quant Time: May 22 03:05:11 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	93083	20.00	ng	0.00
21) Naphthalene-d8	9.78	136	355629	20.00	ng	0.00
38) Acenaphthene-d10	12.61	164	152968	20.00	ng	0.00
63) Phenanthrene-d10	15.02	188	215291	20.00	ng	0.00
75) Chrysene-d12	18.69	240	161465	20.00	ng	0.00
86) Perylene-d12	20.37	264	138929	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	771340	138.15	ng	-0.01
7) Phenol-d6	7.30	99	947485	141.44	ng	-0.01
23) Nitrobenzene-d5	8.66	82	545039	96.64	ng	-0.01
41) 2,4,6-Tribromophenol	13.91	330	134336	107.23	ng	0.00
44) 2-Fluorobiphenyl	11.55	172	952030	89.58	ng	-0.01
78) Terphenyl-d14	17.33	244	527657	71.98	ng	-0.02
Target Compounds						
49) Dimethylphthalate	12.25	163	174609	13.90	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF051917\
Data File : BF095297.D
Acq On : 20 May 2017 10:59
Operator : SJ/MA
Sample : I3199-04
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-08-COMP

Quant Time: May 22 03:05:11 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.76 min Scan# 990
 Delta R.T. -0.01 min
 Lab File: BF095297.D
 Acq: 20 May 2017 10:59

Instrument :
 BNA_F
 ClientSampleId :
 SB-08-COMP

Tgt Ion:152 Resp: 93083
 Ion Ratio Lower Upper
 152 100
 150 161.6 126.2 189.2
 115 64.2 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 138.15 ng
 RT: 5.72 min Scan# 644
 Delta R.T. -0.01 min
 Lab File: BF095297.D
 Acq: 20 May 2017 10:59

Tgt Ion:112 Resp: 771340
 Ion Ratio Lower Upper
 112 100
 64 55.2 46.0 69.0
 63 27.2 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 141.44 ng

RT: 7.30 min Scan# 912

Delta R.T. -0.01 min

Lab File: BF095297.D

Acq: 20 May 2017 10:59

Instrument :

BNA_F

ClientSampleId :

SB-08-COMP


Tgt Ion: 99 Resp: 947485

Ion Ratio Lower Upper

99 100

42 16.0 13.5 20.3




71 31.8 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.78 min Scan# 1334

Delta R.T. 0.00 min

Lab File: BF095297.D

Acq: 20 May 2017 10:59

Tgt Ion: 136 Resp: 355629


Ion Ratio Lower Upper

136 100

137 10.8 8.5 12.7

54 6.5 4.9 7.3

68 5.1 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 96.64 ng
 RT: 8.66 min Scan# 1143
 Delta R.T. -0.01 min
 Lab File: BF095297.D
 Acq: 20 May 2017 10:59

Instrument :
 BNA_F
 ClientSampleId :
 SB-08-COMP

Tgt Ion: 82 Resp: 545039
 Ion Ratio Lower Upper
 82 100
 128 47.2 34.0 51.0
 54 47.1 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.61 min Scan# 1815
 Delta R.T. -0.01 min
 Lab File: BF095297.D
 Acq: 20 May 2017 10:59

Tgt Ion: 164 Resp: 152968
 Ion Ratio Lower Upper
 164 100
 162 104.9 82.6 123.8
 160 41.4 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 107.23 ng
 RT: 13.91 min Scan# 2036
 Delta R.T. -0.01 min
 Lab File: BF095297.D
 Acq: 20 May 2017 10:59

Instrument :
 BNA_F
 ClientSampleId :
 SB-08-COMP

Tgt Ion:330 Resp: 134336
 Ion Ratio Lower Upper
 330 100
 332 100.5 76.6 115.0
 141 37.7 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 89.58 ng
 RT: 11.55 min Scan# 1634
 Delta R.T. -0.01 min
 Lab File: BF095297.D
 Acq: 20 May 2017 10:59

Tgt Ion:172 Resp: 952030
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.6 44.4
 170 23.1 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.90 ng

RT: 12.25 min Scan# 1754

Delta R.T. -0.01 min

Lab File: BF095297.D

Acq: 20 May 2017 10:59

Instrument :

BNA_F

ClientSampleId :

SB-08-COMP


Tgt Ion:163 Resp: 174609

Ion Ratio Lower Upper

163 100

194 3.7 2.6 4.0




164 9.6 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 15.02 min Scan# 2224

Delta R.T. -0.01 min

Lab File: BF095297.D

Acq: 20 May 2017 10:59


Tgt Ion:188 Resp: 215291

Ion Ratio Lower Upper

188 100

94 10.5 9.4 14.2



80 11.1 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.69 min Scan# 2848
 Delta R.T. -0.01 min
 Lab File: BF095297.D
 Acq: 20 May 2017 10:59




Instrument :
 BNA_F
 ClientSampleId :
 SB-08-COMP


Tgt Ion:240 Resp: 161465
 Ion Ratio Lower Upper
 240 100
 120 14.2 5.8 8.8#
 236 25.3 20.5 30.7



#78
 Terphenyl-d14
 Concen: 71.98 ng
 RT: 17.33 min Scan# 2617
 Delta R.T. -0.02 min
 Lab File: BF095297.D
 Acq: 20 May 2017 10:59

Tgt Ion:244 Resp: 527657
 Ion Ratio Lower Upper
 244 100
 212 6.4 6.0 9.0
 122 14.2 10.3 15.5






#86
Perylene-d12
Concen: 20.00 ng
RT: 20.37 min Scan# 3133
Delta R.T. 0.00 min
Lab File: BF095297.D
Acq: 20 May 2017 10:59

Instrument :
BNA_F
ClientSampleId :
SB-08-COMP

Tgt Ion: 264 Resp: 138929
Ion Ratio Lower Upper
264 100
260 23.0 19.5 29.3
265 21.0 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

