

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051922\
 Data File : BF128344.D
 Acq On : 19 May 2022 18:57
 Operator : CG\JU
 Sample : N2864-07
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P011-SS003-1824-01

Quant Time: May 20 02:46:46 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 19 06:47:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	79867	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	311296	20.000	ng	-0.01
39) Acenaphthene-d10	9.904	164	167926	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	299425	20.000	ng	# 0.00
76) Chrysene-d12	14.045	240	201104	20.000	ng	-0.01
86) Perylene-d12	15.533	264	190385	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.487	112	451304	90.080	ng	0.00
7) Phenol-d6	6.498	99	581137	87.698	ng	-0.01
23) Nitrobenzene-d5	7.428	82	413440	59.761	ng	-0.02
42) 2,4,6-Tribromophenol	10.698	330	157655	81.860	ng	-0.01
45) 2-Fluorobiphenyl	9.222	172	638605	59.504	ng	-0.01
79) Terphenyl-d14	12.980	244	635980	59.341	ng	-0.01


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051922\
Data File : BF128344.D
Acq On : 19 May 2022 18:57
Operator : CG\JU
Sample : N2864-07
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P011-SS003-1824-01

Quant Time: May 20 02:46:46 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 19 06:47:51 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128344.D
Acq: 19 May 2022 18:57




Instrument :
BNA_F
ClientSampleId :
P011-SS003-1824-01


Tgt Ion:152 Resp: 79867
Ion Ratio Lower Upper
152 100
150 159.7 125.3 187.9
115 67.8 48.8 73.2



#5
2-Fluorophenol
Concen: 90.080 ng
RT: 5.487 min Scan# 544
Delta R.T. -0.006 min
Lab File: BF128344.D
Acq: 19 May 2022 18:57

Tgt Ion:112 Resp: 451304
Ion Ratio Lower Upper
112 100
64 68.2 49.5 74.3
63 37.3 26.3 39.5









#7
Phenol-d6
Concen: 87.698 ng
RT: 6.498 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF128344.D
Acq: 19 May 2022 18:57




Instrument :
BNA_F
ClientSampleId :
P011-SS003-1824-01

Tgt Ion: 99 Resp: 581137
Ion Ratio Lower Upper
99 100
42 21.2 16.6 24.8
71 39.1 30.0 45.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 996
Delta R.T. -0.012 min
Lab File: BF128344.D
Acq: 19 May 2022 18:57

Tgt Ion: 136 Resp: 311296
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 8.5 6.8 10.2
68 6.0 5.1 7.7





#23

Nitrobenzene-d5

Concen: 59.761 ng

RT: 7.428 min Scan# 81

Delta R.T. -0.017 min

Lab File: BF128344.D

Acq: 19 May 2022 18:57

Instrument :





BNA_F

ClientSampleId :

P011-SS003-1824-01

Tgt Ion: 82 Resp: 413440

Ion	Ratio	Lower	Upper
82	100		
128	36.5	30.0	45.0
54	52.4	41.3	61.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.904 min Scan# 1295




Delta R.T. -0.012 min


Lab File: BF128344.D

Acq: 19 May 2022 18:57

Tgt Ion:164 Resp: 167926

Ion	Ratio	Lower	Upper
164	100		
162	95.5	76.0	114.0
160	43.5	34.8	52.2





#42

2,4,6-Tribromophenol

Concen: 81.860 ng

RT: 10.698 min Scan# 1436

Delta R.T. -0.012 min

Lab File: BF128344.D

Acq: 19 May 2022 18:57

Instrument :

BNA_F

ClientSampleId :

P011-SS003-1824-01





Tgt Ion:330 Resp: 157655

Ion Ratio Lower Upper

330 100

332 96.0 79.0 118.4

141 34.3 28.9 43.3



#45

2-Fluorobiphenyl

Concen: 59.504 ng

RT: 9.222 min Scan# 1179

Delta R.T. -0.012 min

Lab File: BF128344.D

Acq: 19 May 2022 18:57




Tgt Ion:172 Resp: 638605

Ion Ratio Lower Upper

172 100

171 34.9 28.6 42.8

170 23.7 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128344.D
Acq: 19 May 2022 18:57




Instrument :
BNA_F
ClientSampleId :
P011-SS003-1824-01


Tgt Ion:188 Resp: 299425
Ion Ratio Lower Upper
188 100
94 7.7 8.0 12.0#
80 9.1 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 1999
Delta R.T. -0.012 min
Lab File: BF128344.D
Acq: 19 May 2022 18:57

Tgt Ion:240 Resp: 201104
Ion Ratio Lower Upper
240 100
120 9.1 7.0 10.6
236 25.5 20.3 30.5









#79
 Terphenyl-d14
 Concen: 59.341 ng
 RT: 12.980 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF128344.D
 Acq: 19 May 2022 18:57

Instrument :
 BNA_F
 ClientSampleId :
 P011-SS003-1824-01

Tgt Ion:244 Resp: 635980
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.2 9.4
 122 10.2 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.533 min Scan# 2252
 Delta R.T. -0.012 min
 Lab File: BF128344.D
 Acq: 19 May 2022 18:57

Tgt Ion:264 Resp: 190385
 Ion Ratio Lower Upper
 264 100
 260 23.5 20.1 30.1
 265 21.2 17.5 26.3

